GEOPHYSICAL ABSTRACTS

1964 Index to numbers 204–215

By JAMES W. CLARKE, DOROTHY B. VITALIANO, VIRGINIA S. NEUSCHEL, *and others*

GEOLOGICAL SURVEY

U. S. DEPARTMENT OF THE INTERIOR
March 3, 1849

Abstracts of current literature pertaining to the physics of the solid earth and to geophysical exploration

---

UNITED STATES GOVERNMENT PRINTING OFFICE, WASHINGTON : 1965

UNITED STATES DEPARTMENT OF THE INTERIOR

STEWART L. UDALL, *Secretary*

GEOLOGICAL SURVEY

Thomas B. Nolan, *Director*

For sale by the Superintendent of Documents, U.S. Government Printing Office, Washington, D. C. 20402 Price 35 cents (single copy), index 75 cents. Subscription price: $4.25 a year (12 monthly issues and index); $1.00 additional for foreign mailing. Use of funds for printing this publication approved by the Director of the Bureau of the Budget (March 14, 1962).

INDEX TO GEOPHYSICAL ABSTRACTS 204-215, 1964

By James W. Clarke and others

AUTHOR INDEX

A

Abstract

Aaloe, A. O. New data on the structure of the Ilumetsa craters --- 212-80
—— On the history of the study of the Kaali meteorite craters ------ 212-79
Aaloe, A. O., and Nestor, Kh. E. Meteorites of the collection of the Institute of Geology of the Academy of Sciences of the Estonian SSR ---------- 212-55
Aaramäe, A. See Frederiksson, Kurt
Ab, E. A., Levitin, A. I., Orlova, L. B., and Plotnikov, P. I. Apparatus for luminescence logging of oil wells on the basis of the drilling mud discharged ---------- 205-127
Abadie, J. Summary of results of electrical studies carried out in North-Tchad in 1957 and of reconnaissance drilling carried out in North-Batha following these studies ---------- 211-98
Abdalian, S. Damavand volcano in Iran ---------- 207-353
Abdulkabirova, M. A., and Zamyatin, N. I. On the age of the auriferous intrusions of northern Kazakhstan ---------- 210-24
Abdulla, M. I., and Atherton, M. P. The thermometric significance of magnetite in low grade metamorphic rocks ---------- 214-170
Abdullayev, D. On the problem of determining the composition of a multicomponent system by gamma-ray scattering ---------- 205-309
Abdullayev, Kh. A. Natural remanent magnetization of the Lower Cretaceous formations of the southwest spurs of the Gissar Mountains ---------- 207-274
Abe, E. See Kumagai, Naoiti.
Abrahamsen, Niels. See Saxov, Svend E.
Abramovich, I. B. See Kukhtikova, T. I.
Abrashov, A. S., Krylov, A. Ya., and Silin, Yu. I. New data on the age of the granitic intrusives of the central Pamir ---------- 211-19
Acheson, C. H. Time-depth and velocity-depth relations in western Canada ---------- 205-329
Adachi, Kengo. Origin of the magnetocrystalline anisotropy energy of pyrrhotite ---------- 208-258
Adam, N. V., Ben'kova, N. P., Orlov, V. P., Osipov, N. K., and Tyurmina, L. O. Spherical analysis of the constant geomagnetic field for the epochs 1955 and 1958. II. ---------- 206-209
—— Spherical analysis of the main geomagnetic field and secular variations ---------- 207-231
—— Spherical analysis of the main geomagnetic field for the epochs 1955 and 1958 ---------- 205-220
Adam, Zdeněk. Some remarks on the geologic interpretation of seismic measurements ---------- 211-283
Adams, E. W. Aerodynamic analysis of tektites and their hypothetical parent bodies ---------- 210-98
Adams, E. W., and Huffaker, R. M. Aerodynamic analysis of tektites and their parent bodies ---------- 210-101
—— Aerodynamic analysis of the tektite problem ---------- 213-32
Adams, J. A. S. See Cherry, R. D., Heier, K. S., and Rogers, J. J. W.
Adams, R. D., and Le Fort, J. H. The Westport earthquakes, May 1962 ---------- 207-47
Ade-Hall, J. M. A correlation between remanent magnetism and petrological and chemical properties of Tertiary basalt lavas from Mull, Scotland ---------- 213-278

Abstract

Ade-Hall, J. M. Electron probe microanalyzer analyses of basaltic titanomagnetites and their significance to rock magnetism --- 209-298
Adler, Isidore. See Chao, E. C. T.
Adler, Lawrence. Clarification of three-dimensional plane of weakness concept --- 207-342
—— Failure in geologic material containing planes of weakness --- 204-344
Adler, Ron K. H. Some photogrammetric and geodetic aspects of measurement of glacier surface movement as function of time --- 213-200
Adlung, Alfred. Measurement of intensity of seismic shocks by means of simple instruments and its relation to the magnitude --- 209-110
Afanas'yev, G. D., Bagdasaryan, G. P., Harris, M. A., and Khamrabayev, I. Kh. Data on which to base the age of the boundaries between some geologic systems and epochs --- 208-1
Afanas'yev, G. D., Bayuk, Ye. I., Belikov, B. P., Volarovich, M. P., and Zalesskiy, B. V. On the physical properties of some rocks of India and Ceylon and their absolute age --- 210-57
Afanas'yev, G. D., Ivanov, I. B., and Shanin, L. L. K-Ar data on very young granitic magmatism --- 215-23
Afanas'yev, G. D., Volarovich, M. P., Bayuk, Ye. I., and Galdin, N. Ye. Investigation of elastic wave velocities in ultrabasic rocks of the Monchegorsk pluton under conditions of high confining pressure --- 212-147
Afanas'yeva, V. I. Classification of geomagnetic storms using the energy character figure --- 211-241
—— Energy of geomagnetic storms of September 1957 --- 214-217
—— Families of geomagnetic storms during the International Geophysical Cooperation --- 214-216
—— Families of geomagnetic storms during the IGY --- 204-255
—— Geoactivity and its possible causes (preliminary communication) --- 208-246
—— Geoactivity and its possible causes --- 210-235
Afanas'yeva, V. I., and Kalinin, J. D. Solar corpuscular streams by the IGY data --- 210-303
Afanas'yeva, V. I., Mogilevskiy, E. I., and Kalinin, Yu. D. Inner structure of solar corpuscular streams according to geomagnetic data --- 205-232
Affleck, James. Exploration for petroleum by the magnetic method- 214-241
Afrikyan, A. N. Use of potential sondes in the study of gas-bearing rocks --- 207-118
Afrikyan, A. N., and Farmanova, N. V. Study of carbonate gas-bearing formations by geophysical methods exemplified by the Korobkov field in the Volgograd region --- 207-123
Afrikyan, A. N., and Zalutskiy, A. M. Test of the use of large potential sondes in the study of the carbonate formations of the Volgograd district --- 205-100
Agalarova, A. B. See Kuznetsov, V. P.
Agamaliyev, G. M., and Rakhmanov, R. R. Distinguishing reservoirs in the section of the Cretaceous deposits of the Caspian-Kuba region according to the data of geophysical logging investigations --- 208-146
Aga-Zade, S. S. See Kuznetsov, V. P., and Ragimov, Sh. S.
Agger, H. E., Blundell, D. J., and Preece, I. A magnetic survey of the Argentine Islands, Graham Land --- 204-292
Agnieray, A. P. See Arthur, D. W. G.
Agrawal, D. P., Kusumgar, S., Lal, D., and Sarna, R. P. Tata Institute radiocarbon date list II --- 214-28
Agrawal, D. P., Kusumgar, S., and Sarna, R. P. Radiocarbon dates of archaeological samples --- 212-36
Ahrens, L. H. Si-Mg fractionation in chondrites --- 211-23
Ahukolyukov, Yu. A., Tolstikhin, I. N., and Varshavskaya, E. S. Abundance of the radioactive isotope K-40 in the oldest rocks of the Earth --- 212-242

Abstract

Aida, Isamu. See Takahasi, Ryutaro.

Air Force Cambridge Research Laboratories. A space-age traveler, the geodetic satellite ---- 206-141

Airinei, Ştefan. On some classes of recent magnetizations by combustion ---- 209-301

—— Structure of the Hercynian basement of the bend of the eastern Carpathians in light of anomalies of the gravimetric and geomagnetic fields ---- 213-213

—— The geomagnetic effect of exposures of eruptive rocks in the eastern Carpathians of Muntenia and Transylvania ---- 208-283

Aitken, M. J. Magnetic location ---- 215-271

Aitken, M. J., Harold, M. R., and Weaver, G. H. Some archaeomagnetic evidence concerning the secular variation in Britain ---- 210-314

Akademiya Nauk SSSR Laboratoriya Gidrogeologicheskikh Problem. The engineering-geologic properties of rocks and methods of studying them ---- 209-342

Akademiya Nauk SSSR, Sovet po Seysmologii. Atlas of earthquakes in the USSR ---- 208-82

Akamatu, Kei. See Asada, Toshi.

Akasofu, Syun-Ichi. On the asymmetric development of magnetic storm fields in low and middle latitudes ---- 214-210

—— The development of geomagnetic storms after a negative sudden impulse ---- 214-209

See also Wescott, E. M.

Akhundov, I. D. Device for obtaining 17-channel RNP seismograms by the photocopy method ---- 206-326

—— On the recognition and study of multiple impulses in marine seismic surveying by the controlled directional reception method- 211-299

Aki, Keiiti. A note on surface waves from the Hardhat nuclear explosion ---- 209-151

—— Crustal structure in Japan ---- 204-210

—— Phase velocity of Love waves in Japan. Pt. 1, Love waves from the Aleutian shock of March 9, 1957 ---- 204-96

—— Study of Love and Rayleigh waves from earthquakes with fault plane solutions or with known faulting. Pt. 1. A phase difference method based on a new model of earthquake source ---- 201-159

—— Study of Love and Rayleigh waves from earthquakes with fault plane solutions or with known faulting. Pt. 2. Application of the phase difference method ---- 210-160

—— Study of Love and Rayleigh waves from earthquakes with fault plane solutions or with known faulting. Pt. 3. Table of source phase differences between Rayleigh and Love waves ---- 210-161

—— Use of long period galvanometer in a seismograph feedback system ---- 213-110

Aki, Keiiti, Tsujiura, M., Hori, M., and Goto, Kenichi. Spectral study of near earthquake waves ---- 204-75

See also Kaminuma. Katsutada, Knopoff, Leon, and Mikumo, Takeshi.

Akopyan, Ts. G. The magnetic field and paleomagnetism of the Cenozoic effusive rocks of the Armenian SSR ---- 205-273

Akopyan, Ts. G., Oganisyan, Sh. S., Tatevosyan, L. K., and Martirosyan, A. G. Main results of geophysical investigations in the territory of the Armenian SSR ---- 212-177

Aksenenko, M. I., Boldyrev, P. I., and Kristin, K. A. Physical-mechanical properties of rocks of the Prokopevsk-Kiselev region and their relation to geologic factors ---- 214-331

Aladár, Vidacs. Study of the radiogeology of the Matra Mountains - 212-305

Albert, Anna. Secular variation of the geomagnetic elements in Hungary ---- 204-257

Albright, J. C. See Sutton, E. W.

Abstract

Alcaraz, Arturo. Volcanoes—Benefactors not malefactors -------- 213-358
Aldrich, L. T. See Davis, G. L., Hart, S. R., and Steinhart, J. S.
Aleksandrov, I. G. Hypsometry of the surface of the crystalline basement of the north part of the Tatar dome (according to aeromagnetic survey data) -------- 206-258
Aleksandrova, Ye. P. See Moiseyenko, V. S.
Aleksandruk, V. M. See Sobotovich, E. V.
Alekseyev, A. S., Vol'vovskiy, I. S., Yermilova, N. I., Krauklis, P. V., and Ryaboy, V. Z. Problem of the physical nature of some waves recorded in deep seismic sounding. Pt. 1 -------- 213-328
—— Problem of the physical nature of some waves recorded by deep seismic sounding. Pt. 2 -------- 214-174
Alekseyev, F. A., Dvorkin, I. L., and Rezvanov, R. A. Methods of nuclear geophysics in investigations of oil and gas wells in the USSR -------- 208-292
Alekseyev, F. A., Bespalov, D. F., Érozolimskiy, B. G., Srebrodol'skiy, D. M., Popov, N. B., Shimelevich, Yu. S., and Shkol'nikov, A. S. Neutron-neutron pulse well-logging -------- 208-294
Alekseyev, V. A., Ivanova, I. K., Kind, N. V., and Chernysh, A. P. New data on the absolute age of late Paleolithic layers of the Molodova V site on the middle Dniester -------- 212-32
  See also Cherdyntsev, V. V.
Alekseyeva, K. N. See Burkser, Ye. S., and Shcherbak, M. P.
Alessio, Marisa, and Bella, Francesco. Univeristy of Rome carbon-14 dates II -------- 214-13
Alexander, H. L., Jr. See Simons, E. L.
Alexander, W. M., McCracken, C. W., Secretan, L., and Berg, O. E. Review of direct measurements of interplanetary dust from satellites and probes -------- 210-88
Alfano, Luigi. On the interpretation of geoelectric data in the presence of structures of any form -------- 211-96
Alfimov, N. N., Yagovoy, P. N., and Novozhilov, G. N. Results of investigations of the total β-activity of water and air in some areas of the Pacific Ocean -------- 211-273
Alger, R. P. Interpretation of the Dakota Sandstone of the San Juan Basin -------- 208-290
Alger, R. P., Raymer, L. L., Jr., Hoyle, W. R., and Tixier, M. P. Formation density log applications in liquid-filled holes -- 212-310
Algermissen, S. T. See Bardsley, S. R., Costain, J. K., and Stepp, J. C.
Alimamedova, V. P. See Ragimov, Sh. S.
Aliyev, A. M. See Kuznetsov, V. P., and Ragimov, Sh. S.
Aliyev, V. A. Some simplifications of the calculation of effective velocities by means of joint compensation of traveltime curves -- 206-304
Aliyeva, E. R. See Ragimov, Sh. S.
Aliyeva, S. M. See Kuznetsov, V. P.
Alldredge, L. R., and Hurwitz, Louis. Radial dipoles as the source of the Earth's main magnetic field -------- 212-250
Alldredge, L. R., and Saldukas, Ignas. An automatic standard magnetic observatory -------- 211-242
  See also King, E. R.
Allègre, Claude, Boulanger, Dominique, and Javoy, Marc. Study of the paleothermometry of the Nummilitic deposits of the Basque region by means of oxygen isotopes -------- 208-239
Allègre, Claude; Doussaint, Louis; Mechler, Pierre; Rémy, Jean-Marcel; and Rocard, Yves. Volcanism of the Hérault and seismic reception -------- 207-332
Allègre, Claude, Mechler, Pierre, and Rocard Yves. Some geologic problems dealt with by seismology -------- 214-287
Allen, C. W. M-regions -------- 213-263

Abstract

Allen, J. S. See Lin, W. C.

Allen, P., Dodson, M. H., and Rex, D. C. Potassium-argon dates and the origin of Wealden glauconites 212-22

Allingham, J. W. Low-amplitude aeromagnetic anomalies in southeastern Missouri 214-246

See also Boucot, A. J.

Allmann, R. See Orville, P. M.

Alons, I. J. G. See Koefoed, O.

Al'pin, L. M. On shielded collar-log sondes 208-147

Alsop, L. E. Spheroidal free periods of the Earth observed at eight stations around the world 211-74

Alsup, S. A., and Guyton, J. W. Operational magnification and physical environment of seismograph stations 210-174

Alter, Dinsmore. Pictorial guide to the Moon 210-115

Alterman, Z., and Kornfeld, P. Propagation of pulse in a fluid sphere 210-182

See also Pekeris, C. L.

Alvarez, Manuel, Jr. Macroseisms and geology 207-54

Alvarez S., Leonardo. Studies made between Arauco and Valdivia with respect to the earthquakes of 21 and 22 May 1960 208-69

Alverson, R. C., Gair, F. C., and Hook, J. F. Uncoupled equations of motion in nonhomogeneous elastic media 204-116

Ambraseys, N. N. The seismicity of Tunis 208-86

American Geophysical Union Transactions. Soviet Geophysical Committee 204-147

Amstutz, G. C. See Bülow, Kurd von.

Amundsen, K. D. See Tepley, L. R.

Anders, Edward. Meteorite ages 208-21

—— Meteorites and the early history of the solar system 208-27

—— Meteoritic hydrocarbons and extraterrestrial life 205-19

—— Response by the author 205-19

See also Chakraburtty, A. K., Fitch, F. W., and Lipschutz, M. E.

Andersen, B. G. See Holmes, G. W.

Andersen, F. See Whitham, Kenneth.

Andersen, Jack. Wire line logging, a tool for geologists 204-135

Anderson, D. L. Universal dispersion tables. 1. Love waves across oceans and continents on a spherical earth 210-164

Anderson, D. L., and Archambeau, C. B. The anelasticity of the Earth 211-195

Anderson, D. L., and Kovach, R. L. Attenuation in the mantle and rigidity of the core from multiply reflected core phases 210-172

See also Kovach, R. L.

Anderson, E. C., Rowe, M. W., and Urey, H. C. Potassium and aluminum 26 contents of three bronzite chondrites 209-23

See also Rowe, M. W.

Anderson, F. W. The Geological Survey bore at Rashiehill, Stirlingshire (1951). Geophysical investigations 205-204

Anderson, G. M. See Keith, M. L.

Anderson, H. R. Energetic particles measured near Venus by Mariner 2 213-57

Andreasen, G. E., Bromery, R. W., and Gilbert, F. P. Aeromagnetic map of the Glenco-Ripley area, Payne County, Oklahoma 215-280

—— Aeromagnetic map of the Hominy area, Osage County, Oklahoma 215-281

Andreasen, G. E., Pitkin, J. A. Aeromagnetic map of the Twin Buttes area, Pima and Santa Cruz Counties, Arizona 209-315

Andreasen, G. E., Pitkin, J. A., and Petrafeso, F. A. Aeromagnetic map of eastern Los Angeles and vicinity, California 214-254

—— Aeromagnetic map of Long Beach-Santa Ana area, Los Angeles and Orange Counties, California 214-253

Abstract

Andreasen, G. E., Pitkin, J. A., Petrafeso, F. A. Aeromagnetic map of western Los Angeles and vicinity, California 214-255
Andreasen, G. E., Wahrhaftig, C. A., and Zietz, Isidore. Aeromagnetic reconnaissance of the east-central Tanana Lowland, Alaska 215-282
Andrews, Allen. Earthquake 206-63
Andreyev, B. A. Calculation of the spatial distribution of potential fields and their use in exploration geophysics 205-278
Andreyev, D. A. On the geologic and geophysical features of regions of arch uplifts 215-219
Ang, D. D., and Knopoff, Leon. Diffraction of scalar elastic waves by a clamped finite strip 215-127
—— Diffraction of scalar elastic waves by a finite crack 215-128
Angenheister, Gustav. Colloquium on the theme of rock magnetism 209-300
Angino, E. E. See Pearn, W. C.
Anishchenko, G. N., and Golubkov, V. V. The use of long-period variations of the telluric current field for studying the geologic structure of central Turkmenia 207-39
Annell, Charles. A spectrographic method for the determination of cesium, rubidium, and lithium in tektites 213-46
Anodin, T. I., and Nenashev, N. I. New data on the age of the traps of some diamond regions of the Yakutsk ASSR 210-45
Anosov, V. V. See Yakubovich, A. L.
Ansorge, J. See Berckhemer, Hans.
Antonyuk, Ye. I., Golovtsyn, V. N., and Gura, K. A. Attempt to interpret vertical resistivity sounding curves without parameters 212-166
Antsyferov, M. S., Antsyferova, N. G., and Kagan, Ya. Ya. Investigation of the velocities of propagation and absorption of elastic waves in frozen sand 215-139
Antsyferova, N. G. See Antsyferov, M. S.
Antweiler, J. C. Chemical preparation of samples for lead isotope analysis 205-214
A. Orozco, J. L. See Eguía Huerta, Armando.
Aoyagi, Nobuyoshi, and Miyashita, Michio. Reconnaissance investigation for the radioactive intensity of Tertiary sedimentary rocks in the Joban coalfield and Shirakawa coal-bearing area, Fukushima Prefecture 214-280
Aprelkov, S. Ye. Vilyuchinskiy Volcano on Kamchatka (some information on its geologic structure) 205-354
Aprelkov, S. Ye., and Sheymovich, V. S. An old volcano in southeastern Kamchatka with recent hydrothermal manifestations 215-374
Aptikayev, F. F. The parameters of seismic vibrations generated by explosions 215-142
Apushkinsky, G. P. See Kaydanovskiy, N. L.
Arabadzhi, M. S., Vasil'yev, Yu. M., and Mil'nichuk, V. S. On the procedure of seismic investigations in the northern Caspian area 213-327
Arai, Yasushi. See Isshiki, Naoki, and Nagata, Takesi.
Aramaki, Shigeo. Geology of Asama Volcano 205-356
Archambeau, C. B. See Anderson, D. L., and Knopoff, Leon.
Aristov, S. A. The Dzhungaria (Armanty) meteorite 210-70
Arkhangel'skiy, V. T. On a way of increasing the periods of a galvanometer and pendulum by capacitance switching 204-105
Arkhipov, R. G., and Vereshchagin, L. F. Plastic deformations in a gravitating sphere 211-185
Armstrong, R. L. K-Ar ages of volcanics in southwestern Utah and adjacent Nevada 213-4
—— K-Ar dates from West Greenland 206-10
Arnao, C. M. Effect of the earthquake initiated on September 24 in the Cordilleras Blanca and Negra 213-69

Abstract

Arnold, E. P., Jeffreys, Harold, and Shimshoni, M. S in three European earthquakes 207-55

Arnold, J. R. See Honda, Masatake

Arnold, Kurt. Exact extrapolation of gravity anomalies 205-165

—— Outline of a method of determining the gravity field of the Earth from satellite observations 210-241

Aronov, V. I. On the reduction of gravity anomalies in mountain regions 212-212

Aronov, V. I., and Konoval'tsev, I. V. Solution of some problems of gravimetric surveying using electronic computers 208-193

See also Volodarskiy, R. F.

Arrhenius, Gustaf, Mero, J., and Korkisch, J. Origin of oceanic manganese 211-332

Artazov, A. I. On the accuracy of determining the coordinates and altitude of points in gravimetric surveys 205-170

Artemov, Yu. M., and Gorokhov, I. M. The change in primary Sr-87 content of granitic rocks in the course of geologic time 213-244

Artemov, Yu. M., Knorre, K. G., and Strizhov, V. P. Use of the isotope dilution method for gases, using a solid phase standard (exemplified by argon) 209-2

See also Gerling, E. K.

Artem'yev, M. Ye. On the nature of vertical movements of the Earth's crust according to data on isostatic anomalies on the territory of Europe 212-196

Arthur, D. W. G. Selenography 208-21

—— Some systematic visual lunar observations 209-69

Arthur, D. W. G., Agnieray, A. P., Horvath, R. A., Wood, C. A., and Chapman, C. R. The system of lunar craters, quadrant II 215-60

Artsybashev, V. A. A method of absolute measurement of the volumetric weight of rocks and ores according to the attenuation of gamma rays in a broad beam 204-321

—— Conversion factors for the quantitative interpretation of gamma logging and gamma assaying of uraniferous ores 204-322

—— Measurements of the density of rocks by the gamma-method 215-317

—— On the quality of radiometric analyses of uranium-thorium ores 215-312

—— The interpretation of gamma-gamma logging 215-316

Arx, W. S. von. The origins of the ocean 207-138

Asada, Toshi. Observations of nearby weak earthquakes by means of highly sensitive seismographs 204-84

Asada, Toshi, Suzuki, Ziro, and Tomoda, I. Y. On the distribution of occurrence of earthquakes according to magnitude 204-81

—— On the energy and recurrence of earthquakes 204-79

Asada, Toshi, Suyehiro, Shigeji, and Akamatu, Kei. Observations of nearby weak earthquakes by means of highly sensitive seismographs at Matsushiro (Japan) 204-85

Asada, Toshi, and Takano, Kei. Attenuation of short period P-waves in the mantle 209-125

Asano, Shuzo. See Murauchi, Sadanori.

Asanuma, Toshio. See Murauchi, Sadanori.

Asbel, I. J. See Yanovskaya, T. B.

Ascher, E., Schmid, H., and Tar, D. Dielectric properties of boracites and evidence for ferroelectricity 210-222

Askarov, F. A. See Khamrabayev, I. Kh.

Aslanyan, A. T. On the internal temperature and chemistry of the Earth 212-234

—— Quantum representation of the internal constitution of the Earth 211-184

Asplund, Lars. Report on geodetic operations in Sweden, 1960-1962 209-201

Aswathanarayana, U. Isotopic ages from the Eastern Ghats and Cuddapahs of India 214-6

Atabayev, Kh. A. See Butovskaya, Ye. M.

Abstract

Atallah, Sami. On the formation of lunar craters with central peaks ---------- 213-51

Athearn, W. D. Bathymetry of the Straits of Florida and the Bahama Islands. Pt. 2. Bathymetry of the Tongue of the Ocean, Bahamas ---------- 206-347

Atherton, M. P. See Abdulla, M. I.

Atrashenok, L. Ya. See Krylov, A. Ya.

Attewell, P. B., and Brentnall, David. Internal friction—Some considerations of the frequency response of rocks and other metallic and non-metallic materials ---------- 215-135

See also Ramez, M. R. H.

Aubert, Guy, and Lougnon, Jean. A concrete example of the search for and discovery of a concealed stratiform mineral deposit: Villafagnan ---------- 207-112

Aubrat, J. T waves reflected in the sea of the Antilles ---------- 208-99

Aue, L. F. See Polyakov, A. B.

Auer, Väinö. Control studies and my journey to Patagonia, 1956-57- 209-10

Ault, W. U., and Jensen, M. L. Summary of sulfur isotopic standards ---------- 211-211

See also Richter, D. J.

Austin, G. S. See Sims, P. K.

Auzin, A. K. The natural electric fields in the ore deposits of Central Kazakhstan ---------- 207-108

See also Sveshnikov, G. B.

Avdonin, A. N. Determination of the nature of ground magnetic anomalies by use of borehole magnetic investigations in the central and northern Urals ---------- 212-283

Avdzeyko, G. V. See Krylov, A. Ya.

Averbukh, A. G. Determination of the position of a refracting boundary and wave velocities from traveltime curves of discontinuous refraction profiles ---------- 213-311

Averbukh, A. G. On the accuracy of determination of the depth of penetration of a ray by means of Chibisov's formula ---------- 205-321

Aver'yanov, V. G. Central Antarctica—Physico-geographic characteristics ---------- 214-122

Averyev, V. V., Ivanov, V. V., and Piyp, B. I. Utilization of thermal waters and steam of the Kurile-Kamchatka island arc for power ---------- 211-173

Avignon, Y., Martres, M. J., and Pick, Milos. Identification of the classes of chromospheric eruptions associated with cosmic ray emissions and radioelectric activity ---------- 212-261

Avsyuk, Yu. N. Investigation of the reading devices of GAE-3 gravimeters ---------- 214-164

—— Orienting the sensing systems of GAL-S and GAL-P gravimeters in calibrating by the inclination method ---------- 214-165

Avsyuk, Yu. N., and Bulanzhe, Yu. D. Initial gravimetric points in Antarctica ---------- 212-232

See also Sorokhtin, O. G.

Avzyanov, V. S. See Barsukov, O. A.

Axelrod, Daniel I. Reply [to discussion of paper "Fossil floras suggest stable, not drifting, continents"] ---------- 211-126

Axford, W. I. Rotation of the magnetosphere ---------- 204-241

—— Viscous interaction between the solar wind and the Earth's magnetosphere ---------- 209-283

Aynard, C. An attempt to rationalize the use of gravity surveys --- 209-229

Aynard, C., Vidal, J. C., Michon, D., and Delaplanche, Jacques. Synthetic seismogram, an essential tool at every stage of the exploration of an oil province ---------- 209-327

Ayzenberg, M. A. Determination of the depth of a vertical step --- 207-188

—— Determination of the gravitational effect from a structural map - 206-161

Abstract

Ayzenberg, M. A. On the geologic nature of the magnetically disturbing masses in the eastern part of the Volga-Ural petroleum province 205-289
Azhgirey, G. D. Some characteristic features of the tectonics and developmental history of global mobile belts. Pt. 2. Geosynclinal folding 206-148

B

Baadsgaard, Halfdan, Cumming, G. L., Folinsbee, R. E., and Godfrey, J. D. Limitations of radiometric dating 215-2
See also Burwash, R. A., Folinsbee, R. E., and Hart, S. R.
Baba, Kenzo. See Ono, Yoshihiko.
Babcock, Clarence. Summary of Florida petroleum production and exploration in 1962 - Geophysics 212-176
Babich, V. M. The principle of reciprocity for the dynamic equations of the theory of elasticity 210-193
Bachman, C. H. See Friedman, Howard.
Bacioiu, Tr. Gravimetric exploration in southeast Moldavia 208-202
Backus, G. E. Geographical interpretation of measurements of average phase velocities of surface waves over great circular and great semicircular paths 210-162
—— Magnetic anomalies over oceanic ridges 209-316
Backus, M. M., Pinson, W. H., Jr., Herzog, L. F., and Hurley, P. M. Calcium isotope ratios in the Homestead and Pasamonte meteorites and a Devonian limestone 212-70
See also Embree, Peter, and Schneider, W. A.
Baden-Powell, D. F. W. Isostatic recovery in Scotland 205-154
Baethge, H. See Jäger, Emilie.
Bagarov, T. Yu. See Vezir-zade, F. A.
Bagdasarova, A. M. See Fedotov, S. A.
Bagdasaryan, G. P. See Afanas'yev, G. D.
Bagirova, Z. A. See Kuznetsov, V. P., and Ragimov, Sh. S.
Baglietto, E. E., and Morelli, Carlo. Gravity tie Argentina—Italy 206-177
Bagramyants, V. O. The LaCoste and Graf sea gravimeters 214-162
Bahezre, J. See Jérémine, Elisabeth.
Baijal, R. N. Electrical methods of exploration as applied to mining 212-154
Bailey, D. K. Crustal warping—a possible tectonic control of alkaline magmatism 209-202
—— Isotopic composition of strontium in carbonatites 211-209
Bailey, E. H. See Bonilla, M. G.
Bailey, V. A. Comment on a paper by L. J. Cahill and P. G. Amazeen, "The boundary of the geomagnetic field" 204-242
—— New evidence that the Sun carries a large net negative electric charge 208-244
Bainbridge, A. E. Tritium in surface waters of the North Pacific 204-231
See also Östlund, H. G.
Baker, B. H., and Miller, J. A. Geology and geochronology of the Seychelles Islands and structure of the floor of the Arabian Sea 204-22
Baker, B. L. See Hodgson, G. W.
Baker, George. A thin, flanged, boat-shaped australite from Port Campbell, Victoria, Australia 212-91
—— Alleged newly-fallen australite, You Yangs, Victoria 213-41
—— Australite button with internal bubble cavity containing secondary iron oxides 208-47
—— Australites from Nurrabiel, western Victoria 214-44
—— Disc-, plate-, and bowl-shaped australites 204-44
—— Exfoliation from the anterior surface of a flanged australite button, Port Campbell, Victoria, Australia 208-48

Abstract
Baker, George. Form and sculpture of tektites ---------------- 210-92
—— Round australite core from Graball, Western Australia ------- 205-23
Baker, George, Gittins, A., and Donnelly, T. H. Nickel-rich ataxite from Corowa, New South Wales ---------------------- 215-32
Baker, M. J. See Callow, W. J.
Baker, P. E., and Tomblin, J. F. A recent volcanic eruption on Bouvetøya, South Atlantic Ocean ---------------------------- 215-360
Bakhryshin, A. B. See Ostrovskiy, A.
Baklanov, N. I. On the problem of mapping the rocks of the upper formation of the Krivoy Rog by geophysical methods ----------- 213-285
Balabushevich, I. A. Higher derivatives of the gravity potential and possibility of using them in geologic gravimetry -------------- 210-243
—— Solution of the direct and inverse problems of gravimetry by means of the second gravity gradients, for an inclined step ----- 214-147
Balakrishna, S. Geological and geophysical investigations on Deccan traps -- 210-323
Balakrishna, S., and Vijaya Raghava, M. S. Magnetic susceptibilities of Hyderabad granites -------------------------------- 210-306
See also Hayakawa, Masami.
Balandina, S. M. See Gringauz, K. I.
Baldwin, R. B. Comments on the paper by C. L. Goudas "Development of the lunar topography into spherical harmonics" -------- 215-57
—— Supplementary note (author's reply to comments on paper "The nature of the lunar surface and major structural features") ------ 212-106
—— The nature of the lunar surface and major structural features -- 212-101
Baldwin, W. F. See Caldwell, R. L.
Balenko, V. G., and Yevtushenko, Ye. I. On Pertsev's method of harmonic analysis of a 50-day series of observations of tidal variations of gravity --- 208-111
Ballarin, Silvio. Topographic-isostatic reductions for the zone indicated by number -- 208-189
Baloshov, D. B. See Volarovich, M. P.
Balsley, J. R., Bromery, R. W., Remington, E. W., and others. Aeromagnetic map of the Kerby and part of the Grants Pass quadrangles, Josephine and Curry Counties, Oregon -------------- 210-321
Balton, I. A. See Bomke, H. A.
Baltosser, R. W., and Wilcox, S. W. The optical calculator ------ 208-200
Banaugh, R. P. Application of integral representations of displacement potentials in elasto-dynamics ------------------------- 215-130
Banyai, Ioan. See Szabó, Arpád.
Barabashev, N. P. The rocks that may constitute the lunar surface- 209-73
Baranov, Vladimir. Energy of vibrations and filtering ----------- 208-331
Baranov, Vladimir, and Naudy, H. Numerical calculation of the formula of reduction to the magnetic pole -------------------- 208-268
Baranov, Vladimir, and Picou, C. H. Energy and vector record-sections --- 208-330
Baranskiy, L. N., and Naumenkov, N. L. Observations on earth currents at Mirnyy and Oasis Stations in 1957 ---------------- 212-112
Bardet, M. G. Geotectonic control of the distribution of diamantiferous formations in the world--structural role of platforms and very deep fractures --------------------------------------- 213-177
Bardin, V. I., and Shil'nikov, V. I. Ice flow from the shores of Antarctica --- 204-171
Bardovskiy, V. Ya. See Belomar, O. D.
Bardsley, S. R., and Algermissen, S. T. Evaluating oil shale by log analysis -- 212-168
Bargainer, J. D. See Caldwell, R. L.
Barghoorn, E. S. See Kaye, C. A.
Barker, F. B., and Johnson, J. O. Determination of radium in water --- 214-182
Barnes, E. L. S. Stress and deformation of mine openings ------- 208-344

Abstract
Barnes, V. E. Detrital mineral grains in tektites 206-35
—— Rayed bubbles in tektites 215-42
—— Tektites, strewn fields 210-93
—— Terrestrial implication of layering, bubble shape and minerals along faults in tektite origin 215-41
—— Variation of petrographic and chemical characteristics of indochinite tektites within their strewn-field 213-33
Baron, L. I., Konyashin, Yu. G., and Kurbatov, V. M. The impact resistance of rocks 208-341
Barros, Guillermo. See Sievers C., H. A.
Barsenkov, S.N. See Dobrokhotov, Yu. S., and Pariyskiy, N. N.
Barshavakaya, E. S. See Yashchenko, M. L.
Barsukov, O. A., and Avzyanov, V. S. The distribution of neutrons in multilayered mediums in the case of a point source of fast neutrons 208-302
Barth, T. F. W. The feldspar geologic thermometers 205-205
See also Orville, P. M.
Barthel, J. R., and Sowle, D. H. A mechanism of injection of solar plasma into the magnetosphere 212-260
Bartlett, L. E. See Perkins, T. K.
Barton, G. W. See Wetherill, G. W.
Bartoněk, Ivo, and Pola, Ivan. Investigation of punch card systems for interpretation of gravimetric measurements 209-220
Bartošek, Jiří. See Jelínĕk, Vít.
Basin, Ya. N. Determination of the dose of radiation from the radioactive sources in neutron and gamma-gamma logging 212-312
—— Introduction of errors due to nonlinearity of the apparatus in radioactivity logging data 212-311
See also Kaipov, R. L., and Kukharenko, N. K.
Baskett, J. R. See Cladis, J. B.
Bassarab, D. R. See Carpenter, G. C.
Bassett, W. A., Kerr, P. F., Schaeffer, O. A., and Stoenner, R. W. Potassium-argon ages of volcanic rocks north of Grants (New Mexico) 207-7
See also Lapham, D. M., Takahashi, Taro, and Weber, R. H.
Bassot, Jean-Pierre, Bonhomme, Michel, Roques, Maurice, and Vachette, Michellé. Measurements of absolute ages on the Precambrian and Paleozoic series of eastern Senegal 204-16
—— Measurements of absolute ages on the Precambrian and Paleozoic series of eastern Senegal 214-4
Basurto García, Jesús, and Muriedas Pavón, Alfonso. Seismic velocities in the area of Tampico 207-330
See also García Rojas, Antonio.
Bataille, R. D. See Sander, G. W.
Bates, C. C. Foreword 210-204
Bates, R. G. See Pitkin, J. A.
Båth, Markus. The relationship between magnitude and energy of earthquakes 204-66
Båth, Markus, and Benioff, Hugo. On the aftershocks of the Kamchatka earthquake of November 4, 1952 204-87
Båth, Markus, and Duda, Seweryn J. Strain release in relation to focal depth 209-108
Båth, Markus, and López Arroyo, Alfonso. Pa and Sa waves and the upper mantle 208-97
See also Subiza, G. P.
Battelli, O., Francavaglia, A., Giorgi, M., and Molina, F. Geomagnetic investigations over a supposed diapir 207-291
Bauer, C. A. The helium contents of metallic meteorites 205-18
Bayduk, B. V., and Shreyner, L. A. On the effect on the mechanical properties of rocks under conditions of hydrostatic pressure of direct contact with the liquids creating the pressure 214-319

Abstract

Bayly, M. B. A theory of similar foldings in viscous materials --- 213-331

Bayuk, Ye. I. See Afanas'yev, G. D.

Beals, C. S. A re-examination of the craters in the Faugeres-Cabrerolles region of southern France --- 212-85

Beals, C. S., Innes, M. J. S., and Rottenberg, J. A. Fossil meteorite craters --- 208-21

Beard, D. B. The effect of an interplanetary magnetic field on the solar wind --- 211-225

—— The solar wind geomagnetic field boundary --- 213-259

See also Mead, G. D.

Beck, A. E., and Logis, Z. Terrestrial flow of heat in the Brent Crater --- 209-246

See also Mereu, R. F.

Beck, H. L. See Lowder, W. M.

Becker, R. O. See Friedman, Howard.

Beckman, Joan. See Eklund, C. R.

Bednářová-Nováková, Bohumila. A contribution to the question of the sources of corpuscular geomagnetically active solar radiation- 209-295

—— Analysis of solar situations during flares and geomagnetic activity afterwards --- 214-203

—— Analysis of solar situations preceding the sudden commencement of geomagnetic storms --- 211-240

—— Recurrent geomagnetic storms and their relation to solar activity --- 206-235

—— Recurrent geomagnetic storms and their relation to solar activity --- 209-296

—— The active solar region and its relation to geomagnetic activity in the period around the minimum of 1954 --- 214-201

Bednářová-Nováková, Bohumila, Bucha, Václav, Halenka, Jaroslav, and Konečný, Mojmír. On the problems of the origin of geomagnetic storms --- 214-213

Behrendt, J. C. Crustal geology of Ellsworth Land and the southern Antarctic Peninsula from gravity and magnetic anomalies --- 211-166

—— Distribution of narrow-width magnetic anomalies in Antarctica - 211-264

—— Seismic measurements on the ice sheet of the Antarctic Peninsula --- 205-333

Behrendt, J. C., and Wold, R. J. Aeromagnetic studies in West Antarctica --- 204-293

—— Aeromagnetic survey in West Antarctica 1963 --- 211-265

Bekzhanov, G. R. See Morozov, M. D.

Belayenko, F. A., and Glushko, V. T. Research on rock creep in the Donets Basin --- 214-323

Belelovskiy, M. L., and Zil'bershteyn, M. B. On the solution of the inverse problem of electrical exploration by means of correlational relations for multilayer VES curves --- 207-111

Belikov, B. D. See Dobrokhotov, Yu. S., and Pariyskiy, N. N.

Belikov, B. P. See Afanas'yev, G. D.

Bel'kov, I. V. See Zykov, S. I.

Bell, Barbara. Type IV solar radio bursts, geomagnetic storms, and polar cap absorption (PCA) events --- 205-251

Bell, Barbara, and Defouw, R. J. Concerning a lunar modulation of geomagnetic activity --- 214-186

Bell, R. T., and Currie, J. B. Photoelastic experiments related to structural geology --- 214-309

Bell, W. E., and Drake, J. M. The principles, design, and operation of a free-precession proton magnetometer --- 209-275

Bella, Francesco. See Alessio, Marisa.

Belomar, O. D., Bardovskiy, V. Ya., Kirichenko, N. M., and Chuyun, A. B. Attempt to use radioactivity logging to subdivide the Permian formations of the Donets Basin --- 213-302

Abstract

Belon, A. E. See Romick, G. J.

Belotelov, V. L., Zhiliayev, I. I., Veshniyakov, N. V., and Feofilaktov, V. D. Seismic energy meter ---- 210-178

Belotserkovets, Yu. I. On the density of the enclosing rocks of the coal-bearing formations of the Donets basin ---- 208-307

Belotserkovets, Yu. I., and Kuznetsov, A. G. Interpretation of gamma-gamma logging anomalies over coal seams of the Donets basin ---- 207-304

Belousov, V. V. On some problems in the study of the structure and development of the Earth's crust and upper mantle ---- 204-214

—— Report of the Seismological Commission of UNESCO on Bolivia- 209-131

Bemmelen, R. W. van. Volcanology and geology of ignimbrites in Indonesia, North Italy, and the U.S.A. ---- 208-361

Beneš, Konrād. Some problems of structural selenology ---- 210-106

Benioff, Hugo. Accumulation and release of strain according to observations of strong earthquakes ---- 204-70

—— Earthquake source mechanisms ---- 210-153

—— Mechanism and strain characteristics of the White Wolf fault, ascertained from study of the aftershock sequence ---- 204-71

—— Movements on major transcurrent faults ---- 205-144

—— Source wave forms of three earthquakes ---- 204-90

See also Båth, Markus.

Ben'kova, N. P., and Tyurmina, L. O. The magnetic field of the equatorial current ---- 205-231

See also Adam, N. V.

Ben-Menahem, Ari, and Cisternas, Armando. Thermoelastic stresses and strains in a gravitating Earth ---- 207-218

Ben-Menahem, Ari, and Harkrider, D. G. Radiation patterns of seismic surface waves from buried dipolar point sources in a flat stratified earth ---- 212-131

Ben-Menahem, Ari, and Toksöz, M. N. Source-mechanism from spectra of long-period seismic surface waves. 3. The Alaska earthquake of July 10, 1958 ---- 204-92

—— Source mechanism from spectrums of long-period surface waves. 2. The Kamchatka earthquake of November 4, 1952 ---- 204-91

See also Knopoff, Leon, and Toksöz, M. N.

Bennett, G. D. See Patten, E. P., Jr.

Bentley, C. R., and Ostenso, N. A.

Bentley-Llewellyn, N. J. See Broding, R. A.

Benton, W. R. The making of a model Moon ---- 209-54

Beránek, Břetislav. Quantitative interpretation of anomalies of second derivatives of gravity ---- 214-139

Beránek, Břetislav, and Kocák, Augustin. Geophysical investigation in the territory of Potiská Nížina ---- 214-118

Beránek, Břetislav, and Zounková, Milada. On the method of seismic work in the south part of the Carpathian foredeep ---- 214-302

Berckhemer, Hans, and Ansorge, J. Wave front investigations in model seismology ---- 208-126

Berckhemer, Hans, and Schneider, G. Near earthquakes recorded with long-period seismographs ---- 213-103

Berdichevskiy, M. N. Electromagnetic fields in thin-layered mediums ---- 204-131

—— Linear relationships in the magnetotelluric field ---- 213-62

Berdichevskiy, M. N., Chernyavskiy, G. A., Bukhnikashvili, A. V., Gugunava, G. Ye., Kebuladze, V. V., and Lashki, A. S. Results of magnetotelluric investigations in Georgia ---- 213-63

Bereza, G. V. Instrument for programming seismic vibrations ---- 206-328

—— The testing and adjustment of seismic apparatus ---- 206-325

Berezina, L. A. See Ginzburg, A. I.

Abstract

Berezkin, V. M. Attempt to determine density of the intermediate layer from gravity data ---- 211-151

—— On the problem of the relationship between the density of rocks and the elastic waves of propagation of velocity in them ---- 211-300

Berg, Eduard. See Hamilton, R. M.

Berg, J. W., Jr. Seismic refraction profiles, Narragansett Bay, Rhode Island ---- 206-332

Berg, J. W., Jr., Gaskell, Robert, and Rinehart, Verrill. Earthquake energy release and isostasy ---- 211-71

Berg, J. W., Jr., and Papageorge, G. E. Elastic displacement of primary waves from explosive sources ---- 213-118

Berg, J. W., Jr., Trembly, L. D., and Laun, P. R. Primary ground displacements and the seismic energy near the GNOME explosion ---- 215-133

See also Rinehart, W. A.

Berg, O. E. See Alexander, W. M.

Berger, Rainer, Harney, A. G., and Libby, W. F. Radiocarbon dating of bone and shell from their organic components ---- 212-8

Berkner, L. V. The unity of the geophysical sciences ---- 215-157

Berman, L. I. See Ostrovskiy, M. I.

Bernabini, M. On the topographic correction in gravimetric surveys on ores ---- 207-180

Berner, R. A. See Peterson, M. N. A.

Berninghausen, W. H. A check list of Iceland volcanic activity ---- 208-359

—— Tsunamis and seismic seiches reported from the eastern Atlantic south of the Bay of Biscay ---- 209-116

Bernstein, W., Fredricks, R. W., and Scharf, F. L. A model for a broad disordered transition between the solar wind and the magnetosphere ---- 210-283

Bernstein, W., Fredricks, R. W., Vogl, J. L., and Fowler, W.A. The lunar atmosphere and the solar wind ---- 206-40

Berry, D. S. An elastic treatment of ground movement due to mining ---- 204-346

—— Ground movement considered as an elastic phenomenon ---- 209-336

Berry, J. E. See Caldwell, R. L.

Berzin, A. K., Kislov, A. N., Meshcheryakov, R. P., Mikhaylov, G. P., and Sulin, V. V. On the choice of optimum energy of γ-radiation in distinguishing oil- and water-bearing formations by the photoneutron method ---- 208-304

Berzon, I. S. Relationship of amplitudes of converted PS waves reflected from beyond the critical angle and PPS head waves ---- 214-291

—— The development of seismic exploration methods in the Soviet Union ---- 204-332

Berzon, I. S., Ratnikova, L. I., and Rats-Khizgiya, M. I. Study of converted reflected waves in media with weak velocity differentiation ---- 211-84

Bésairie, Henri. Aeromagnetic prospecting in Madagascar ---- 212-290

—— The geochronology of Madagascar in 1962 ---- 208-12

—— The geochronology of Madagascar in 1963 ---- 212-17

Bespalov, D. F. See Alekseyev, F. A.

Besprozvannaya, A. S. The relationship between disturbance of the F2 layer and planetary magnetic activity ---- 207-252

Bessanova, E. N. On the propagation of longitudinal and transverse plane waves in an infinite visco-elastic Maxwell medium ---- 206-88

Beyer, R. F., Jr. See Johnson, H. M.

Bezrukikh, V. V. See Gringauz, K. I.

Bezrukov, P. L., and Kanayev, V. F. Main features of the structure of the bottom of the northeastern part of the Indian Ocean ---- 211-336

Bgatov, V. I., and Chernyayev, Yu. A. On meteoritic dust in alluvial sand samples ---- 206-31

Abstract

Bhagavantam, S., and Pantulu, P. V. Magnetic symmetry and physical properties of crystals ---------- 211-246

Bhatrakarn, Tanakarn. See Meuhlberger, W. R.

Bhattacharya, J. On behavior of soil in dissipating energy by forming dislocations ---------- 207-95

—— On short period signals obtained from explosions within the earth ---------- 207-80

—— On the alteration in the dispersion equation for Love waves due to harmonic variation in the thickness of the cylindrical crustal layer ---------- 207-85

—— On the formation of shadow zone of SH waves due to low velocity layer ---------- 215-107

Bhattacharyya, B. K. Electromagnetic fields of a small loop antenna on the surface of a polarizable medium ---------- 215-146

—— Magnetic anomalies due to prism-shaped bodies with arbitrary polarization ---------- 214-239

—— Quantitative treatment and interpretation of aeromagnetic data - 215-274

Bhimasankaram, V. L. S. Partial magnetic self-reversal of pyrrhotite ---------- 211-244

See also Rao, B. S. R.

Bibikova, Ye. V., Tugarinov, A. I., and Zykov, S. I. On the age of deposition of the Krivoy Rog series ---------- 210-34

See also Zykov, S. I.

Bibron, Roland, Delibras, Georgette, and Labeyrie, Jacques. Evolution of the tritium concentration in the waters of precipitation in France ---------- 208-285

Bickford, M. E. See Van Schmus, W. R.

Biehler, Shawn. See Press, Frank.

Bien, G. S., Rakestraw, N. W., and Suess, H. E. Natural radiocarbon in the Pacific and Indian Oceans ---------- 204-226

—— Radiocarbon dating of deep water of the Pacific and Indian Oceans ---------- 211-22

See also Peterson, M. N. A.

Biermann, L., and Lüst, Rh. Structure and dynamics of tails ---- 208-21

Biggs, W. P. See Raymer, L. L.

Bilen'kiy, B. F., and Vladimirov, V. V. Calculation of the distribution of neutrons in mediums separated by a plane boundary --- 207-313

Binns, R. A. Some observations on metamorphism at Broken Hill, N. S. W. ---------- 208-18

Biot, M. A. Theory of internal buckling of a confined multilayered structure ---------- 213-332

Birkgan, I. B. See Prikhoda, A. G.

Birman, A. Ye., and Kval'vasser, Yu. G. An improved variant of the universal filter and its use for frequency analysis of nonstationary signals ---------- 210-201

Birss, R. R., and Wallis, P. M. A new torque meter or torque magnetometer ---------- 206-240

Biswas, M. M., Mayer-Böricke, C., and Gentner, W. Cosmic ray produced Na^{22} and Al^{26} activities in chondrites ---------- 210-83

Bjerhammar, Arne. A note on gravity reduction to a spherical surface ---------- 208-186

Black, D. J., and Ostenso, N. A. Gravity observations from Ice Island ARLIS-II, 6 October, 1961 to 8 April, 1962 ---------- 207-203

Black, R. F. Palaeomagnetic support of the theory of rotation of the western part of the Island of Newfoundland ---------- 212-274

See also Norris, D. K.

Blanc, J.-J. Geologic and sedimentologic research—Radioactivity of submarine sediments ---------- 212-302

Blanchard, D. C. A new volcanic island ---------- 214-347

Abstract

Blankov, Ye. B. See Kaipov, R. L.

Bleichrodt, J. F., and van Abkoude, E. R. On the deposition of cosmic-ray-produced beryllium 7 -------- 204-221

Blokh, I. M. See Bronguleyev, V. V.

Blokh, Ya. L., Bondarenko, V. M., Kovalenko, N. D., and Tarkhov, A. G. On the use of cosmic radiation for purposes of underground geophysical surveying -------- 213-301

—— Underground recording of cosmic radiation for the purpose of solving certain geological problems -------- 207-303

Blomqvist, Göran. See Welin, Eric.

Bloom, A. L. Late-Pleistocene fluctuations of sea level and post-glacial crustal rebound in coastal Maine -------- 205-153

Blue, D. M. See Savit, C. H.

Blum, P.-A. Contribution to the study of varaitions of the vertical in place -------- 204-113

Blum, P.-A., Gaulon, Roland, Jobert, Georges, and Jobert, Nelly. Results obtained by means of an inclinometer operating in a vacuum -------- 210-176

Blum, P.-A., Gaulon, Roland, Jobert, Georges, and Jolivet, Jean. Spectral analysis of phenomena related to earth tides -------- 207-70

Blum, P.-A., and Jobert, Georges. Results obtained with the aid of inclinometers in 1958-59 -------- 205-43

Blum, Ronald. A neutral-point expansion of the ideal magnetosphere -------- 211-222

Blundell, D. J., King, R. F., and Wilson, C. D. V. Seismic investigations of the rocks beneath the northern part of Cardigan Bay, Wales -------- 213-320

See also Agger, H. E.

Blyumentsev, A. M., and Fel'dman, I. I. Problems of quantitative calculation of the iron content of ores from radioactivity logging data -------- 206-290

Boardman, C. R., Rabb, D. D., and McArthur, R. D. Responses of four rock mediums to contained nuclear explosions -------- 214-308

Boatman, E. M. See Pirson, S. J.

Bobrov, M. S. Magnetic disturbances at conjugate points as a source of data on the upper atmosphere and solar corpuscular radiation -------- 211-235

Bobrov, V. N. Shortcomings of equipment used to record magnetic variations -------- 205-262

—— Single-component magnetic variometers -------- 205-265

—— Verification of the accuracy of variometer setting at magnetic observatories -------- 205-263

Bobrovnikov, L. Z. See Van'yan, L. L.

Bobukh, V. A. See Mirchink, M. F.

Bodemüller, Hellmut. Helmert and Vignal elevations and mean elevations -------- 215-191

—— Measurement and geodetic evaluation of vertical gradients of gravity -------- 206-139

Bödvarsson, Gunnar. Geomagnetic micropulsations with periods one-half to 100 sec observed in southern California and Iceland -- 204-265

—— The use of isotopes of hydrogen and oxygen for hydrological purposes in Iceland -------- 204-229

Bödvarsson, Gunnar, and Walker, G. P. L. Crustal drift in Iceland -------- 209-207

Boelrijk, N. A. I. M. See Priem, H. N. A.

Bogdanoff, J. L. See Goldberg, J. E.

Bogert, B. P. See Walker, R. A.

Bogorov, G. V. See Il'in, A. V.

Böhm, Zdeněk. See Šamšula, Jiří.

Boillot, Gilbert. On a new trench in the western English Channel, the Pluteus Trench -------- 207-347

Abstract
Bois, Pierre, and Hémon, Charles. Statistical study of the contribution of multiples to synthetic and field seismograms --------- 206-297
Bokun, R. A. See Neprochnov, Yu. P.
Boldizsár, Tibor. Heat flow in the Hungarian basin -------------- 213-218
—— Terrestrial heat flow in the natural steam field at Larderello -- 207-206
Boldyrev, P. I. See Aksenenko, M. I.
Boletin Sismológico del Servício Geológico Nacional de El Salvador. Explanations for the map of epicenters of Central America, published in this bulletin -- 205-31
Bolfa, Joseph, and Zeller, Claude. On a method of determining the constitution of the ferromagnetic phase of a rock without separating that phase -- 207-273
Bollard, P. G. C. See Delaplanche, Jacques.
Bollmann, W., and Maringer, R. E. Cosmic irradiation damage in meteoritic graphite --------------------------------------- 215-31
Bollo, Robert, and Jacquemin, M. The search for phosphates by airborne radiometry -- 208-287
Bolt, B. A. Seismic air waves from the great 1964 Alaska earthquake --- 213-68
—— The velocity of seismic waves near the Earth's center -------- 209-123
See also Christensen, M. N.
Bolyubakh, K. A. Geologic nature of the magnetic anomalies of the Korsun'-Novo-Mirgorod gabbroid pluton --------------------- 211-262
See also Lebedev, T. S.
Bolz, Heinz. Connecting and intercomparison measurements on the occasion of the solar eclipse in 1961 ------------------------ 206-236
—— Results of geomagnetic field measurements in Albania -------- 205-287
Bomke, H. A., Balton, I. A., Grote, H. H., and Harris, A. K. Near and distant observations of the 1962 Johnston Island high-altitude nuclear tests -- 214-184
Bonchkovskiy, V. F. A specific case of the connection between variations of tilts and linear deformations and the distribution of atmospheric pressure --- 212-185
Bondarchuk, V. G. Structure of the outer shell of the Earth ------- 211-137
Bondarenko, A. T. See Parkhomenko, E. I.
Bondarenko, B. V. An attempt to use an electronic computer to solve problems of exploration geophysics -------------------- 210-230
Bondarenko, B. V., and Khot'ko, Zh. P. Main features of the structures of the Brest basin -------------------------------- 210-223
Bondarenko, V. M., and Tarkhov, A. G. Use of penetrating cosmic radiation for determination of the average value of density of rocks --- 214-148
See also Blokh, Ya. L.
Bondarenko, Yu. V. See Omes', S. P.
Bondarev, L. G. Essay on glaciation of the Ak-Shiyrak massif ---- 211-145
Bonev, N. On Moon volcanism -------------------------------- 209-64
Bonhomme, Michel. See Bassot, J.-P.
Bonifacino, Bartolomeo. On some fundamental formulas relative to the geoid of supposed ellipsoidal triassic form differing little from an ellipsoid of rotation ------------------------------- 208-174
Bonilla, M. G., and Bailey, E. H. (Compilers). Check list for geologic study of earthquake effects—AGI Data Sheet 44b --------- 209-133
Booker, Aaron, and Mitronovas, Walter. An application of statistical discrimination to classify seismic events ------------------ 213-84
Boozer, G. D., Hiller, K. H., and Serdengecti, S. Effects of pore fluids on the deformation behavior of rocks subjected to triaxial compression -- 205-339
Bordet, Pierre, and Tazieff, Haroun. Remarks on the eruption of Katmai and of the valley of Ten Thousand Smokes and on the problem of ignimbrites --- 212-345

Abstract

Bordet, Pierre. See de Lapparent, A. F.

Borisenko, V. G. See Tokhtuyev, G. V.

Borisevich, Ye. S. With the seismologists of the U.S.A. -------- 206-85

—— With the seismologists of the U.S.A. -------- 215-122

Borisov, I. V. See Cherdyntsev, V. V.

Borisova, S. L. See Borshchevskiy, Yu. A.

Borkov, F. P. See Omes', S. P.

Borodulin, M. A. See Sollogub, V. B.

Boronin, V. P. See Sitdikov, B. S.

Borovinskiy, B. A. Investigation of the Zailiyskiy Alatau glaciers by geophysical methods -------- 215-186

Borovinskiy, B. S. Determination of the thickness of the ice of Konstitutsiya Glacier -------- 210-239

Borowczyk, Marian, and Królikowski, Czesław. One-hole isotope and electrical methods in determining direction of groundwater flow -------- 211-116

Borshchevskiy, Yu. A., and Borisova, S. L. On the retention of radiogenic argon in sylvite -------- 206-5

Borsi, S. Notes on the emplacement temperature of the ignimbrites of Tuscany -------- 208-212

Bortfeld, Reinhard. Examples of synthetic refraction arrivals and wide-angle reflections -------- 212-314

Borukayev, R. A., and Monich, V. K. History of the geologic evolution of eastern Kazakhstan and some problems of geochronological investigations -------- 210-19

Bose, S. K. A wave theory for the generation of Love, G, and S_a waves -------- 206-78

Bossolasco, Mario. On meteorological causes of the triggering of earthquakes -------- 210-152

Bostick, F. X., Jr. See George, C. F., Jr., and Komack, R. L.

Bostrom, C. O. See Pieper, G. F.

Bostrom, R. C. Seismicity in a restricted region -------- 213-85

—— Seismicity relative to foredeep troughs -------- 211-187

Boström, Rolf. Geomagnetic effects on anisotropic cosmic radiation -------- 210-285

Both, E. E. A history of lunar studies -------- 209-95

—— The floor of Alphonsus -------- 206-51

Bott, M. H. P. Convection in the Earth's mantle and the mechanism of continental drift -------- 211-125

—— Formation of sedimentary basins by ductile flow of isostatic origin in the upper mantle -------- 209-203

—— Two methods applicable to computers for evaluating magnetic anomalies due to finite three dimensional bodies -------- 207-284

Bouchon, R., and Clément, A. Application and developments of seismic refraction in the Algerian North Sahara -------- 206-336

Boucot, A. J., Griscom, Andrew, and Allingham, J. W. Geologic and aeromagnetic map of northern Maine -------- 214-248

Boulanger, Dominique. See Allègre, Claude.

Bouma, A. H. Self-locking compass -------- 214-343

Bourcart, Jacques. Morphology of the western Mediterranean ---- 212-337

Bouška, Jan. A contribution to research into the pulsation characteristics of the different phases of geomagnetic storms -------- 207-265

—— Commencement of geomagnetic storm -------- 214-214

—— Latitude dependence of characteristics of initial phase of geomagnetic storm -------- 214-215

Bouška, Vladimír. Geology and stratigraphy of moldavite occurrences -------- 213-35

Bouška, Vladimír, and Povondra, Pavel. Correlation of some physical and chemical properties of moldavites -------- 213-27

Bower, M. E. Scotian Shelf survey—Magnetometer airborne detector -------- 215-283

Abstract

Bowes, William. See Dobrovolny, Ernest., and Thomas, Herbert.

Bowie, S. H. U. Atomic Energy Division ---- 205-8

Bowin, C. A rocky puzzle ---- 209-348

Bowman, A. L. See Rusnak, G. A.

Boyarova, Ye. D. See Chalikova, Ye. K.

Boyd, F. R. Geological aspects of high-pressure research ---- 212-238

Boyd, F. R., and England, J. L. Pyroxenes and associated minerals in the crust and mantle—Some effects of pressure on phase relations in the system $MgO-Al_2O_3-SiO_2$ ---- 208-232

Boyd, F. R., England, J. L., and Davis, B. T. C. Effects of pressure on the melting and polymorphism of enstatite $MgSiO_3$ ---- 211-196

Boyko, V. N. A method of continuous determination of error due to the low-velocity zone in investigations by the plane front method ---- 211-292

—— An attempt to use the plane front method in complex seismogeologic conditions in the case of inclined reflecting horizons ---- 211-293

Boynton, G. R., Meuschke, J. L., and Vargo, J. L. Aeromagnetic map of the Timber Mountain quadrangle and part of the Silent Canyon quadrangle, Nye County, Nevada ---- 208-277

—— Aeromagnetic map of the Tippipah Spring quadrangle and parts of the Papoose Lake and Wheelbarrow Peak quadrangles, Nye County, Nevada ---- 206-255

Boynton, G. R., and Vargo, J. L. Aeromagnetic map of the Cane Spring quadrangle and parts of the Frenchman Lake, Specter Range, and Mercury quadrangles, Nye County, Nevada ---- 206-256

—— Aeromagnetic map of the Topopah Spring quadrangle and part of the Bare Mountain quadrangle, Nye County, Nevada ---- 206-254

See also Popenoe, Peter.

Brace, W. F. Brittle fracture of rocks ---- 211-322

See also Walsh, J. B.

Bradbury, J. C. See McGinnis, L. D.

Bradley, R. S., Jamil, A. K., and Munro, D. C. The electrical conductivity of some organic and inorganic solids under pressure. II. Ferrous orthosilicate and spinel Fe_2SiO_4 ---- 204-137

Bradner, Hugh. Seismic measurements on the ocean bottom ---- 215-115

See also Isaacs, J. D.

Braekken, Haakon. A model experiment in charged potential studies ---- 210-211

—— The cross-ring system, a multipurpose electromagnetic variant, with some model and field observations ---- 214-108

Bragard, Lucien. The influence of distant zones on the height of the earth tide ---- 205-67

Brahmam, N. K. A note on the magnetic susceptibilities of rocks in the West Godavari District, Andhra Pradesh ---- 211-247

See also Rao, B. S. R.

Branco, J. J. R. Mineral investigation in Brazil and methods of prospecting ---- 212-180

Brandt, S. B., and Voronovskiy, S. N. On the problem of the temperature dependence of the activation energy of radioactive gases in minerals ---- 212-5

Brant, A. A. Where are we? ---- 215-160

Bravarets, Yu. G. See Savadskiy, O. A.

Bravo S., Nelson. See Dobrovolny, Ernest., and Thomas, Herbert.

Brazee, R. J. See Murphy, L. M.

Breido, I. I., and Shchegolev, D. E. Schematic chart of the far side of the Moon ---- 209-57

Brein, Rudolf. On hysteresis and secondary effect phenomena in tide recording ---- 205-68

Breiner, Sheldon. Piezomagnetic effect at the time of local earthquakes ---- 212-121

Brentnall, David. See Attewell, P. B.

Abstract

Bricknell, G. L. See Brunn, V. von.
Briden, J. C., and Oliver, R. L. Paleomagnetic results from the Beardmore Glacier region, Antarctica ---------- 205-274
Brierly, D. M., and Davies, J. G. Lunar influence on meteor rates ---------- 205-22
Brinkmann, R., Eichler, R., Ehhalt, D., and Münnich, K. O. On the deuterium content of precipitation water and groundwater --- 213-246
Brock, A. See Gough, D. I.
Brock, B. B. Breaking the sea barrier ---------- 212-338
Broding, R. A., Bentley-Llewellyn, N. J., and Hearn, D. P. Study of a three-dimensional seismic detection system ---------- 210-325
Brodovoy, V. V. See Morozov, M. D.
Broecker, W. S. C-14/C-12 ratios in surface ocean water ---------- 204-224
—— Radiocarbon dating: A case against the proposed link between river mollusks and soil humus ---------- 209-3
Broecker, W. S., and Rocco, G. G. Direct comparison of radiocarbon and fallout measurements in sea water ---------- 204-225
Bromery, R. W., Petty, A. J., and Smith, C. W. Aeromagnetic map of Bel Air and vicinity, Harford, Baltimore, and Cecil Counties, Maryland ---------- 215-278
See also Andreasen, G. E., and Balsley, J. R.
Bronguleyev, V. V., and Blokh, I. M. The question of the complex application of geophysical and geological methods of investigation in geologic surveys on scales of 1:25,000 and 1:50,000 ---------- 212-183
Bronshteyn, V. A. On details of the fall of the Kaaliyarva meteorite ---------- 210-61
Bronshteyn, V. A., and Stanyukovich, K. P. On the crater-forming meteorites ---------- 212-83
See also Stanyukovich, K. P.
Bronskiy, B. I. On the finding of the Elga iron meteorite ---------- 210-62
Brooks, R. P., Jr. Ira Rinehart's reference book: Arkoma Basin exploration, Arkansas ---------- 205-116
Brouwer, Dirk. The orbit of the Moon, perturbation due to the Sun, etc. ---------- 212-97
Brovar, V. V. Calculation of the disturbing potential and its derivatives above the Earth ---------- 207-149
—— On solutions of Molodenskiy's boundary problem ---------- 208-176
—— On the solutions of Molodenskiy's boundary value problem ----- 213-165
Brown, A. C. Thickness corrections to resistivity measurement by Q-meter ---------- 212-152
Brown, H. C., and Khan, M. A. Portable apparatus for collecting small oriented cores in the field ---------- 205-269
Brown, Harrison. Planetary systems associated with main-sequence stars ---------- 215-69
See also Millard, H. T., Jr.
Brown, J. S. Ore leads and isotopes ---------- 206-207
Brown, P. E., Miller, J. A., and Soper, N. J. Age of the principal intrusions of the Lake District ---------- 215-20
See also Miller, J. A.
Brown, R. J. E. See Brown, W. G.
Brown, R. M. See Östlund, H. G.
Brown, Robena. See Rose, H. J., Jr.
Brown, W. G., Johnston, G. H., and Brown, R. J. E. Comparison of observed and calculated ground temperatures with permafrost distribution under a northern lake ---------- 215-208
Bruckshaw, J. M., and Kunaratnam, K. The interpretation of magnetic anomalies due to dykes ---------- 208-271
Brunei Shell Petroleum Company, Ltd. Offshore exploration—British Territories in Borneo ---------- 214-120

Abstract

Brunn, V. von, and Bricknell, G. L. The Chile earthquake recorded by the Hermanus and the S.A.N.A.E. base magnetographs 208-77
Bruschi, Aldo. The earthquakes in 1961-62 in Colombia 208-100
Brutsaert, Wilfried. The propagation of elastic waves in unconsolidated unsaturated granular mediums 207-89
Brutsaert, Wilfried, and Luthin, J. N. The velocity of sound in soils near the surface as a function of the moisture content 209-145
Bryan, W. B. Relative abundance of intermediate members of the oceanic basalt-trachyte association: evidence from Clarion and Socorro Islands, Revillagigedo Islands, Mexico 213-360
Brykov, V. D. See Titov, N. D.
Bryunelli, B. Ye. Electric field of a polar magnetic disturbance 214-205
— Polar magnetic disturbances—A review 205-234
— Variations of the magnetic field at conjugate points 205-236
Buben, Jiří. On the recording of natural seismoacoustic signals in mines 207-324
— Three channel magnetic recorder for seismoacoustic measurements 207-329
Bucha, Václav. Dynamics of the Earth's magnetic field 209-308
— Influence of the non-dipole geomagnetic field on dispersion of paleomagnetic data 214-233
— Palaeomagnetic characteristics of some rocks of Pre-Cambrian and Palaeozoic age in Czechoslovakia and their magnetic stability 209-307
— Paleomagnetic investigations in the Cambrian volcanic rocks of the Krivoklát-Rokycany zone 207-278
Bucha, Václav, Chlupáčová, Marta, Krs, Miroslav, Vetrovská, Božena, and Nairn, A. E. M. Paleomagnetic investigations of rocks in Czechoslovakia from Devonian to Quaternary 214-234
See also Bednářová-Nováková, Bohumila.
Buchwald, Vagn. A new Cape York meteorite discovered 208-35
Budagov, B. A. On the nature of recent tectonic movements in the region of the Shakhdag massif (southeastern Caucasus) in connection with the discovery of an Upper Sarmatian fauna 211-134
See also Dumitrashko, N. V.
Buddhue, J. D. Overlooked volcano 213-347
Budnitskiy, V. S. Master chart for the interpretation of horizon measurements of the magnetic field on the ground 211-257
See also Uskov, P. S.
Buffington, E. C. See Dietz, R. S.
Bugayevskiy, G. N. The showing up of inhomogeneities in the structure of the Earth's mantle by means of the traveltime curves of direct seismic waves 215-111
Bukhnikashvili, A. V. See Berdichevskiy, M. N.
Bulakh, Ye. G., and Yevsikova, L. G. Gravity anomaly of a vertically bounded hyperbolic dome 212-216
Bulanzhe, Yu. D. See Avsyuk, Yu. D.
Bulashevich, Yu. P., and Sen'ko-Bulatnyy, I. N. Application of nuclear-geophysical methods for the determination of the composition of ores in place 208-298
Bulina, L. V. On the detection of fault dislocations on the Siberian platform from the data of an aeromagnetic survey 215-303
Bull, C. Glaciological reconnaissance of the Sukkertoppen Ice Cap, south-west Greenland 205-195
Bullard, E. C. Continental drift 213-173
— The flow of heat through the floor of the Ocean 208-206
Bullard, E. C., and Mason, R. G. The magnetic field over the oceans 208-270
Bullen, K. E. An index of degree of chemical inhomogeneity in the Earth 204-203

	Abstract
Bullen, K. E. An introduction to the theory of seismology, 3d ed.	211-70
—— New evidence on rigidity in the Earth's core	215-226
—— On the size of the strained region prior to an extreme earthquake	204-72
—— Rigidity and density of the Earth's core	209-263
Bullerwell, W. Geophysical Department	205-117
—— Geophysical surveys at the Upton borehole	205-118
Bülow, Kurd von. Contributions to selenogeology, Pts. 1 and 2	212-107
—— Contributions to selenogeology, Pt. 3	215-61
—— The tectonic situation of the lunar ray-craters and mare-craters	208-49
Bülow, Kurd von, Green, Jack, and Amstutz, G. C. A geometric terminology of the structural features of the Moon	213-48
Bunce, E. T., Crampin, Stuart, Hersey, J. B., and Hill, M. N. Seismic refraction observations on the continental boundary west of Britain	215-344
See also Heezen, B. C.	
Bunch, T. E., and Cohen, A. J. Coesite and shocked quartz from Holleford Crater, Ontario, Canada	204-39
Bune, V. I. Basic seismological data used in the detailed seismic regionalization of the Vaksh River valley	207-50
See also Medvedev, S. V.	
Bunin, K. P., Zakorko, Zh. B., and Pogrebnoy, E. N. The use of the gradients and second derivatives of the potential in the natural electrical field method	210-216
Burg, J. P. See Embree, Peter.	
Burger, A. J. See Nicolaysen, L. O.	
Burke, J. A. See Savre, W. C.	
Burke, W. H., Kenny, G. S., Otto, J. B., and Walker, R. D. Potassium-argon dates, Socorro and Sierra Counties, New Mexico	207-9
Burkhardt, H. Some physical aspects of seismic scaling laws for underwater explosions	215-136
Burkser, Ye. S., Lazebnik, K. I., and Alekseyeva, K. N. Germanium content in stony meteorites	210-68
Burlatskaya, S. P. The geomagnetic field in the past in the Caucasus region	211-254
Burns, E. A., and Lyon, R. J. P. Errors in the measurement of the lunar temperature	215-58
Burrows, A. L. Location of the south magnetic pole	205-219
Burša, Milan. Astronomic-gravimetric leveling in the Czechoslovakian Republic	207-198
—— Corrections to the European Datum by means of the European astrogeodetic network	207-147
—— Determination of errors of interpolation of Bouguer anomalies in the territory of Czechoslovakia	209-219
—— Determination of the geodetic coordinates and relative height of the quasi-geoid according to observations of artificial earth satellites	213-169
—— Determination of interpolation errors of astronomical-geodetic deviations of the vertical in western Czechoslovakia	209-241
—— On the question of computation of the characteristics of the characteristics of the quasigeoid by Molodenskiy's formula in the first approximation	214-127
—— Theory of the determination of the dimensions of the mean earth ellipsoid and geodetic reference datums according to observations of artificial earth satellites	207-146
Burton, A. N. Marine levels in south Italy	215-166
Burtsev, Yu. A. The use of the PM-1 proton magnetometer for highly accurate geomagnetic measurements	205-264
Burwash, R. A., Baadsgaard, Halfdan, Campbell, F. A., Cumming, G. L., and Folinsbee, R. E. Potassium-argon dates of diabase dyke systems, District of Mackenzie, N. W. T. (Canada)	207-14

Abstract

Buschbach, T. C., and Ryan, Robert. Ordovician explosion structure at Glasford, Illinois ---------- 206-33

Busuego, F. S., Jr. Projects carried out during F.Y. 1962-63—Magnetometric surveys ---------- 214-261

Butakov, G. S. Some problems of geophysical survey procedure ---------- 213-159

Butler, C. P., and Jenkins, R. J. Temperature of an iron meteoroid in space ---------- 206-30

Butler, Richard. See MacDougall, John.

Butovskaya, Ye. M., Zakharova, A. I., Atabayev, Kh. A., and Flenov, Yu. P. Results of the use of specific traveltime curves for the determination of epicenters in some regions of central Asia ---------- 215-112

Buttlar, H. von. Stratospheric tritium ---------- 204-233

—— Tritium in rainwater ---------- 210-328

Byakov, Yu. A. See Urupov, A. K.

Bylinskaya, L. N., and Meshcheryakov, Yu. A. On the relationship of the gradients of the rate of vertical tectonic movements of the Earth's surface to seismicity, exemplified by the area of the western half of the European part of the USSR ---------- 209-103

C

Cahen, Lucien, Choubert, Georges, and Ledent, Dolly. First results of geochronology on the Precambrian of the Anti-Atlas (southern Morocco) ---------- 209-13

Cahen, Lucien, Delhal, J., Ledent, Dolly, and Reinharz, M. The age of the migmatitie of Boma and of the West-Congolian orogeny. Preliminary indications on the age of the Mayumbienne earlier formations ---------- 204-15

Cahierre, L. Leveling and movements of the Earth's crust ---------- 210-238

Cahill, L. J. A study of the outer geomagnetic field ---------- 210-292

Cahill, L. J., Jr. Preliminary results of magnetic-field measurements in the tail of the geomagnetic cavity ---------- 209-274

See also Bailey, V. A., and Nishida, Atsuhiro.

Cailleux, André. Absolute dating of the principle prehistoric industries ---------- 215-19

Cailleux, André, Guillemaut, Armel, and Pomerol, Charles. Presence of coesite, index of high pressures, in the circular structure of the Richât (Mauritanian Adrar) ---------- 213-21

Caldera, J. M., Woollard, G. P., Kozlosky, J. A., and Duarte V. H. Information on gravimetric work in Central America and Panama- 214-158

Caldwell, R. L. Gamma-ray spectroscopy in well logging ---------- 208-297

Caldwell, R. L., Baldwin, W. F., Bargainer, J. D., Berry, J. E., Salaita, G. N., and Sloan, R. W. Gamma-ray spectroscopy in well logging ---------- 204-319

Callisen, Karen, and Pauly, Hans. The Aarhus meteorites ---------- 209-28

Cal'nykov, E. V. See Kostyuk, O. P.

Caloi, Pietro. Aspects of the dynamics of rocks, concrete, and water ---------- 208-131

—— On the physical nature of the inner core of the Earth ---------- 209-264

—— The Italian pioneers of geophysics ---------- 213-162

Callow, W. J., Baker, M. J., and Pritchard, D. H. National Physical Laboratory radiocarbon measurements II ---------- 214-10

Cameron, A. G. W. The formation of the solar nebula ---------- 208-26

—— The origin of the atmospheres of Venus and the Earth ---------- 206-34

See also Ter Haar, Dirk.

Cameron, W. S. An interpretation of Schröters Valley and other lunar sinuous rills ---------- 212-95

Campbell, A. C. Rigorous solution for the determination of the deflection of the vertical for the center area ---------- 206-140

Abstract

Campbell, F. A. See Burwash, R. A.
Campbell, N. J. See Drake, C. L.
Campbell, W. H., and Young, J. M. Auroral-zone observations of infrasonic pressure waves related to ionospheric disturbances and geomagnetic activity ---------- 205-226
Canada Geological Survey. Aeromagnetic maps of Alberta ---- 215-295, -296
— Aeromagnetic maps of British Columbia ---------- 215-297, -298
— Aeromagnetic maps of Manitoba ---------- 215-291, -292
— Aeromagnetic maps of Northwest Territories ----- 215-299, -300, -301
— Aeromagnetic maps of Ontario ---------- 215-287, -288, -289, -290
— Aeromagnetic maps of Quebec ---------- 215-284, -285
— Aeromagnetic maps of Quebec-Ontario ---------- 215-286
— Aeromagnetic maps of Saskatchewan ---------- 215-293, -294
Canadian Mining and Metallurgical Bulletin. Geothermal steam well ---------- 210-259
Canadian Petro Engineering. Pictures 10,000 feet down now possible ---------- 213-161
Cannon, R. S., Jr., Pierce, A. P., and Delevaux, M. H. Lead isotope variation with growth zoning in a galena crystal ---------- 206-204
Cantwell, T. See Komack, R. L.
Capron, P. C. See Deumer, J. M.
Caputo, Michele. See Desio, Ardito.
Carabelli, Edmondo. Geophysical exploration ---------- 210-342
See also Cassinis, Roberto.
Carbonnel, J.-P. Rate of accumulation of recent sediments of the Great Lake of Cambodia, according to carbon-14 ---------- 207-21
Carder, D. S. Report on seismology for the Pan American Institute of Geography and History-IX, Consultatation on cartography ---- 206-65
Cardús, J. O. Note concerning solar, geomagnetic, and ionospheric activity ---------- 206-214
— Note concerning solar, geomagnetic, and ionospheric activity (April-June, 1961) ---------- 208-245
— Note concerning solar, geomagnetic, and ionospheric activity (January-March, 1962) ---------- 209-277
— Note concerning solar, geomagnetic, and ionospheric activity (April-June, 1962) ---------- 212-253
Carey, W. W. See Dubois, R. L.
Carlson, Leon. See Nagy, Bartholomew.
Carmichael, C. M. The magnetization of a rock containing magnetite hemolimenite ---------- 208-255
Carpenter, D. L., and Smith, R. L. Whistler measurements of electron density in the magnetosphere ---------- 214-197
Carpenter, G. C., and Bassarab, D. R. Case histories of resistivity and seismic ground-water studies ---------- 209-181
Carrat, G. H. Radiometric prospecting ---------- 205-301
Carrison, L. C. See Sclar, C. B.
Carron, M. K. See Rose, H. J., Jr., and Walter, L. S.
Carrozzo, M. T. A program for Lecolazet's method of harmonic analysis of the earth tides in the Bell interpretative system for an electronic computer IBM 650 ---------- 205-76
See also Morelli, Carlo.
Carta, M. W. Jordan's handbook of geodesy ---------- 204-149
Carter, N. L., and Kennedy, G. C. Origin of diamonds in the Canyon Diablo and Novo Urei meteorites ---------- 212-57
Cartron, Suzanne. See Lebeau, André.
Case, J. E. See Jones, W. R.
Casertano, Lorenzo. Catalogue of the active volcanoes of the world—Active volcanoes and solfatara fields of the Chilean continent ---------- 213-349
— General characteristics of active Andean volcanoes and a summary of their activities during recent centuries ---------- 207-350

Abstract

Cassidy, W. A. Cosmic dust 212-90

—— Experimental testing of hypotheses for the origin of tektites 213-42

Cassinis, Roberto. The influence of the characteristics of the source on the emission of the seismic diffraction energy 211-282

—— The use of the phenomena of diffraction for the interpretation of faults in seismic reflection prospecting 211-281

Cassinis, Roberto, and Carabelli, Edmondo. The proceedings of integration and condensation of the trace in reflection seismograms 211-280

Castro Bonel, Honorato de. Gravimetric determination of the ellipsoid that is most suitable for Mexico 208-169

—— Influence of the Moon and the Sun on gravity 208-196

—— Mass and mean density of the Earth 208-198

—— Physical characteristics of the interior of the Earth 208-233

Catanzaro, E. J. Zircon ages in southwestern Minnesota 212-11

Catanzaro, E. J., and Kulp, J. L. Discordant zircons from the Little Belt (Montana) Beartooth (Montana) and Santa Catalina (Arizona) Mountains 209-6

See also Kulp, J. L., and Lessing, Peter.

Cate, R. B., Jr. Hydration energy. A possible contributor to crustal heat 208-214

Cattermole, P. J. A chart of the lunar region south and southeast of Bailly 213-50

Caudle, R. D. See Clark, G. B.

Cavallo, Raimondo. See Penta, Francesco.

Čermák, Vladimír. Statistical determination of the law of dispersion of marking material in the shattered zone 207-91

Červený, Vlastislav. Determination of the position of the critical point according to the amplitude curves of reflected waves 207-87

—— On reflected and head waves around the first and second critical point 209-161

—— On the reflection of spherical waves at a plane interface with refractive index near to one 207-86

—— Simplified relations for amplitudes of spherical compressional harmonic waves reflected from plane interface 207-88

—— The amplitude curves of reflected harmonic waves around the critical point 209-162, 213-121

Červený, Vlastislav; Hron, František; and Novák, Břetislav. Reflection coefficients of plane waves of PP-type for weak interfaces 214-88

Červený, Vlastislav, and Novák, Břetislav. Theoretical amplitude curves of waves reflected from Mohorovičić discontinuity for some models of one-layered Earth's crust 213-120

Chabai, A. J. Synthesis of shock Hugoniots for rock materials 205-82

Chachagova, O. A. See Velichko, A. A.

Chadwick, P. Mountain-building hypotheses 205-148

Chaigneau, Marcel. See Roblot, M. M.

Chaillou, A., and Vallon, M. Study of the cortical zone of temperate glaciers by electric prospecting with an impedance potentiometer of infinite entry 212-155

Chakraburtty, A. K., Stevens, C. M., Rushing, H. C., and Anders, Edward. Isotopic composition of silver in iron meteorites 209-22

Chalikova, Ye. K., and Boyarova, Ye. D. Determination of the type of geologic section according to seismic survey data in the Kama-Kinel basin 211-314

Chalov, P. I., Tuzova, T. V., and Musin, Ya. A. The U-234/U-238 isotope ratio in natural waters and its use for nuclear geochronology 213-9

Chamalaun, F. H., and Creer, K. M. Thermal demagnetization studies on the Old Red Sandstone of the Anglo-Welsh cuvette 211-250

Abstract

Chamalaun, T., and Roberts, P. H. The theory of convection in spherical shells and its application to the problem of thermal convection in the Earth's mantle ---------- 205-147

Chamo, S. S. Study of the deep geologic structure of the Earth's crust by the reflection method ---------- 206-301

See also Vol'vovskiy, B. S.

Chan, H. H., and Razavy, M. Plane-wave approximation for the scattering amplitude ---------- 214-98

Chandra, S., and Goldberg, R. A. Geomagnetic control of diffusion in the upper atmosphere ---------- 214-188

Chang, B.-S. The mosaic earth's crust ---------- 207-163

Chang, C. C. See Lee, H. K.

Chang, C.-T. Methods of interpreting the magnetic anomalies produced by an obliquely magnetized spherical body and an infinitely extended horizontal cylinder ---------- 205-279

Chang, Cheng. See Kuo, T.-C.

Chang, Chih. Recent radioactivity methods of petroleum prospecting abroad ---------- 205-302

Chang, C.-P. See Schlesinger, Ernest.

Chang, F.-K. Seismic wave studies in northwest Marie Byrd Land, Antarctica ---------- 208-337

Chang, K.-J. Extension of the ray method in an elastico-viscous medium ---------- 215-145

Chang, T. C. The use of average velocity measurements to find the average velocity of the layers overlying a refracting boundary -- 206-312

Chang, W.-Yu. The X-shaped fault systems in China and their relationships to neotectonic movements ---------- 213-78

Chang, Yüan. Calculation of the penetration of emanation measurements ---------- 205-303

Chao, E. C. T. The petrographic and chemical characteristics of tektites ---------- 210-94

Chao, E. C. T., Adler, Isodore, Dwornik, E. J., and Littler, Janet. Metallic spherules in tektites from Isabela, Philippine Islands -- 207-28
212-92

Chao, E. C. T., Dwornik, E. J., and Littler, Janet. New data on the nickel-iron spherules from Southeast Asian tektites and their implications ---------- 213-39

Chao, E. C. T., Fahey, J. J., Littler, Janet, and Milton, D. J. Stishovite, SiO_2, a very high pressure new mineral from Meteor Crater, Arizona ---------- 206-194

Chapman, C. J. Seismic exploration for reefs in western Canada ---------- 204-337, 215-322

See also Arthur, D. W. G.

Chapman, D. R. On the unity and origin of the Australasian tektites ---------- 213-31

Chapman, D. R., Lawson, H. K., and Scheiber, L. C. Population polygons of tektite specific gravity for various localities in Australasia ---------- 213-30

—— Reply [Comments on paper "On the lunar origin of tektites"] -- 211-47

Chapman, Sydney. The energy of magnetic storms ---------- 214-211

Chapman, W. H. See Crary, A. P.

Charygin, M. M. Some regularities of vertical movements of the Earth's crust ---------- 213-176

See also Vasil'yev, Yu. M.

Chase, T. E. See Menard, H. W.

Chaterji, G. C., and Sinha, S. C. Single-electrode electrical logging in subsurface geological correlation of unconsolidated and semiconsolidated sediments in India ---------- 212-169

Chaudhury, H. M. See Tandon, A. N.

	Abstract
Chayes, Felix. A petrographic distinction between Cenozoic volcanics in and around the open oceans	210-359
—— On the geographic distribution of Cenozoic volcanism—A distinction between intra- and circum-oceanic Cenozoic volcanics	208-360
—— Relative abundance of intermediate members of the oceanic basalt-trachyte association	213-359
Chebotareva, N. C. See Gerasimov, I. P.	
Chekunov, A. V. See Neprochnov, Yu. P., Sollogub, V. B., and Subbotin, S. I.	
Cheminée, J.-L., and Nordemann, Daniel. Determination of potassium, uranium, radium, and thorium in the lavas of Auvergne, Velay, and Sicilian Province by gamma spectrometry	212-301
Chemla-Lamèch, Félix. The white spots and the dark zones on the Moon	206-48
Ch'en, L.-S. Design of geomagnetic pulsation recording devices	204-267
Ch'en, M.-H. Some data on neotectonics in the regions of Paot'ou, Hsian and Peking	213-195
Ch'en, T. H. Calculation of gravitational and magnetic force by means of a simple chart procedure	206-187
Cheney, E. S. Stable carbon isotopes of the Gas Hills uranium district, Wyoming	211-217
Ch'eng, Y.-C. Certain data on the neotectonic movements in the western portion of Ssuch'uan Province (the eastern portion of former Hsik'ang Province)	213-191
Cherbanenko, I. I. Fundamental regularities of fracture tectonics of the Earth's crust and its problems	211-136
Cherbyanov, B. Ye. See Savadskiy, O. A.	
Cherdyntsev, V. V., Alekseyev, V. A., Kind, N. V., Forova, V. S., and Sulerzhitskiy, L. D. Radiocarbon dates of the laboratory of the Geologic Research Institute of the Academy of Sciences of the USSR	212-35
Cherdyntsev, V. V., Malyshev, V. I., Sokolova, Z. A., Kazachevskiy, I. V., and Borisov, I. V. Isotopic composition of uranium and thorium in the zone of hypergenesis. Investigations of peat bog material	213-242
Cheremenskiy, G. A. On the depth of investigations in aeroelectrical surveying by the infinitely long cable method	206-101
—— On the relationship of hydrogeologic conditions to the thermal anomaly in the Matsesty region	204-198
Cheremnykh, G. D. Additional remarks on the method of determining the velocity of movement of the surface of a glacier from data of airphoto surveys	207-175
Cherkasov, A. S. See Volovik, V. D.	
Cherkasov, I. I. Use of gamma-radiation to determine the volumetric weight of the ground	209-324
Chermnykh, G. P. See Kolesnikov, Yu. A.	
Chernova, Ye. D. On the distinguishing of local structures by the method of joint analysis of gravity and magnetic anomalies	204-181
Chernyavskiy, G. A. See Berdichevskiy, M. N.	
Chernyayev, Yu. A. See Bgatov, V. I.	
Chernysh, A. P. See Alekseyev, V. A.	
Cherry, R. D., and Adams, J. A. S. Gamma-spectrometric determinations of thorium, uranium, and potassium in tektites	208-45
Cherry, R. D., Richardson, K. A., and Adams, J. A. S. Unidentified excess alpha-activity in the 4.4-Mev region in natural thorium	212-248
Chiang, C.-C. See Znamenskiy, V. V.	
Chiang, D.-F. See Huang, C.-C.	
Ch'ien, H.-L. Modern methods of geotectonic investigation and some problems of their development	207-164

Abstract
Ch'in, C.-K. Phenomena of magnetic prospecting of the Ta-Yeh iron ore area ---------- 206-259
Ch'in, H.-L. Basic principles of radioactivity prospecting ---------- 206-266
— Radioactivity well logging ---------- 205-311
— Some fundamental knowledge in radioactivity surveying ---------- 205-304
— The Geiger-Müller counter and the scintillation counter ---------- 205-305
— The nuclear precession magnetometer ---------- 205-284
Ching, F.-C. Rectangular pattern shooting in reflection prospecting ---------- 206-310
Chinnery, M. A. The strength of the Earth's crust under horizontal shear stress ---------- 211-127
— The stress changes that accompany strike-slip faulting ---------- 204-60
Chirkov, A. M. See Kirsanov, I. T., and Zubin, M. I.
Chişcan, V. See Marinescu, M.
Chlupáčová, Marta. See Bucha, Václav.
Choubert, Boris. Absolute ages of the Precambrian of Guiana ---------- 209-9
Choubert, Georges. See Cahen, Lucien.
Chow, T. J., Tatsumoto, M., and Patterson, C. C. Lead isotopes and uranium contents in experimental Mohole cores (Guadalupe Site) ---------- 206-206
Christensen, M. N., and Bolt, B. A. Earth movements ---------- 215-74
Christensen, M. N., and Gilbert, C. M. Basaltic cone suggests constructional origin of some guyots ---------- 211-331
Christie, J. M., Heard, H. C., and LaMori, P. N. Experimental deformation of quartz single crystals at 27 to 30 kilobars confining pressure and 24°C ---------- 208-338
Christie, O. H. J. Observations on natural feldspars: randomly disordered structures and a preliminary suggestion to a plagioclase thermometer ---------- 205-206
Christophe-Michel-Lévy, Mireille. Similarity between the merrillite of meteorites and whitlockite ---------- 213-17
Chuboda, Petr. See Vyskočil, Vincenc.
Chudoba, Vratislav, Šimon, Zdenék, and Träger, Lubomír. Measurement with the gravimeter Gs 12 in the gravity base network of the Czechoslovakian Socialist Republic ---------- 207-199
Chujo, Junsuke. See Murauchi, Sadanori, and Nasu, Noriyuki.
Chuyun, A. B. See Belomar, O. D.
Ciani, A., Gantar, C., and Morelli, Carlo. Gravimetric relief on the epicontinental shelf of the Italian seas ---------- 206-178
Cisternas, Armando. Precision determination of focal depths and epicenters of local shocks in California ---------- 204-57
See also Ben-Menahem, Ari.
Cladis, J. B., Miller, T. D., and Baskett, J. R. Interaction of a supersonic plasma stream with a dipole magnetic field ---------- 212-256
Claerbout, J. F. Detection of P-waves from weak sources at great distances ---------- 210-170
Claerbout, J. F., and Robinson, E. A. The error in least-squares inverse filtering ---------- 208-309
Clark, Anthony. Resistivity surveying ---------- 215-149
Clark, Donovan. See Friedman, Irving.
Clark, G. B., and Caudle, R. D. Failure of homogeneous rock under dynamic compressive loading ---------- 211-325
Clark, H. C. See Keller, M. F.
Clark, J. F. See Madill, R. B.
Clark, L. A., and Kullerud, Gunnar. The sulfur-rich portion of the Fe-Ni-S system ---------- 204-202
Clark, S. P., Jr., and Ringwood, A. E. Density distribution and constitution of the mantle ---------- 213-231
Clarke, W. B., and Thode, H. G. The isotopic composition of krypton in meteorites ---------- 215-34

Abstract

Claus, George. See Nagy, Bartholomew.

Clay, C. S., Ess, John, and Weisman, Irving. Lateral echo sounding of the ocean bottom on the continental rise ---------- 215-357

Clay, C. S., Liang, W. L., and Wisotsky, Serge. Seismic profiling with a hydroacoustic transducer and correlation receiver --- 214-284

Clayton, D. D. Chronology of the galaxy ---------- 212-75

—— Cosmoradiogenic chronologies of nucleosynthesis ---------- 212-76

Clayton, R. N. High-temperature isotopic thermometry ---------- 204-200

Clément, A. See Bouchon, R.

Closs, Hans, and Morelli, Carlo. Seismic experiments in the Dolomites (Lago Lagorai) to investigate the Earth's crust in the eastern Alpine area ---------- 205-86

Cloud, W. K. See Lander, J. F.

Coast and Geodetic Survey. Magnetograms and hourly values, College, Alaska, 1961 ---------- 215-246

—— Magnetograms and hourly values, Guam, Mariana Islands, 1960- 215-247

Cobb, J. C. Determination of lead in meteorites by alpha activation analysis ---------- 211-31

Cocks, G. G. See Sclar, C. B.

Coffin Otero, José. Application of multiple seismometers in difficult areas of the northeast zone ---------- 215-330

Coffman, M. L. Comments on Walker's objections ---------- 208-51

Cohen, A. J. Asteroid- or comet-impact hypothesis of tektite origin ---------- 210-100

—— Asteroid-impact hypothesis of tektite origin III. The southeast Asian strewn fields ---------- 210-102

—— Source of evolution of gas from the lunar crater Alphonsus ---- 210-103

See also Bunch, T. E.

Cohen, Gaston. Has the Orgueil meteorite contributed traces of extraterrestrial life? ---------- 209-40

Cohen, Joseph, and Mollard, Paul. Effect of pressure on the isothermal remanent magnetization of natural rocks ---------- 207-272

Cohen, P. M. Improving directivity of echo sounding transducers - 209-350

Cole, K. D. Distribution of trapped particles in a magnetic field -- 206-210

—— On the depletion of ionization in the outer magnetosphere during magnetic disturbances ---------- 214-250

—— Polar geomagnetic disturbance ---------- 208-249

Coleman, P. J., Jr. Characteristics of the region of interaction between the interplanetary plasma and the geomagnetic field ---- 214-183

Coleman, R. G. See Lee, D. E.

Colinvaux, P. A. Origin of ice ages—pollen evidence from arctic Alaska ---------- 215-183

Collins, W. B. Gamma radiation survey of the Gilbertown area, Alabama ---------- 214-275

Collinson, A. J. L., and Haque, A. K. M. M. A scintillation counter for the measurement of radon concentration in air ----- 205-300

Colombo, G. See Fiocco, G.

Colombo, Umberto, Fagherazzi, G., Gazzarrini, F., Langavecchia, G., and Sirioni, G. Mechanisms on the first stage of oxidation of magnetites ---------- 210-309

See also Nagy, Bartholomew.

Committee of Structural Steel Producers. The Agadir, Morocco, earthquake February 29, 1960 ---------- 214-68

Condon, W. J. See Lowder, W. M.

Constantinescu, Liviu, and Enescu, Dumitru. Fault-plane solutions for some Roumanian earthquakes and their seismotectonic implications ---------- 209-105

Contini, G. F. Geothermograph for a well with elevated temperature ---------- 212-235

Abstract

Cook, A. B., and Madill, R. G. Record of observations at Meanook Magnetic Observatory 1957-1958 ---------- 204-264
Cook, C. F. See Owen, J. D.
Cook, G. E. See King-Hele, D. G.
Cook, J. C. Progress in mapping underground solution cavities with seismic shear waves ---------- 211-277
Cook, K. L. See Costain, J. K.
Cook, N. G. W. The application of seismic techniques to problems in rock mechanics ---------- 215-349
—— The seismic location of rockbursts ---------- 205-336
See also Jaeger, J. C.
Cook, R. M. Archaeomagnetism ---------- 215-270
Coolidge, J. E., Ritchie, Ian, Gamson, B. W., and Shane, L. NML resolves difficult logging problems ---------- 208-274
Cooney, G. H. The New South Wales earthquake of May 22, 1961 -- 207-46
Coppens, René. Action of electric currents on the displacement of uranium in rocks ---------- 209-321
Coppez, A. See Picciotto, E. E.
Corbató, C. E. Bouguer gravity anomalies of the San Fernando Valley, California ---------- 209-239
—— Theoretical gravity anomalies of glaciers having parabolic cross-sections ---------- 214-154
Corcoran, R. E. See Newton, V. C.
Corcuff, Yvonne, and Delaroche, Michel. Increase of the ionization gradient in the near magnetosphere in periods of strong magnetic activity ---------- 208-254
Cordero Baca, M. A. Actual distance observed over the reflection horizon in the traveltime sections ---------- 215-334
Cordero Limón, Antonio. Delay line filtering ---------- 207-321
—— Instructions for seismologic observation ---------- 207-326
Cornejo Toledo, Alfonso. Geophysics and the discovery of new petroleum fields in the South Zone ---------- 215-200
Coron, Suzanne, and Kotlarz, D. Mean free air anomalies and mean Bouguer anomalies ---------- 206-160
Costain, J. K., Cook, K. L., and Algermissen, S. T. Amplitude, energy, and phase angles of plane SV waves and their application to crustal studies ---------- 204-118
Cotcher, A. L. Earth measurements via satellites ---------- 207-145
Cotecchia, Vincenzo, and Solaini, Luigi. On some hydrogeological and geophysical criteria adopted for ground water research in the high Nile River valley and the results thereof ---------- 207-113
Cotter, D. J. See McCormick, J. F.
Covarrubias, Luis Flores. Application of the Bessel-Liouville functions in the electrical exploration of saline deposits in the north part of the Mexican Republic ---------- 214-109
Cox, A. V. Angular dispersion due to random magnetization ------ 213-275
Cox, A. V., Doell, R. R., and Dalrymple, G. B. Geomagnetic polarity epochs ---------- 208-260
—— Geomagnetic polarity epochs ---------- 204-270
—— Reversals of the Earth's magnetic field ---------- 212-272
Cox, A. V., and Stauder, William. Geometrical properties of groups of fault plane solutions ---------- 209-104
Cox, D. C., and Mink, J. F. The tsunami of 23 May 1960 in the Hawaiian Islands ---------- 208-60
Cox, D. E. See Shirane, G.
Cox, M. J. G. A magnetic survey of the Lake Boeckella area, Hope Bay, Graham Land ---------- 215-305
Craddock, Campbell, Gast, P. W., Hanson, G. N., and Linder, Harold. Rubidium-strontium ages from Antarctica ---------- 210-58

Abstract

Craddock, Campbell, Thiel, E. C., and Gross, Barton. A gravity investigation of the Precambrian of southeastern Minnesota and western Wisconsin ---------- 205-190

Craig, Harmon. The natural distribution of radiocarbon: Mixing rates in the sea and residence times of carbon and water, in Earth Science and Meteoritics ---------- 210-272

See also Wasserburg, G. J.

Craig, J. R. See Richards, H. G.

Cram, I. H. There's fun ahead ---------- 208-159

Cram, I. H., Jr. See McEuen, R. B.

Crampin, Stuart. See Bunce, E. T.

Crane, H. R., and Griffin, J. R. University of Michigan radiocarbon dates IX ---------- 214-9

Crary, A. P. Current U. S. scientific research activites in the Antarctic ---------- 207-135

—— Gravity and magnetic observations ---------- 211-167

—— Seismic studies ---------- 211-319

—— U. S. Antarctic research program, summer 1962-63 ---------- 204-143

Crary, A. P., and Chapman, W. H. Additional glaciological measurements at the abandoned Little America station, Antarctica ---------- 205-158

Craven, J. D. See Frank, L. A.

Creer, K. M. A reconstruction of the continents for the Upper Paleozoic from paleomagnetic data ---------- 215-261

See also Chamalaun, F. H.

Crittenden, M. D., Jr. Effective viscosity of the Earth derived from isostatic loading of Pleistocene Lake Bonneville ---------- 204-159

—— New data on the isostatic deformation of Lake Bonneville ---------- 207-160

See also Mabey, D. R.

Crocker, E. A. See Lynn, V. L.

Croft, W. J. See Leipziger, F. D.

Crouch, E. A. C., and Tuplin, T. A. Isotopic composition and the atomic weight of naturally occurring molybdenum: a possible reflexion of the creation process ---------- 213-243

Crouch, W. H., Jr. See Kuroda, P. K.

Crozaz, G., Picciotto, E. E., and DeBreuck, W. Antarctic snow chronology with Pb-210 ---------- 212-243

Crozaz, G. See Picciotto, E. E.

Csomor, Deszö, and Kiss, Zoltán. The seismicity of Hungary (pt. 2) ---------- 204-56

Cucu, V. See Marinescu, M.

Cudjoe, J. E. Geophysical prospecting ---------- 213-157

Cugusi, Francesca. See Penta, Francesco

Cullington, A. L. The geomagnetic secular variation in the Ross Dependency ---------- 205-224

Cumming, G. L. See Baadsgaard, Halfdan, Burwash, R. A., and Folinsbee, R. E.

Cumming, L. M. See Howie, R. D.

Cundari, Aldo, and Ventriglia, U. The volcanic apparatuses Cimino, Vico, Sabatino, and Cerite. Direction of magnetization -- 207-276

Cundari, Aldo. See Ventriglia, Ugo.

Cunietti, Mariano. The equations of error in the compensation of networks of pendulum measurements of gravity ---------- 206-170

Curray, J. R. See Moore, D. G., and Shepard, F. P.

Currie, J. B. See Bell, R. T.

Currie, K. L. On the origin of some "recent" craters on the Canadian Shield ---------- 212-86

Curtis, G. H. See Evernden, J. F.

Abstract

Čuta, Jiří, and Válek, Rostislav. Interpretation of gravity profiles across the Svitavsk anomaly ---------- 209-222
Cuttitta, Frank. See Rose, H. J., Jr.
Czubek, J. A. Natural gamma-ray logging for density logging purposes ---------- 208-301
—— Neutron-neutron well logging theory ---------- 208-295
—— Quantitative interpretation of gamma-ray logs ---------- 208-299
Czubek, J. A., Dziunikowski, B., Jurkiewicz, L., Krzuk, J., Niewodniczánski, J., Przewłocki, Kazimierz, Werner, Z., and Zuber, A. Complex radiometric logging of directed mine boreholes in prospecting for potassium salts ---------- 205-306

D

Dachille, Frank. Changes in the Earth's axis due to large meteorite collisions ---------- 207-143
Dachille, Frank, and Roy, Rustum. Effectiveness of shearing stresses in accelerating solid phase reactions at low temperatures and high pressures ---------- 210-269
See also Johnson, G. G., and Vand, Vladimir.
Da Costa, J. A. Effect of Hebgen Lake earthquake on water levels in wells in the United States, in the Hebgen Lake, Montana, earthquake of August 17, 1959 ---------- 210-134
Dahanayake, C., Kaplon, M. F., and Lavakare, P. J. Isotopic composition and energy spectrum of low-energy helium nuclei in primary radiation ---------- 215-232
Dakhkil'gov, T. D. On the problem of the effect of overburden and formation pressure on the physical properties of rocks ---- 215-147
See also Shurman, G. A.
Dakhnov, V. N. Modern possibilities and some paths of future development of geophysical logging methods in the field of studying the section of gas wells ---------- 207-116
—— Nomogram for the determination of porosity according to the volumetric and mineralogic density of a rock, and also according to the density of the medium impregnating its pores ---------- 206-289
—— On the effect of clay content on the value of specific resistivity and of the porosity parameter of sandstone reservoirs ------- 207-119
—— On the problem of determining the specific resistivity of formation waters of argillaceous reservoirs and study of their surface conductivity ---------- 205-98
—— Use of the time factor in interpretation of the results of borehole investigations by the resistivity method ---------- 205-97
Dakhnov, V. N., and Dobrynin, V. M. Determination of specific surface and permeability of sandstone reservoirs according to data of the method of potentials of induced polarization ---------- 206-121
Dakhnov, V. N., and Shapiro, D. A. On the stresses on the cable in inclined wells ---------- 205-106
d'Albissin, Micheline. The traces of deformation in calcareous rocks ---------- 207-343
Dalrymple, G. B. Argon retention in a granitic xenolith from a Pleistocene basalt, Sierra Nevada, California ---------- 210-1
See also Cox, A. V.
Dalseide, Helge. See Gjellestad, Guro.
Dal'yan, I. B., and Sydykov, Zh. Geothermal conditions of the Aktyubinsk area near the Urals ---------- 211-176

Abstract

D'Ambrosi, C., and Mosetti, Feruccio. Preliminary results of hydrological research for the new Gorizia acqueduct ------------ 206-108

Damon, P. E., Erickson, R. C., and Livingston, D. E. K-Ar dating of Basin and Range uplift, Catalina Mountains, Arizona ----- 204-12

Damon, P. E., and Green, W. D. Investigations of the helium age dating method by stable isotope-dilution technique -------------- 211-2

Damon, P. E., Haynes, C. V., and Long, Austin. Arizona radiocarbon dates V -- 214-14

Daneš, Z. F. Mathematical formulation of salt-dome dynamics --- 212-191

Danilov, Yu. S. See Yefimov, I. A.

Darbyshire, J. A study of microseisms in South Africa ----------- 208-284

Dasch, E. J. See Erickson, M. P.

Das Gupta, S. C. On transmission of pressure to ocean botton for generation of microseisms ---------------------------------- 207-296

Datypov, Zh. A nomogram for constructing a refracting horizon by the t_0 method -- 211-294

Daubin, S. C. Deep-sea buoy systems -------------------------- 209-351

Dauvillier, Alexandre. On the cosmic origin of tektites ----------- 213-45

—— On the mechanism of polar wanderings. Seismicity, variation of latitudes and length of the day ---------------------------- 215-264

Davies, J. G. See Brierley, D. M.

Davino, André. See Kollert, Rudolf

Davis, B. T. C. Pyroxenes and associated minerals in the crust and mantle--The system enstatite-diopside at 30 kilobars pressure -- 208-228

Davis, B. T. C., and England, J. L. Pyroxenes and associated minerals in the crust and mantle-Melting of forsterite, Mg_2SiO_4, at pressures up to 47 kilobars ------------------------------- 208-231

—— The melting of forsterite up to 50 kilobars ------------------ 209-259

See also Boyd, F. R.

Davis, C. R. Graphic method for analysis of the velocity records-- 215-342

Davis, E. M. See Tamers, M. A.

Davis, G. L., Tilton, G. R., Aldrich, L. T., Hart, S. R., Steiger, R. H., and Kouvo, Olavi. The ages of rocks and minerals ----- 208-4

See also Hart, S. R.

Davis, J. R., and Rohlfs, D. C. Lunar radio-reflection properties at decameter wavelengths ---------------------------------- 214-45

Davis, Leverett, Jr. See Midgley, J. E.

Davis, Raymond, Jr., Stoenner, R. W., and Schaeffer, O. A. Cosmic-ray produced Ar^{37} and Ar^{39} activities in recently fallen meteorites -- 211-37

Davis, S. N., and Karzulović K., Juan. Landslides at Lago Riñihue, Chile --- 208-76

Davis, W. E., Kinoshita, W. T., and Smedes, H. W. Bouger gravity, aeromagnetic, and generalized geologic map of East Helena and Canyon Ferry quadrangles and part of the Diamond City quadrangle, Lewis and Clark, Broadwater, and Jefferson Counties, Montana -- 209-312

Davydov, B. I. On the statistical theory of nonhomogeneous turbulence -- 206-198

Davydov, N. G. See Kunin, N. Ya.

Davydov, V. I., and Mishen'kin, B. P. Modification of the amplifier of the SS-24p seismic station for deep seismic sounding and correlation refraction operations ---------------------------- 215-347

Davydova, N. I. Comparison of the dynamic characteristics of longitudinal head and diffracted seismic waves ---------------- 211-80

—— On the dependence of the dynamic characteristics of diffracted seismic waves on the parameters of the medium according to modelling data -- 211-79

Abstract
Dawson, E., and Loomer, E. I. The North Magnetic Dip Pole ----- 207-238
Dawson, G. B. The nature and assessment of heat flow from hydrothermal areas ----- 211-180
Dawson, G. B., and Fisher, R. G. Diurnal and seasonal ground temperature variations at Wairakei ----- 211-179
See also Robertson, E. I.
Dawson, K. R. Catalogue of the Canadian National Meteorite Collection listing acquisitions to March 31, 1963 ----- 204-32
Dayev, D. S. Analysis of some variants of airborne electrical surveying ----- 204-128
Deacon, G. E. R. With "Discovery" in the Indian Ocean ----- 209-346
de Alvarez, M. G. Definitions of the geomagnetic equator ----- 204-240
Dean, W. C. Seismological applications of Laguerre expansions ----- 209-124
Deans, T. Reply [to comments on "Isotopic composition of strontium in carbonatites"] ----- 211-209
de Arenal, R. See Strella, E. P. P.
DeBreuck, W. See Crozaz, G., and Picciotto, E. E.
De Carli, P. S., Pepin, R. O., Reynolds, J. H., and Turner, Geoffrey. Shock emplaced argon in a stony meteorite ----- 211-41
See also Frederiksson, Kurt.
Dechend, Wilfried, and Gronwald, Walther. Crustal movements and sea level fluctuations in the coastal region of the southern North Sea ----- 205-156
De Chow, E. See Jensen, M. L.
Decker, R. W. See Lessing, Peter.
Deehr, C. S. See Romick, G. J.
Deevey, E. S., and Nakai, Noboyuki. Fractionation of sulfur isotopes in lake waters ----- 211-216
DeFelice, J. See Fireman, E. L., and Tilles, David.
Defouw, R. J. See Bell, Barbara.
Degaonkar, S. S. Variation of the geomagnetic field with solar activity at Tucson ----- 205-229
Degens, E. T. Genetic relationships between the organic matter in meteorites and sediments ----- 213-19
Degens, E. T., and Epstein, Samuel. Oxygen and carbon isotopes in coexisting calcites and dolomites from recent and ancient sediments ----- 209-266
Deich, S., Pastel's, P., Krylov, A. Ya., Silin, Yu., and Ravich, M. A. Comparative data on the absolute age of rocks of Queen Maud Land (Antarctica) ----- 213-13
Deines, P. See Weber, J. N.
Delaplanche, Jacques, Hagemann, R. F., and Bollard, P. G. C. An example of the use of synthetic seismograms ----- 204-328
See also Aynard, C.
de Lapparent, A. F., and Bordet, Pierre. Volcanism in central Afghanistan ----- 212-350
Delaroche, Michel. See Corcuff, Yvonne.
Delbos, Léon. Absolute age measurements on the Precambrian formations of Madagascar ----- 210-10
—— Ages of pegmatite mineralizations and of the host rocks of west central Ikalamavony-Matsiatra zone of Madagascar ----- 208-13
Deleveaux, M. H. See Cannon, R. S., Jr.
Delhal, J. See Cahen, Lucien.
Delibrias, Georgette, Gullier, M. T., and Labeyrie, J. Saclay natural radiocarbon measurements I ----- 214-29
See also Bibron, Roland.
Delitsin, I. S. See Ryabinin, Yu. N.
Dementskaya, R. M. See Gladun, V. A.

Abstract

Dement'yev, V. A. See Mayorov, V. V.
Demidenko, S. G. See Shcherbank, M. P.
Demidenko, Yu. B. Nomogram for processing seismic logging data and calculating theoretical traveltime curves of reflected waves 206-309
Demidenko, Yu. B., and Fabiyanskiy, Ch. V. Use of the SSM-57 station with intermediate magnetic recording in borehole seismic surveying 206-329
Demidenko, Yu. B., Manyuta, M. G., Lysenko, V.A., and Spikhina, L. M. Results of seismic investigations in eastern Ukraine 213-325
Demidovich, O. A. On the use of methods of mathematical statistics in exploration geophysics 208-163
—— Some results of application of statistical analysis to data of mining electrical surveying 214-106
Demikhovskaya, E. M., and Kuznetsov, V. P. Features of the attenuation of energy from surface focuses of earthquakes 204-62
See also Kuznetsov, V. P.
de Morais, M. X. Radioactivity of a hornblende melteigite from the Quiculungo quarry (Golongo-Alto, Angola) 205-292
—— Radioactivity of a samarskite from Angola 205-293
Dem'yanovskaya, Ye. I. On the problem of the use of logging to solve some hydrogeologic problems in the Lvov-Volyn basin 208-148
Den, Nozomu. See Murauchi, Sadanori.
Denham, David. The use of geophone groups to improve the signal-to-noise ratio of the first arrival in refraction shooting 208-321
Den Hartog, S. L., and Ostenso, N. A. Gravity and magnetic observations from Ice Island ARLIS-II, 1 July to 6 October, 1961 207-202
Denisenko, A. Ye. See Garris, M. A.
Denisik, S. A., Rezanov, R. A., and Likhminskiy, B. Ye. Calculation of the space-time distribution of neutrons by a Monte Carlo method 207-306
DeNoyer, John. See Willis, D. E.
Depereux, Joseph. See Villée, Freddy.
Depietri, Carlo. On the secular variation of the geomagnetic field 215-245
Deresiewicz, H. The effect of boundaries on wave propagation in a liquid-filled porous solid: VI. Love waves in a double surface layer 209-142
—— The effect of boundaries on wave propagation in a liquid-filled porous solid: VII. Surface waves in a half-space in the presence of a liquid layer 209-143
Deresiewicz, H., and Rice, J. T. The effect of boundaries on wave propagation in a liquid-filled porous solid: V. Transmission across a plane interface 209-141
Dergachev, N. I., and Malovichko, A. K. On the effect of cartographic errors on the accuracy of determination of the correction for the effect of relief in gravity observations 205-169
Derham, C. J., and Geake, J. E. Luminescence of meteorites 209-29
Deryn, A. M. See Gurevich, Yu. M.
Desio, Ardito, and Marussi, Antonio. On the geotectonics of the granites in the Karakorum and Hindu Kush Ranges (central Asia) 208-205
Desio, Ardito, Marussi, Antonio, and Caputo, Michele. Glaciological research of the Italian Karakorum expedition 1953-1955 208-157
De Sitter, L. U. Problems of geotectonics 211-132
Dessler, A. J. See Maer, Kemp, Jr., and Parker, E. N.
Deumer, J. M., Gilot, E., and Capron, P. C. Louvain natural radiocarbon measurements II 214-20

Abstract

Deutsch, Sarah. See Pasteels, Paul, and Silver, L. T.
Devirts, A. L. See Velichko, A. A., Vinogradov, A. P.
DeWitt, R. N. See Wescott, E. M.
De Witte, A. J. On the statistics of fault plane solutions of earthquakes --- 204-94
Deza Suárez, Antonio. Multiple test wells in the area of San Lorenzo, Tamaulipas --- 215-338
—— Noise analysis in the San Lorenzo, Tamaulipas, area --- 215-339
Dickey, D. C. Effects of the GNOME nuclear explosion upon rock salt as measured by acoustical methods, --- 213-137
Dickson, G. O. The palaeomagnetism of Peat's Ridge dolerite and Mt. Tomah basalt --- 207-281
Die Umschau. A new method of determining the absolute age of rocks --- 213-2
Dietrich, Günter. General Oceanography --- 213-345
Dietz, R. S. A re-cycled Hydrosphere? --- 210-233
—— A theory of ocean basin origin --- 211-139
—— Ocean-basin evolution by sea-floor spreading --- 205-150
—— Origin of continental slopes --- 209-206
—— Sudbury structure as an astrobleme --- 215-44
Dietz, R. S., and Buffington, E. C. Panamint Crater, California—Not meteoritic --- 212-88
See also Lafond, E. C., and Middlehurst, B. M.
DiFilippo, Domenico, and Peronaci, Francesco. Contribution to the tectonics of the Dinaric Alps (Seismic period of January 1962) - 208-96
—— Earthquakes of fracture and relations with the structure in the east Alps --- 210-150
—— Preliminary report on the physical nature of the phenomenon that gave rise to the Irpine earthquake swarm of August 1962 --- 210-140
—— The seismicity of the "faulted field" of the Aterno --- 213-71
Dill, R. F. See Shepard, F. P.
Dimakov, A. I., and Sheptunov, V. P. Nomogram for interpretation of traveltime curves of multiple reflections --- 211-295
Diment, W. H., and Robertson, E. C. Temperature, thermal conductivity, and heat flow in a drilled hole near Oak Ridge, Tennessee --- 204-192
Diment, W. H, and Werre, R. W. Terrestrial heat flow near Washington, D. C. --- 211-169
See also Stewart, S. W.
Dinesen, Birthe. Geoelectrical survey of the Limfjord area in Vester Hasing. Geochemical and geophysical properties of the control bore holes --- 211-99
Divari, N. B. Calculation of the rate of fall of some specimens of the Sikhote-Alin meteorite shower --- 210-60
—— Phenomena accompanying the fall of the meteorite shower, and its atmospheric trajectory --- 209-34
Dix, C. H. Comments on explosion studies in the Tulsa area—A letter --- 208-217
Dixey, F. Geology, applied geology (mineral resources), and geophysics in Africa --- 209-196
Dlabač, Mikuláš. Some geologic knowledge concerning the area of the Danube Lowland acquired through seismic-reflection measurements --- 211-309
—— The relation of fault tectonics to lithologic development of the Miocene and Pliocene complexes in the Danubian Basin --- 209-191
Dlabač, Mikuláš, and Menčík, Eduard. Geological structure of the western part of the outer Carpathians in the territory of the Czechoslovakian Socialist Republic --- 210-249
Dmitriyev, N. D. See Votakh, O. A.
Dobkina, E. I. See Velichko, A. A., and Vinogradov, A. P.

Abstract

Dobrev, T. B., and Pishchalov, S. S. Combined geologic interpretation of gravity-magnetic and seismic data for the territory of Bulgaria, Paper 2 ---- 209-243

—— On the deep structure of the Misiy platform and adjacent areas according to geologic and geophysical data ---- 203-199

—— The deep crustal structure of Bulgaria according to regional gravity and magnetic data ---- 204-189

See also Pichatalov, St.

Dobrin, M. B. Modern techniques of geophysical exploration ---- 208-162

Dobrin, M. B., and Rimmer, W. G. Regionals and residuals in seismic prospecting for stratigraphic features ---- 208-308

Dobrin, M. B., and Van Nostrand, R. G. Review of current developments in exploration geophysics ---- 205-121

Dobrokhotov, Yu. S., Belikov, B. D., Kramer, M. V., and Barsenkov, S. N. Tidal variations of gravity in Pulkovo ---- 205-63

Dobrokhotov, Yu. S., Ostrovskiy, A. Ye., and Pertsev, B. P. Gravimetric and tilt stations for observations of Earth tides ---- 213-114

See also Pariyskiy, N. N.

Dobrovolny, Ernest, Lemke, R. W., Bowes, William, Thomas, Herbert, and Bravo S., Nelson. Relation between geology and the damage in Puerto Montt, Chile, caused by the earthquake of 22 May 1960 ---- 208-68

Dobrovol'skaya, T. I. See Gorbach, L. P.

Dobrovol'skiy, V. P. Electrical survey investigations in engineering-geologic explorations in conditions of "unbroken" distribution of permafrost (region of the Ust-Botuob lines of the Vilyui hydro project) ---- 209-177

—— On the features of the make-up of a geoelectrical section that are produced by the presence of perenially frozen rocks (the permafrost geoelectrical section) ---- 209-194

—— On the nature of the permafrost aspect of vertical electrical sounding curves ---- 209-176

—— On the principles of regionalization of permafrost districts for purposes of electrical surveying in investigations under hydroelectric developments ---- 209-178

Dobrynin, V. M. Change of the physical properties of sandstones under the action of hydrostatic pressure ---- 207-140

See also Dakhnov, V. N.

Dodd, R. T., Jr., Salisbury, J. W., and Smalley, V. G. Crater frequency and the interpretation of lunar history ---- 215-51

Dodson, H. W., and Hedeman, E. R. Problems of differentiation of flares with respect to geophysical effects ---- 213-261

Dodson, M. H. Further argon age determinations on slates from southwest England ---- 210-12

See also Allen, P.

Doell, R. R. See Cox, A. V.

Doi, Kazumi. Radioactivity of metamorphic rocks in Onnagawa district, Niigata Prefecture ---- 214-269

Dokuchayev, V. P. See Grigor'yev, G. I.

Dolginov, S. Sh., and Pushkov, N. V. On some results of the Earth's magnetic field investigations in outer space ---- 210-293

Dolginov, S. Sh., Yeroshenko, Ye. G., Zhuzgov, L., and Pushkov, N. V. A study of the magnetic field of the Moon ---- 209-59

Dolginov, S. Sh., Zhuzgov, L. N., Pushkov, N. V., Tyurmina, L. O., and Fryazinov, I. V. Some results of measurements of the constant geomagnetic field above the USSR from the third artificial Earth satellite ---- 205-221

—— Some results of the constant geomagnetic field measurements carried out from Sputnik III over the territory of the U.S.S.R. -- 210-294

Abstract

Dolgushin, L. D. Velocity of motion of Antarctic glaciers from repeated airphoto surveys and morphologic data 207-174
Dolitskiy, A. V., and Kiyko, I. A. On the causes of deformation of the Earth's crust 207-156
Doll, H. G., Tixier, M. P., and Segesman, F. Recent developments in well logging in the U.S.A. 215-150
—— Recent developments in well logging in the U.S.A. 214-114
Dollar, A. T. J. The seismicity of the Cornubian Peninsula in relation to its structure 210-143
Dollfus, Audouin. High resolution photographs of certain lunar regions 209-70
Domanitskiy, Ye. A., and Strunskiy, M. G. Measurements of natural electrical field in the sea 213-59
Domzalski, W. Some trends in mineral resources exploration, with particular references to airborne methods 210-226
Donath, F. A. Strength variation and deformation behavior in anisotropic rock 211-324
Donato, R. J. Amplitude of the head wave near the critical angle 209-154
—— The S head wave at a liquid-solid boundary 208-127
Donn, Bertram. The origin and structure of icy cometary nuclei 215-67
Donn, W. L. Alaskan earthquake of 27 March 1964: remote seiche stimulation 213-67
Donnelly, T. H. See Baker, George.
Donnelly, T. W. Evolution of eastern Greater Antillean Island Arc 212-194
Doodson, A. T., and Lennon, G. W. A measure of the accuracy of a single harmonic analysis 205-70
Dooley, J. R., Jr., Tatsumoto, Mitsunobu, and Rosholt, J. N., Jr. Radioactive disequilibrium studies of roll features, Shirley Basin, Wyoming 213-240
Dopp, S. Preliminary note on a refracted P phase in the Western Rift Valley of Africa 213-102
Dorman, James. See Oliver, J. E., and Takeuchi, Hitoshi.
Doussaint, Louis. See Allègre, Claude.
Douze, E. J. Rayleigh waves in short-period seismic noise 215-306
Dow, Willard, and Stillman, S. L. Inverted echo sounder 204-351
Doyel, W. W., Moraga B., Aldo, and Falcon M., Eduardo. Relation between the geology of Valdivia, Chile, and the damage produced by the earthquake of 22 May 1960 208-70
Doyle, R. G., Young, R. S., and Wing, L. A. A detailed economic investigation of aeromagnetic anomalies in eastern Penobscot County, Maine 204-284
Draheim, H. The Giessen-St. Gotthard-Brissago geoid profile 215-162
Drake, C. L. World rift system 215-165
Drake, C. L., Campbell, N. J., Sander, George, and Nafe, J. E. A mid-Labrador Sea ridge 208-356
Drake, C. L., and Girdler, R. W. A geophysical study of the Red Sea 214-119
Drake, C. L., Heirtzler, J. R., and Hirshman, Julius. Magnetic anomalies off eastern North America 204-283
See also Heezen, B. C., and Nafe, J. E.
Drake, F. D. See Heiles, C. E.
Drake, J. M. See Bell, W. E.
Dreimanis, Aleksis. Notes on the Pleistocene time-scale in Canada 215-3
Dreux, Philippe, and Rémy, J.-M. The volcanic manifestations of Possession Island (Crozets Archipelago) 207-354
Droste, Zofia, Dziewonski, A., and Hordejuk, Józef. Application of condensers in seismograph-galvanometer systems 207-67
See also Nguyen, K. M.
Drummond, J. M. An appraisal of fracture porosity 215-354

Abstract

Drysdall, A. R., and Garrard, P. Significance of the radiometric ages of the Nchanga and Lusaka granites, Northern Rhodesia --- 215-17

Duarte V., H. See Caldera, J. M.

Dubansky, Alois. Determination of absolute age of rocks by the potassium-argon method --- 208-6

Dubik, Yu. M. See Markhinin, Ye. K.

Dubois, R. L., and Carey, W. W. Magnetic investigations of a ring dike, Buell Park, Arizona --- 214-231

See also Laidley, R. A.

Dubost, Henry, and Lefort, Marc. Diffusion of tritium out of iron samples in relation to tritium content in meteorites --- 208-42

Dubourdieu, Georges. The Algerian corridors safe from earthquakes --- 211-67

Dubrovskiy, V. G., and Kramarenko, S. A. Some additional comments on the diurnal and geographic distribution of ionospheric and magnetic-ionospheric disturbance --- 207-254

Duchesne, Jules. See Villée, Freddy.

Duda, S. J. Strain release in the circum-Pacific belt, Chile: 1960 - 204-61

See Also, Båth, Markus.

Due Rojo, Antonio. Seismic notes, 1961 --- 206-64

—— Seismic notes for 1962 --- 212-113

DuFresne, E. R., and Anders, Edward. Chemical evolution of the carbonaceous chondrites --- 208-21

Dumitrashko, N. V., Liliyenberg, D. A., and Budagov, B. A. Relief and recent tectonics of the southeastern Caucasus --- 204-168

Dunayev, V. A., and Durneva, N. N. The age of some Ural micas determined by the Rb-Sr method --- 210-52

Duncan, R. A. Luni-solar variations in the ionosphere --- 213-271

Dungey, J. W. See Smith, E. J.

Durneva, N. N. See Dunayev, V. A.

Duska, Leslie. A rapid curved-path method for weathering and drift corrections --- 206-293

Dutta, Subhas. Note on the propagation of Love waves in a certain type of heterogeneous layer lying on homogeneous medium --- 209-155

—— On the propagation of Love waves in a non-homogeneous internal stratum of finite depth lying between two demi-infinite isotropic media --- 207-78

Dvořák, Arnošt. The influence of geological conditions on the propagation of vibrations from blasting --- 214-97

Dvorkin, I. L. See Alekseyev, F. A.

Dvorkin, L. B. Leaching in the vicinity of the shaft of a borehole -- 213-155

Dvulit, P. D. See Lavrent'yeva, Ye. V.

Dwornik, E. J. See Chao, E. C. T.

D'yachkova, A. Ya. Investigation of some dynamic features of head waves of models --- 213-127

Dyadin, N. N. See Garris, M. A.

Dyadkin, I. G., Zhezhnich, I. D., Zverev, G. N., and Rubinskiy, M. A. On the solution of the equations of the scattering of neutrons or gamma-quanta in multilayered mediums by the method of dual collisions and statistical sums --- 207-305

D'yakonov, D. I. See Vasil'yev, Yu. M.

D'yakonov, Ye. G. See Volodarskiy, R. F.

D'yakonova, M. I. Chemical composition of the Sikhote-Alin meteorite --- 210-77

D'yakonova, M. I., and Kharitonova, V. Ya. Chemical composition of the chondrules of the Nikolsk and Saratov Meteorites --- 210-65

Dychko, I. A. Organization and some results of observations of gravity variations with the GS-11 gravimeter at Poltava --- 208-110

Dyck, Willy. Variation of the radiocarbon concentration with time - 215-228

Abstract

Dyck, Willy, and Fyles, J. G. Geological survey of Canada radiocarbon dates III 214-21

Dyk, Karl. Brief discussion of "The Gnome Symposium" 204-124

Dzhafarov, Kh. D., and Ismailova, Kh. A. On the interpretation of sounding curves of KN type 204-132

Dzhafarov, R. D. See Kuznetsov, V. P., and Ragimov, Sh. S.

Dzhanayev, M. M. Effectiveness of ground magnetic surveying in geologic mapping of covered areas of Central Kazakhstan 213-286

Dzhanuzakov, K., and Gorbunova, I. V. The Son-Kul'sk earthquake of October 13, 1958 213-73

Dzhapiashvili, V. P., and Ksanfomaliti, L. V. First results from observations of the Moon by means of a polarimeter 209-84

Dziewonski, A. See Droste, Zofia.

Dziunikowski, B. See Czubek, Jan.

Dźwinel, Jerzy. See Kostecki, Andrzej.

Dzyurak, M. D. See Shcherbinin, V. A.

E

Eardley, A. J. Polar rise and equatorial fall of sea level since the Cretaceous 214-132

Easterbrook, Donald J. Late Pleistocene glacial events and relative sea-level changes in the northern Puget Lowland, Washington 208-8

Easton, W. H. New evidence for a 40-foot shore line on Oahu 208-165

Eaton, J. P. Crustal structure from San Francisco, California, to Eureka, Nevada, from seismic-refraction measurements 204-208

See also Macdonald, G. A., and Richter, D. J.

Eberhard, Oskar. Earth tide observations, pt. 2. Results of the 1960 horizontal pendulum recordings of the First Division of the German Geodetic Research Institute in Berchtesgaden 212-129

Eberhardt, Peter, Ferrara, Giorgio, and Tongiorgi, Ezio. Determination of the age of the allochthonous granites of the northern Apennine 206-15

Eberhardt, Peter, Geiss, Johannes, Houtermans, F.G., and Signer, Peter. Age determinations on lead ores 207-17

Eberhardt, Peter, Geiss, Johannes, and Lutz, H. Neutrons in meteorites, in Earth science and meteroritics 210-82

Eckhardt, D. H. Geomagnetic induction in a concentrically stratified earth 206-59

Eckhardt, D.H., Larner, K., and Madden, T. Long-period magnetic fluctuations and mantle electrical conductivity estimates 206-60

Edeleva, N. P. See Yudin, I. A.

Edgerton, H. E., and Hayward, G. G. The "boomer" sonar source for seismic profiling 213-317

See also Nalwalk, A. J.

Eguía Huerta, Armando, and A. Orozco, J. L. Diffraction as a means of seismologic interpretation 208-319

See also Islas Leal, Juventino.

Egyed, László. The dynamic theory of the Earth 206-155

—— The satellite geoid and the structure of the Earth 213-237

Ehhalt, D. See Brinkmann, R.

Ehmann, W. D. New determinations of iridium and tantalum in meteoritic materials (an interim report) 204-35

See also Setser, J. L.

Eiby, G. A. Earthquakes in Northland 214-69

—— The New Zealand Sub-crustal Rift 212-119

Eichler, R. See Brinkmann, R.

Abstract

Eklund, C. R., and Beckman, Joan. Antarctica. Polar Research and discovery during the International Geophysical Year -------- 210-224

Ekman, Stig-Rune. Subglacial sedimentation, with examples from Northern Sweden -------- 207-338

Ekren, E. B. See Frischknecht, F. C.

Elasser, W. M. Early history of the Earth, in Earth science and meteoritics -------- 210-261

El-Hinnawi, E. E. Petrochemical characters of African volcanic rocks--Pt. 1, Ethiopia and the Red Sea region (including Yaman and Aden) -------- 212-352

See also Wickman, F. E.

Ellanskiy, M. M., Gorbunova, V. I., and Romanova, T. F. Study of the reservoirs of the Leningrad district by geophysical logging methods in surveying the area for underground storage of gas -------- 207-127

See also Yevdokimova, V. A.

Elliott, F. E. Choosing oceanographic platforms -------- 209-352

Ellis, J. G., and Sharp, R. A. Sharp laboratories measurements I -------- 214-15

Ellis, R. M. See Vozoff, Keeva.

Ellyett, C. D., and Fraser, B. J. On the correlation of meteors with micropulsations -------- 205-249

Ellyet, C. D., and Keay, C. S. L. Effect of the Moon on terrestrial meteor rates -------- 210-87

See also Fraser, B. J., and Tinsley, B. A.

Elphick, J. O. See Suggate, R. P.

Embree, Peter, Burg, J. P., and Backus, M. M. Wide-band velocity filtering—the pie-slice process -------- 206-294

Emery, C. L. Strain energy in rocks, -------- 210-346

Emery, K. O., and Schlee, J. S. The Atlantic Continental Shelf and slope, a program for study -------- 204-349

See also Uchupi, Elazar.

Emiliani, Cesare. Paleotemperature analysis of the Caribbean cores A254-BR-C and CP-28 -------- 210-278

Emiliani, Cesare, and Flint, R. F. The Pleistocene record -------- 208-355

Emiliani, Cesare, and Mayeda, Toshiko. Oxygen isotopic analysis of some molluscan shells from fossil littoral deposits of Pleistocene age -------- 209-268

See also Rosholt, J. N.

Emrich, G. H., and Lucas, H. F., Jr. Geologic occurrence of natural radium-^{226} in ground water in Illinois -------- 205-216

Emslie, R. F. Potassium-argon age of the Michikamau anorthositic intrusion, Labrador -------- 211-13

Endo, Kunihiko. See Kigoshi, Kunihiko.

Enescu, Dumitru. Determination of the energy of Carpathian earthquakes by means of dislocation theory -------- 214-76

See also Constantinescu, Liviu.

Engdahl, E. R. See Gordon, D. W.

Engel, A. E. J., and Engel, C. G. Composition of basalts from the Mid-Atlantic Ridge -------- 212-351

See also Wasserburg, G. J.

Engel, C. G. See Engel, A. E. J., and Wasserburg, G. J.

Engel, K. H. On the origin of the Moon's surface features, pt. II. Radial surface structures and the origin of lunar craters -------- 207-34

—— On the origin of the Moon's surface features. Pt. 3—Annular relief structures and lunar craters -------- 209-52

—— The figure of the Moon -------- 206-44

—— The origin of lunar craters: The volcanistic hypothesis -------- 206-50

Engelhardt, Wolf von, and Hörz, Friedrich. High pressure glasses in the Nördlinger Ries -------- 213-22

Engels, Joan. See Kulp, J. L.

Abstract

England, J. L. See Boyd, F. R., and Davis, B. T. C.

Epstein, Samuel. See Degens, E. T.

Erickson, M. P., and Dasch, E. J. Geology and hydrothermal alteration in northwestern Black Mountains and southern Shauntie Hills, Beaver and Iron Counties, Utah -------- 212-289

Erickson, R. C. See Damon, P. E.

Ericson, D. B. Cross-correlation of deep-sea sediment cores and determination of relative rates of sedimentation by micropaleontological techniques -------- 208-354

Érozolimskiy, B. G. See Alekseyev, F. A.

Espersen, J. Scandinavian geophysicists start a new association --- 214-125

Ess, John. See Clay, C. S.

Evans, C. R., Steiner, J., and Weiner, J. L. Age-dating studies on Precambrian rocks at Jasper, Alberta -------- 210-5

Evans, J. R. Xenotime mineralization in the southern Music Valley area, Riverside County California -------- 214-268

Evans, J. V. Radio echo studies of the Moon -------- 212-102

Evans, J. V., and Hagfors, T. On the interpretation of radar reflections from the Moon -------- 215-55

Evans, J. V., and Pettengill, G. H. The scattering properties of the lunar surface at radio wave lengths -------- 208-21

Evans, S. International co-operative field experiments in glacier sounding -------- 205-126

Everitt, C. W. F. See Wilson, R. L.

Everling, G. A proposal concerning the definition of shear strength and related concepts -------- 209-337

—— Comments upon the definition of shear strength -------- 215-348

Evernden, J. F., and Curtis, G. H. Dating of the "early man" of Olduvai Gorge -------- 204-17

Evison, F. F. Earthquakes and faults -------- 204-89

Ewald, Heinz. See Seibt, Walter.

Ewart, A. The Taupo Quaternary pumice sequence and its bearing on the prediction of future ash eruptions -------- 211-353

Ewing, J. I. Elementary theory of seismic refraction and reflection measurements -------- 208-323

—— The mantle rocks -------- 208-234

Ewing, J. I., Le Pichon, Xavier, and Ewing, Maurice. Upper stratification of Hudson apron region -------- 206-333

Ewing, J. I., and Nafe, J. E. The unconsolidated sediments ------ 208-327

See also Ewing, Maurice, and Houtz, R. E.

Ewing, Maurice, Ewing, J. I., and Talwani, Manik. Sediment distribution in the oceans: The Mid-Atlantic Ridge -------- 208-334

Ewing, Maurice, Ludwig, W. J., and Ewing, J. I. Sediment distribution in the oceans: The Argentine Basin -------- 211-334

See also Ewing, J. I., Fray, Charles, Heezen, B. C., and Sato, Yoshio.

Eydlin, R. A. See Morozov, M. D.

Eyring, Henry. See Gabrysh, A. F.

Ez, V. V. Tectonic conditions for the generation of strong earthquakes in the Czechoslovakian Carpathians -------- 215-170

F

Faass, D. L. See Van Melle, F. A.

Fabiyanskiy, Ch. V. See Demidenko, Yu. B.

Fadeyev, V. Ye. Some features of the deep structure of the Earth's crust in the southern part of the Caspian Sea -------- 215-218

Fagherazzi, G. See Colombo, U.

Fahey, J. J. See Chao, E. C. T., and Skinner, B. J.

Abstract

Fahrig, W. F., and Wanless, R. K. Age and significance of diabase dyke swarms of the Canadian Shield 208-9
See also Gaucher, E. H.

Fairbairn, H. W., Faure, G., Pinson, W. H., Jr., Hurley, P. M., and Powell, J. L. Initial ratio of strontium 87 to strontium 86, whole-rock age, and discordant biotite in the Monteregian igneous province, Quebec 207-13

Fairbairn, H. W., Hurley, P. M., and Pinson, W. H., Jr. Preliminary age study and initial Sr-87/Sr-86 of Nova Scotia granitic rocks by the Rb-Sr whole-rock method 210-6
See also Faure, G. and Hurley, P. M.

Fajklewicz, Zbigniew. An attempt at plotting the roof of the Carboniferous layer in the Bd-mine by means of microgravity measurements 212-220
— Detection of faults in the BD coal mine by means of microgravity measurements 212-219
— Origin of gravity anomalies in the central part of the cis-Carpathian depression 213-212

Fajklewicz, Zbigniew, Kordylewski, Jerzy, and Kudelski, Gerard. Use of punch card Aritma computers for gravity and magnetic interpretation 205-166

Falcon M., Eduardo. See Doyel, W. W.

Faldus, Karel; Petr, Vaćlav; Praus, Oldřich; and Tobyášova, Marta. A study of the electromagnetic field of a magnetic vertical dipole on the model of homogeneous half-space with a spherical cavity 207-102

Fandyumina, S. M. See Ostrovskiy, A. Ye.

Fanselau, Gerhard. Geomagnetic solar eclipse effect and irregularities of the Sq course 207-235
— The expedition of the Geomagnetic Institute of the German Academy of Sciences in connection with the solar eclipse on February 15, 1961 205-246

Fanselau, Gerhard, and Kautzleben, Heinz. The synoptic description of the main geomagnetic field and some results of its interpretation 207-227

Fara, H. D., and Scheidegger, A. E. The significance of regularities in multiple fault plane solutions of a single earthquake 213-83

Farberov, A. I. See Kirsanov, I. T., and Sirin, A. N.

Farmanova, N. V. See Afrikyan, A. N.

Farquhar, R. M., and Russell, R. D. A nomograph for the interpretation of anomalous lead isotope abundances 207-224
See also Slawson, W. F.

Fastabend, Hans, and Raupach, Friedrich von. Results of carbon-14 investigations on some sod soils of Emsland 205-10

Fatemi, Mohammad. Comparison of the telluric fields on the Morvan granitic massif and on the adjoining sedimentary basin 207-38
— Effect of relief on the behavior of the telluric field in a granitic region 207-37
— The telluric field in the granitic massif of Morvan and its vicinity, influence of topographic relief on the behavior of the telluric currents 208-57

Fatkullin, M. N. Lunar-diurnal magnetic field variations according to observations at the Kazan' Observatory 205-233

Faucherre, Jacques, and Michard, Gil. Geochemical study of the Biabaux sulfur deposit 209-270

Faul, Henry. Age and extent of the Hercynian complex 207-18

Faure, G., Hurley, P. M., Fairbairn, H. W., and Pinson, W. H., Jr. Age of the Great Dyke of Southern Rhodesia 209-12
See also Fairbairn, H. W., and Hurley, P. M.

Abstract
Faure, H., Manguin, E., and Nydal R. Lacustrine formations of the upper Quaternary of east Niger ---------- 205-7
Faust, L. Y. The Fargo field—a case history ---------- 206-334
Faustino, M. S., and Glover, F. N. A new magnetic earth inductor for field use ---------- 211-61
Fayn, E. Ye. See Satpayev, K. I.
Faynberg, F. S. See Metallova, V. V.
Faytel'son, A. Sh. On the problem of the evolution of the Earth's crust and isostasy ---------- 211-189
Fechtig, H., Gentner, W., and Lämmerzahl, P. Argon determinations on potassium minerals, pt. 12. Inert gas diffusion measurements on stone and iron meteorites ---------- 207-25
Federico, B. Traveltimes of P waves deduced from the study of the deep earthquake of the lower Tyrrhenian on January 3, 1960 ---------- 208-80
See also Girlanda, Antonio.
Fedorchenko, V. I., and Shilov, V. N. The eruption of Chikurachki Volcano (Paramushir Islands) in 1961 ---------- 205-353
See also Kirsanov, I. T.
Fedorov, M. V. See Kirsanov, I. T., Ivanov, B. V., and Zubin, M. I.
Fedorov, S. A. See Savarenskiy, Ye. F.
Fedorov, V. V. See Kaipov, R. L.
Fedorov, Ye. P. Nutation and forced motion of the Earth's Pole from data of latitude observations ---------- 212-130
Fedorovich, D. I. Determination of the thermophysical characteristics of the ground by use of electrical survey field equipment ---------- 211-95
Fedorovich, G. P. See Shcherbinin, V. A.
Fedotov, S. A., Bagdasarova, A. M., Kuzin, I. P., and Tarakanov, R. Z. On the seismicity and deep structure of the southern part of the Kurile Island Arc ---------- 211-69
See also Goryachev, A. V.
Fedyakina, N. I. Type-II absorption and its relationship to magnetic field disturbance ---------- 210-297
Fedynskiy, V. V. Role of G. A. Gamburtsev in the development of geophysical methods of investigation of the crust ---------- 204-148
Fedyuk, V. I. See Krasulin, V. S.
Fejer, J. A. Atmospheric tides and associated magnetic effects ---------- 213-260
—— Theory of auroral electrojets ---------- 207-229
—— Theory of the geomagnetic daily disturbance variations ---------- 207-242
Fel'd, I. V. Experimental operations by the method of the electrical and magnetic field transient ---------- 205-90
Fel'dman, I. I. See Blyumentsev, A. M.
Fel'dshteyn, Ya. I. Auroras and magnetic activity in the neighborhood of the pole ---------- 205-235
—— Some problems concerning the morphology of auroras and magnetic disturbances at high latitudes ---------- 207-251
Feltz, H. R., and Hanshaw, B. B. Preparation of water sample for Carbon-14 dating ---------- 206-7
Feng, C.-L. On neotectonic movements on the territory of China according to the data of geomorphology, hydrography and sedimentation ---------- 213-183
Feng, H.-L. Results of tests of the method of the EP-1 electrical potential sonde for direct reading of apparent resistivity ---------- 206-124
Feng, Te-I. On calculating the effect of surface layers on the field of seismic waves ---------- 210-198
Fensler, W. E., Knott, E. F., Olte, A., and Siegel, K. M. The electromagnetic parameters of selected terrestrial and extraterrestrial rocks and glasses ---------- 209-94

Abstract

Feofilaktov, V. D. See Belotelov, V. L.

Fergusson, G. J. Recent C-14 data from upper troposphere ----- 204-228

Fergusson, G. J., and Libby, W. F. UCLA radiocarbon dates III - 214-35

Fernandez Alonso, Florencio. On the procedure of electrical soundings most favorable for mineral prospecting ------------ 209-180

Ferráes, S. G. A statistical method to determine the final direction of the slip-motion in earthquake mechanism ------------- 215-99

Ferrara, Giorgio. See Eberhardt, Peter.

Fesenkov, V. G. On the conditions of the fall to Earth of comets and meteorites ------------------------------------ 212-42

Fesenkov, V. G., and Krinov, Ye. L. Fall and study of the Sikhote-Alin iron meteorite shower ------------------------ 209-32

Field, G. B. The origin of the Moon ------------------------- 204-45

Fielder, Gilbert. A theory of the origin of lunar rilles, with particular reference to the Ariadaeus-Hyginus rille-system ------- 206-55

— Erosion and deposition on the Moon------------------------ 207-30

— Errors in the relative altitudes of points on the Moon's surface 206-49

— Four major strike-slip faults on the Moon ----------------- 209-50

— Results of first investigations of earth tides in Venezuela ----- 205-66

— Strike-slip faulting in the Vaporum region of the Moon-------- 213-52

— Terrestrial oceanic ridges and lunar mare ridges----------- 204-47

Fielder, Gilbert, Moore, Patrick, and Warner, Brian. Visual estimates of the depths of small craters on the Moon ---------- 206-53

Figueroa Huerta, Santos. Notes on new methods of seismic exploration -- 208-314

Filatov, V. A. See Konstantinov, G. N.

Filipescu, M. N., and Vincenţiu, I. A new method for extraction of argon from rocks for separation and determination by gas chromatography to establish the absolute age of rocks --------- 213-1

Fiocco, G., and Colombo, G. Optical radar results and meteoric fragmentation -- 211-46

Fireman, E. L., DeFelice, J., and Tilles, David. Tritium and radioactive argon and xenon in meteorites and satellites ------- 211-36
See also Tilles, David.

Firsoff, V. A. Geology of the Moon -------------------------- 206-56

Firsov, L. V. Absolute age of the intrusive rocks of Kunashir and Urup Islands (Kurile Islands)------------------------------- 213-11

— First determinations of the absolute age of the granitic rocks of Sakhalin --- 213-10

— Manifestations of Triassic magmatism in the Verkhoyan-Chukhotsk folded region ------------------------------------ 210-56

Fischer, Irene. Comments on comparison and combination of satellite with other results ------------------------------ 205-139

— The distance of the Moon ---------------------------------- 210-232

Fisher, D. E. Lead-lead and uranium-lead ages of meteorites ---- 211-38

— Non-destructive activation analysis of meteorites ------------ 212-67

— The aluminum content of chondrite meteorites as determined by activation analysis -------------------------------------- 212-66

— The fluorine content of some chondritic meteorites----------- 206-25

Fisher, R. G. Geothermal heat flow at Wairakei during 1958 ------ 211-181
See also Dawson, G. B.

Fisher, R. L., and Hess, H. H. Trenches --------------------- 208-350

Fisher, R. V. Maximum size, median diameter, and sorting of tephra --- 207-359

Fiske, R. S., Hopson, C. A., and Waters, A. C. Mount Rainier Volcano -- 211-342

Fitch, F. H. Geological relationship between the Philippines and Borneo -- 205-157

Fitch, F. J., Miller, J. A., and Meneisy, M. Y. Geochronological investigations on rocks from North Wales ----------------- 204-18

	Abstract
Fitch, F. W., and Anders, Edward. Organized element: possible identification in Orgueil meteorite	205-20
Flathe, H. Five-layer master curves for the hydrogeological interpretation of geoelectrical resistivity measurements above a two-story aquifer	208-136
—— New ways for the interpretation of geoelectrical resistivity measurements in the search for the delimitation of aquifers	213-138
Fleagle, R. G. Recent and future trends in geophysics education	215-158
Fleischer, R. L., and Price, P. B. Fission track evidence for the simultaneous origin of tektites and other natural glasses	213-25
—— Glass dating by fission fragment tracks	208-14
Fleischer, R. L., Price, P. B., and Symes, E. M. Fission-track ages and track-annealing behavior of some micas	209-1
Fleischer, Ulrich. Surface-ship gravity measurements in the North Sea	208-194
Flemming, N. C. Marine levels in south Italy	215-166
Flenov, Yu. P. See Butovskaya, Ye. M.	
Flint, R. F. See Emiliani, Cesare.	
Florenskiy, K. P. See Vinogradov, A. P.	
Florenskiy, V. See Malinovskiy, Yu. M.	
Fokeyev, V. M. See Polykovskiy, V. S.	
Folinsbee, R. E., Baadsgaard, Halfdan, and Cummings, G. L. Dating of volcanic ash beds (bentonites) by the K-Ar method	204-5
See also Baadsgaard, Halfdan and Burwash, R. A.	
Fomina, Z. I. See Solntseva, N. T.	
Fonarev, G. A. Vertical electric currents in the sea	211-56
See also Rokityansky, I. I.	
Fontaine, Maxime, LeBorgne, Eugène, LeMouël, Jean, and Plessard, Claude. Anomalies of geomagnetic field variations in Corsica	211-54
Fonton, S. S. The use of the magnetic method for detecting meteorites and fragments of them	209-38
See also Krinov, Ye. L.	
Fontseré, Eduardo. Earthquakes of Catalonia of the years 1959 to 1962	212-115
Forbush, S. E. Theoretical and statistical geophysics	207-36
Forova, V. S. See Cherdyntsev, V. V.	
Forsyth, P. A. See Niblett, E. R.	
Fortunat, Wincenty. Results of research on straining and unstraining of marble from Dębnik quarry	211-330
Foster, M. R., Sengbush, R. L., and Watson, R. J. Design of sub-optimum filter systems for multi-trace seismic data processing	215-319
Fougere, P. F. Mutually consistent magnetic charts based on orthogonal functions	212-254
—— Reply	204-243
Fourmarier, Paul. The problem of the origin of the continents	215-167
Fowler, W. A. Formation of light nuclei	208-25
See also Bernstein, W., and Wasserburg, G. J.	
Fradkin, G. M. See Kaipov, R. L.	
Francavaglia, A. See Battelli, O.	
Francis, T. J. G. A seismic refraction section of the preglacial Teifi valley near Cenarth	214-299
Frank, L. A., Van Allen, J. A., and Craven, J. D. Large diurnal variations of geomagnetically trapped and of precipitated electrons observed at low altitudes	214-185
Frank-Kamenetskiy, D. A. The origin of the elements of the solar system	208-29
Frantsesson, Ye. V. Thermoelectric properties of natural solid solutions exemplified by the ilmenites from the kimberlites of Yakutia	204-138

Abstract

Frantsuzova, V. I. See Kukhtikova, T. I.

Frantti, G. E. Energy spectra for underground explosions and earthquakes 204-99

—— Seismic energy from ripple-fired explosions 208-135

—— Spectral energy density for quarry explosions 204-121

—— The nature of high-frequency earth noise spectra 204-295

Fraser, B. J., and Ellyett, C. D. Man-made magnetic micropulsations 215-251

See also Ellyett, C. D.

Fraser, G. D., Witkind, I. J., and Nelson, W. H. A geologic interpretation of the epicentral area—the dual-basin concept 210-129

—— Intensity, magnitude, and ground breakage 210-125

Fray, Charles, and Ewing, Maurice. Pleistocene sedimentation and fauna of the Argentine shelf, I. Wisconsin sea level as indicated in Argentine continental shelf sediments 206-12

Freden, S. C., and Paulikas, G. A. Trapped protons at low altitudes in the South Atlantic magnetic anomaly 210-287

Frederiksson, Kurt, and De Carli, P. S. Shock emplaced argon in a stony meteorite. 1. Shock experiment and petrology of sample 210-80

Frederiksson, Kurt, De Carli, P. S., and Aaramäe, A. Shock-induced veins in chondrites 210-81

See also Keil, Klaus, and Nagy, Bartholomew.

Fredericks, R. W. See Bernstein, W.

Freeman, J. W., Jr. The morphology of the electron density distribution in the outer radiation zone and near the magnetospheric boundary as observed by Explorer 12 211-219

Fremd, V. M. Apparatus with memory for recording strong earthquakes 204-106

Frey, F. A., and Haskin, Larry. Rare earths in oceanic basalts 209-256

Fried, R. E. See Walton, Alan.

Friedman, Irving, Redfield, A. C., Schoen, Beatrice, and Harris, Joseph. The variation of the deuterium content of natural waters in the hydrologic cycle 213-245

Friedemann, Helmut. Magnetometer for the measurement of inhomogenetites of the Earth's magnetic field 211-243

—— Ring for seismic measurements on water 205-326

Friedman, Howard, Becker, R. O., and Bachman, C. H. Geomagnetic parameters and psychiatric hospital admissions 207-268

Friedman, Irving. The physical properties and gas content of tektites 210-96

Friedman, Irving, Long, William, and Smith, R. L. Viscosity and water content of rhyolite glass 206-356

Friedman, Irving, Smith, R. L., and Clark, Donovan. Obsidian dating 215-6

See also Hall, W. E.

Friedman, Melvin. Petrofabrics 211-326

Friedrich, G., Schachner, D., and Nielsen, Heims. Sulfur isotope investigations on sulfides from the ore occurrences of the Sierra de Cartagena in Spain 212-246

Frischknecht, F. C., and Ekren, E. B. Evaluation of magnetic anomalies by electromagnetic measurements 205-88

Fritsch, Volker. Electrical measurements on three dimensional conductors 206-95

Fritz, J. N. See McQueen, R. G.

Frölich, Friedrich, and Stiller, Heinz. The nature of chemical bond of magnetite and consequences 207-271

See also Stiller, Heinz.

Frolov, A. D. On appraising the possibilities of the ultrasonic method of monitoring the thickness and quality of frozen rock walls in sinking shafts by the freezing method 209-173

Abstract

Frolov, A. I. Experimental determination of the subglacial relief of Antarctica from geophysical data ---- 212-229
Frolov, A. I., and Stroyev, P. A. The attempt to determine gravity at sea with damped gravimeters ---- 205-182
See also Gladun, V. A.
Frolov, P. P. On the establishment of an electromagnetic field ---- 211-91
Frolov, V. Kh. On statistical methods of interpreting the graphs of electrical sounding ---- 208-138
Frolova, A. V. See Gal'perin, Ye. I.
Fryazionov, I. V. See Dolginov, Sh. Sh.
Fu, L. K. Quantitative interpretation of electrical profiling data ---- 206-105
Fuchs, Karl, Müller, Stephan, Peterschmitt, Elie, Rothé, J.-P., Stein, Albert, and Strobach, Klaus. Crustal structure of the West Alps according to seismic refraction measurements ---- 205-210
Fujino, Kazuo. See Tabata, Tadashi.
Fujiwara, Yoshiki. See Minato, Masao.
Fujiyama, Chikako. See Yamasaki, Fumio.
Fukushima, Naoshi, and Hirasawa, Takeo. Frequent occurence of local geomagnetic disturbance in high latitudes ---- 211-232
See also Ohshio, Mitsuo.
Fukutomi, Takaharu. On the underground temperature in hot spring localities ---- 205-203
Fuller, M. D. Expression of E-W fractures in magnetic surveys in parts of the U. S. A. ---- 214-244
See also Nagata, Takesi.
Fulmer, C. V., and Roberts, W. A. Rock induration and crater shape ---- 215-50
Funabiki, M. See Nishimura, Eiichi.
Furukawa, Toshitaro, and Sugai, Kanji. Reconnaissance survey of the radioactive intensity in the Hokonoko area, Kikuchi City, Kumamoto Prefecture ---- 214-281
Fyles, J. G. See Dyck, W.

G

Gabĺa, Lubomir, Mokwa, Jozef, and Niewodniczański, Henryk. Spectral isotopic analysis of lead from Polish galena deposits ---- 205-215
Gabrielse, H., and Reesor, J. E. Geochronology of plutonic rocks in two areas of the Canadian cordillera ---- 215-15
Gabrysh, A. F., McKee, N. D., and Eyring, Henry. Determination of the radon emanation from carbonate rocks and its potential hazard in building materials ---- 204-302
Gafarov, R. A. Structure of the folded basement of the East European platform according to geophysical data ---- 206-128
—— Structure of the Precambrian basement of the northern Russian platform (according to the data of regional geophysical investigations) ---- 211-163
Gair, F. C. See Alverson, R. C.
Galanapoulos, A. G. On mapping of seismic activity in Greece ---- 208-85
—— The Deluge of Deukalion from the geologic view ---- 206-354
—— The Egyptian plagues and the Exodus of Israel from the geologic viewpoint ---- 215-377
Galdin, N. Ye. See Afanas'yev, G. D., and Volarovich, M. P.
Gallant, L. C. Changes in the Earth's axis due to large meteorite collisions ---- 207-143
Galli O., Carlos, and Sanchez R., Joaquin. Effects of the earthquakes of May 1960 in Concepçion and vicinity ---- 208-67
—— Relation between the geology and the effects of the earthquakes of May 1960 in the city of Ancud and vicinity, Chiloé ---- 208-66
—— Relation between geology and the effects of the earthquakes of May 1960 in the city of Castro and vicinity, Chiloé ---- 208-65

Abstract

Gal'perin, Ye. I. Azimuthal method of observation of earthquakes -- 206-80

Gal'perin, Ye. I., and Frolova, A. V. Study of seismic waves by a combination of vertical and horizontal profiling -- 211-285

Gal'perin, Ye. I., and Zayonchkovskiy, M. A. Method and technique of deep seismic sounding (GSZ) at sea using submarines -- 214-294

See also Veytsman, P. S.

Galushko, P. Ya. Experimental determination of the coefficient of lateral thrust and coefficient of lateral linear deformation on rock samples and investigation of their dependence on the amount of stress -- 214-317

Galuzo, Yu. V. On the possibility of quantitative estimation of the gas saturation of reservoirs from data of the neutron-gamma method -- 206-281

—— Results of control by radiometric methods during the process of creating and exploiting the Kaluzh gas storage -- 206-287

Galuzo, Yu. V., and Poklonov, M. S. A technique of conducting radiometric investigations in wells under pressure -- 206-282

Galuzo, Yu. V., and Sevost'yanov, M. M. Study of the effect of the zone of infiltration of drilling mud filtrate on the effectiveness of distinguishing gas-bearing layers by the neutron-gamma method -- 206-279

Gaman, B. A. Nomogram for calculating the coefficients of four-point set-up with arbitrary electrode positions -- 213-142

Gamson, B. W. See Coolidge, J. E.

Gans, Philip. Log analysis on a small computer -- 206-111

Gantar, C. Direct comparison between the Italian Gravity Calibration Line and the French -- 206-175

Gantar, C., and Morelli, Carlo. Comparison between the Italian and Canadian calibrations by means of two La Coste and Romberg gravimeters along the southern part of the European calibration line -- 205-179

—— Contributions of the Experimental Geophysical Observatory of Trieste to the European gravity network -- 206-179

—— Gravimetric ties on the European Calibration Line and between the supporting stations to the intercontinental ties, with gravimeters of small field -- 206-176

—— New experimental data about temperature and pressure effects on Worden gravity-meters -- 205-178

—— On the national gravimetric base (Italian gravity calibration line) "Bologna-Ferrara" and on variation with time of the instrumental factor of the Worden gravimeter -- 206-174

—— Provisional adjustment 1962 of the southern part of the E. C. L. in the Italian standard for comparison purposes -- 205-186

—— The effect of temperature on the scale factor of the Worden gravimeter -- 206-169

See also Ciani, A.

Garavelli, C. L. Application of the radiometric method to the identification and to the study of uraniferous minerals present in traces -- 204-297

Garavelli, C. L. Contribution to the knowledge of natural radioactive disequilibria -- 204-296

—— Research on the enamation power of uraniferous and thoriferous minerals -- 204-298

García Rojas, Antonio. Notes on the use of multiple seismic detectors—Pt. 1, Detectors of equal sensitivity situated in a line -- 215-329

—— Seismologic apparatus with magnetic recording -- 206-320

—— Theory of seismic detectors with movable coil -- 208-315

García Rojas, Antonio, and Basurto García, J. Notes on the use of multiple seismic-detectors, pt. 2: Detectors of different sensitivities situated in a line or distributed in an area -- 206-324

Abstract

García Rojas, Antonio, Ochoa E., R., Valle T., E. del, and Basurto García, Jesús. Some perturbations that obsure the records of seismologic reflection ---------- 206-299

Gardner, G. H. F. See Wyllie, M. R. J.

Garduño A., R. L. "Continuous velocity logging" and its application to use in the petroleum industry ---------- 206-316

Garetskiy, R. G., Kolesnikov, Ye. M., Murav'yev, V. I., and Shlezinger, A. Ye. On the possibility of determining the absolute age of folding according to authigenic minerals in sedimentary rocks (exemplified by the folded basement of the southern Aral area) ---------- 209-19

Garkalenko, I. A. See Sollogub, V. B.

Garlick, G. A. J. Luminescence of meteorites ---------- 210-85

Garner, E. L. See Rosholt, J. N., Jr.

Garrard, P. See Drysdall, A. R.

Garris, M. A., Dyadin, N. N., Denisenko, A. Ye., Lozovaya, L. S., Popov, Yu. N., and Solov'yeva, N. N. New data for the geochronological scale of the Urals ---------- 210-53

Garris, M. A., and Pshenichnyy, G. N. On the age of the metasomatic rocks surrounding the Gay deposit ---------- 210-42

Garutt, V. Ye. See Geynts, A. Ye.

Gaskell, Robert. See Berg, J. W., Jr.

Gaskell, T. F. Boring deep into the Earth ---------- 207-216

—— Comparisons of Pacific and Atlantic Ocean floors in relation to ideas of continental displacement ---------- 205-151

—— Interpretation of geophysical surveys ---------- 212-179

—— Prospecting for oil in the North Sea ---------- 205-331

—— The study of oceanography and its bearing on exploration for oil ---------- 215-358

Gassmann, Fritz. Gravity measurements in the vicinity of Zürich - 204-188

Gast, P. W., and Hanson, G. N. Effects of contact metamorphism on Rb-Sr systems ---------- 204-2

Gast, P. W., Tilton, G. R., and Hedge, Carl. Isotopic composition of lead and strontium from Ascension and Gough Islands ---- 215-233

See also Craddock, Campbell.

Gaucher, E. H., Larochelle, André, and Fahrig, W. F. Paleomagnetism of diabase dikes ---------- 215-267

Gaulon, Roland. See Blum, P.-A.

Gault, D. E. See Moore, H. J.

Gauntt, J. C., and Jenkins, R. E. The use of core analysis data to explain the abnormally low resistivities of some hydrocarbon-productive Simpson series sands in central Oklahoma ---------- 206-117

Gaur, V. K. Electromagnetic model experiments simulating an airborne method of prospecting ---------- 210-213

Gavrilov, Ye. Ya. See Tarasov, L. S.

Gay, S. P., Jr. Letter to the editor ---------- 212-151

Gaydukov, N. Ye. See Solov'yev, O. A.

Gaynanov, A. G., and Solov'yev, O. N. On the nature of the magnetic anomalies in the region of transition from the Asiatic continent to the Pacific Ocean ---------- 207-293

See also Zommer, I. E.

Gayskiy, V. N. See Medvedev, S. V.

Gazzarrini, Franco. See Colombo, U., and Nagy, Bartholomew.

Geake, J. E., Lipson, H., and Lumb, M. D. Laboratory simulation of lunar luminescence, ---------- 209-81

See also Derham, C. J.

Geffroy, Jacques, Lenoble, André, and Vernet, Jean. Age and mineralogic features of the pitchblende mineralization of the Gordolasque tunnel (Alpes-Maritimes) ---------- 209-15

Abstract

Geiss, Johannes. See Eberhardt, Peter, and Rosholt, J. N.

Gel'chinskiy, B. Ya. On an integral formula relating the dynamic and kinematic parameters of a wave propagating in an axially symmetrical medium 210-191

—— On the dynamic interpretation of seismic observations 210-189

Gel'fand, I. S. Electromagnetic field of a frame and of a cable in a multilayered medium 204-127

Gel'fand, N. I. Determination of the attitude of an elongated ellipsoid of rotation according to gravity and magnetic observations 204-179

—— Graphic solution of the direct problem for an elongated ellipsoid of rotation 204-277

Gendrin, Roger. On a theory of structured rapid pulsations. Calculation of the intensity of the observed oscillations 208-250

—— On a theory of the structure of rapid pulsations of the magnetic field of the Earth 204-250

Genkin, B. S., Politikov, M. I., and Udmadturidze, V. A. Experiment in the use of radiogeodetic measurements in large-scale aerial geophysical surveys 206-135

Gentner, W., and Lippolt, H. J. The potassium-argon dating of upper Tertiary and Pleistocene deposits 215-7

Gentner, W., Lippolt, H. J., and Müller, O. The potassium-argon age of the Bosumtwi crater in Ghana and the chemical composition of its glasses 211-14

See also Biswas, M. M., Fechtig, H., and Zähringer, J.

Geographical Survey Institute. The second order magnetic survey of Japan (4) 207-240

Geophysical Prospecting [Peking]. The use of seismic methods to investigate the underground structure and underground geothermal conditions of a volcanic dome 205-327

Georgalas, G. C. Catalogue of the Active volcanoes of the world including solfatara fields, Part XII. Greece 211-343

George, C. F., Jr., Smith, H. W., and Bostick, F. X., Jr. Application of inverse filters to induction log analysis 208-143

George, E. R. Formation evaluation in wells drilled with inverted emulsion mud compared with wells drilled with water-base mud 206-274

Gerard, R. D. See Heezen, B. C.

Gerasimov, I. P., and Chebotareva, N. C. The absolute age of the late (Valdai) glaciation on the northwest Russian Plain 205-14

Gerasimov, Yu. G. Reflection of recent tectonic movements in the relief and emanation anomalies of the Krivoy Rog part of the Ukrainian crystalline shields 213-303

Gerasimov, Yu. G., and Naychuk, V. K. Test of the use of combined electrical profiling in the Khmel'nik district 208-140

Gerke, Karl. Report on the gravimeter measurements of the Institute for Applied Geophysics, Frankfurt a. M., Division — DGFI — for the Geophysical Year 205-59

Gerling, E. K., and Artemov, Yu. M. Absolute geochronology of the southern and central areas of the Yenisei Range 215-25

Gerling, E. K., and Gorokhov, I. M. Present state of the strontium method of determining geologic age 210-50

Gerling, E. K., Pap, A. M., Morozova, I. M., and Ovchinnikova, G. V. On the age of the crystalline basement of Belorussia 210-35

Gerling, E. K., Varshavskaya, E. S., and Gorokhov, I. M. Attempt to determine the age of the rocks surrounding the Monchegorsk nickel-bearing pluton using the K-Ar and Rb-Sr methods 215-24

See also Mirkina, S. L.

Gershanok, V. A. See Malovichko, A. K.

Geyer, R. A. See Van Lopik, J. R.

Abstract

Geyh, M. A., and Schneekloth, Heinrich. Hannover radiocarbon measurements III ---------- 214-30

Geynts, A. Ye., and Garutt, V. Ye. Determination of the absolute age of fossil mammoth and woolly rhinoceras remains from the permafrost of Siberia by means of radioactive carbon (C-14) ---- 211-20

Gèze, Bernard. Some information concerning eruptions in Hawaii in 1959-1960 ---------- 212-344

Gèze, Bernard, and Tazieff, Haroun. The revival of European studies on active volcanoes ---------- 212-353

Giaever, J., and Schytt, V. General report of the expedition ------ 210-225

Gibbons, W. D. See Steenland, N. C.

Gibson, W. M. See Hill, D. M.

Giese, Peter. The velocity distribution in the uppermost region of the crystalline, derived from refraction observations on the Bohmischbruck-Eschelohe profile ---------- 206-337

Giesel, W. Elastic anisotropy in tectonically deformed sedimentary rocks ---------- 208-130

Gifford, F. A., Jr. The Martian canals according to a purely aeolian hypothesis ---------- 215-65

Gil'bershteyn, P. G. Reflection of longitudinal waves from straight line boundaries in perforated layers upon oblique incidence------ 207-93

Gil'bershteyn, P. G., and Gurvich, I. I. Elastic wave absorption in perforated plates for seismic modeling ---------- 209-168

——Study on two-dimensional models of head waves from layers of different thickness ---------- 213-125

Gilbert, C. M. See Christensen, M. N.

Gilbert, F. P. See Andreasen, G. E.

Gilbert, Freeman. Propagation of transient leaking modes in a stratified elastic waveguide ---------- 213-116

Giletti, B. J. On the episodicity of orogeny---------- 204-160

Gill, J. E. Note on folding and orogenesis---------- 214-130

Gilliland, W. N. Extension of the theory of zonal rotation to explain global fracturing ---------- 213-170

Gilluly, James. Atlantic sediments, erosions rates, and the evolution of the continental shelf—Some speculations ---------- 213-341

Gilot, E. See Deumer, J. M.

Gilvarry, J. J. Effects of loss of lunar mass by meteoritic impact- 215-53

Gimlett, J. I. A computer method for calculating complete Bouguer corrections with varying surface density ---------- 215-189

Ginodman, A. G. On the construction of provisional horizons in one area of Bashkiria ---------- 212-323

—— Study of salt domes of the Caspian basin by means of the extended traveltime curves of waves reflected from sub-salt horizons ---------- 206-343

Ginodman, A. G., and Mironova, L. V. On a method of introducing corrections into reflection traveltime curves ---------- 206-306

Gintsburg, M. A. Determination of all three components of the vector of the static magnetic field from its magnitude ---------- 207-233

—— Electromagnetic oscillations in the geomagnetic cavity ------- 206-223

Ginzburg, A. I., Berezina, L. A., and Sharmin, N. F. Ground investigations on aerial anomalies characteristic of some type of rare-metal deposits ---------- 212-308

Ginzburg, A. I., and Korchagin, V. I. Conclusion ---------- 212-309

—— Deposits of rare elements and features of the aerogeophysical anomalies related to them ---------- 212-306

Giorgi, M. See Battelli, O.

Giraud, A. See Senior, T. B. A.

Giraudon, Robert, and Vachette, Michelle. Absolute age measurements on formations from Mauritania ---------- 212-19

Abstract

Girdler, R. W. Geophysical evidence on the nature of magmas and intrusions associated with rift valleys 204-165

—— Research note. How genuine is the circum-Pacific belt? 214-131

See also Drake, C. L.

Girlanda, Antonio. On the construction of two short-period pendulums for Galitzin-type horizontal and vertical seismographs with optico-galvanometric magnification 208-104

Girlanda, Antonio, and Federico, B. On some results obtained in the study of the deep earthquake of the lower Tyrrhenian of January 3, 1960 210-142

Gittins, A. See Baker, George.

Gjellestad, Guro, and Dalseide, Helge. Studies in geomagnetism—On calculation of geomagnetic storminess for high-latitude observatories 206-231

—— The magnetic station at Dombas (ϕ=62°04'.4 N., λ=9°02' E.). Observations 1961 206-215

Gladkiy, K. V. Calculation of the gravity effect by means of analytical extension 207-192

Gladun, V. A., Demenitskaya, R. M., Stroyev, P. A., Ushakov, S. A., and Frolov, A. I. Some results of geophysical investigations of the structure of the Earth's crust in Antarctica north of Novolazarevskaya station 211-168

Gladun, V. A., Stroyev, P. A., Ushakov, S. A., and Frolov, A. I. Geophysical investigations of crustal structure of the transition zone from the Antarctic continent to the Indian Ocean in the strip between long 55° and 100° E. 207-214

Glaessner, M. F. The dating of the base of the Cambrian 205-1

Glangeaud, Louis. Application of geophysical methods to the deep tectonics of the northwest Mediterranean ("Hesperian" Sea) 214-301

—— Evolution of oceanic and continental magmas according to modern statistical data 208-219

—— The assignments of scale in geology and geophysics—Application to the western Mediterranean and to the circumpacific ranges 214-133

Glanville, C. R. Principles of log interpretation by use of multiple curves 206-114

Glaser, G. C. See Norden, J. A. E.

Glaser, P. E. See Salisbury, J. W.

Glasko, V. B., Savarenskiy, Ye. F., and Shechkov, B. N. Data on the phase and group velocities of surface seismic waves 213-314

Glauberman, A. Ye., and Tal'yanskiy, I. I. The distribution of neutrons in a well after the source is shut off 207-309

See also Kobilyanskiy, V. B.

Glebovskiy, Yu. S. Geological structure of the Mirnyy Observatory area 212-295

—— Principal results of a small-scale aeromagnetic survey to the south of the Shackelton Ice Shelf 212-298

—— Subglacial Mt. Brown-Gaussberg Ridge 212-296

—— The existence of a subglacial ridge in the Pionerskaya area 212-294

—— The magnetic anomalies of the Vestfold Hills 212-297

Gleissberg, W. A solar hemisphere effect in geomagnetic disturbances 215-254

Glogovskiy, V. M. See Gurvich, I. I.

Glotov, O. K. On the determination of velocity on the basis of many synphase axes 212-321

Glover, E. D. See Sippel, R. F.

Glover, F. N. See Faustino, M. S.

Glukhikh, I. I. See Ponomarev, V. N.

Glyuzman, A. M. See Igumnov, S. A.

Abstract

Godby, E. A. See Hood, P. J.
Godfrey, J. D. See Baadsgaard, Halfdan.
Godwin, Harry. Isostatic recovery in Scotland ---------- 205-154
Godwin, Harry, and Willis, E. H. Cambridge University natural radiocarbon measurements I ---------- 214-18
Goel, P. S., and Kohman, T. P. Cosmic-ray-exposure history of meteorites from cosmogenic Cl^{36} ---------- 211-40
See also Kohman, T. P.
Gogichayshvili, B. V. See Savarenskiy, Ye. F.
Gokhberg, M. B. A method of analyzing records of oscillations of a natural electromagnetic field applied to deep sounding ---------- 204-50
Gold, T. Process on the lunar surface ---------- 209-80
—— Ranger moon pictures: implications ---------- 215-45
Goldberg, E. D. Geochronology with lead-210 ---------- 211-6
Goldberg, E. D., and Koide, Minoru. Rates of sediment accumulation in the Indian Ocean ---------- 210-279
Goldberg, J. E., Bogdanoff, J. L., and Sharpe, D. R. The response of simple nonlinear systems to a random disturbance of the earthquake type ---------- 209-115
Goldberg, R. A. See Chandra, S.
Gol'denfel'd, I. V. See Shcherbak, M. P.
Gol'dshmidt, V. I. See Morozov, M. D.
Golizdra, G. Ya. Distribution of singular points of the gravity field for one class of two dimensional bodies ---------- 215-194
—— On the problem of the possibility of using the boundary distribution of masses for solving problems of gravity surveying ---------- 210-244
—— On the relationship of axial points of the gravitational potential to the shape of disturbing bodies ---------- 213-201
Golovchenko, N. G. See Koltun, L. I.
Golovtsyn, V. N. See Antonyuk, Ye. I.
Golton, E. Calculations and local models of the near geomagnetic field ---------- 207-241
Gol'tsman, F. N. On some incorrect interpretations of the results of the frequency theory of grouping of signals ---------- 201-200
Golubchina, M. N. See Rabinovich, A. F., and Zhidkov, A. Ya.
Golubitskiy, V. G. See Matveyev, P. S.
Golubkov, V. V. See Anishchenko, G. N.
Goluk, A. I. See Tyapkin, K. F.
Goncharova, T. A., and Gurevich, B. L. On multiple waves in the Crimean Steppe ---------- 210-333
Gontoviy, I. Z. On the procedure of geophysical investigation of the upper part of the section of the inner zone of the Carpathian foreland depression ---------- 209-197
—— Some problems of interpretation of observations of surface traveltime curves of reflected waves ---------- 209-325
Goodell, H. G., McKnight, W. M., Osmond, J. K., and Gorsline, D. S. Rates of sedimentation and geochronology ---------- 211-269
Gooding, A. M. Illinoian and Wisconsin glaciations in the Whitewater basin, southeastern Indiana, and adjacent areas ---------- 207-6
Goor, F. V. An example of the influence of filters in seismic reflection ---------- 206-323
Gorai, Masao. Some relations between the distribution of crustal thickness and fundamental geologic structure of Japanese island - 213-227
Gorbach, L. P., and Dobrovol'skaya, T. I. On Lower Cretaceous paleoseismic phenomena in the Crimea ---------- 209-129
Gorbenko, L. A., and Rachkin, A. I. Investigation of the electrical parameters of KOBDT-4 and KOBD-4 logging cable ---------- 211-110
Gorbunova, I. V. Construction of maps of seismic activity with uniform accuracy ---------- 215-86

Abstract
Gorbunova, I. V. On the study of the seismicity of the Dzungarian and northern Tien Shan zones ---------- 215-87
See also Dzhanuzakov, K., and Masarskiy, S. I.
Gorbunova, V. I. See Ellanskiy, M. M.
Gordon, D. W., and Engdahl, E. R. An instrumental study of the Libyan earthquake of February 21, 1963 ---------- 212-114
Gordon, Edward. Automatic digitizing of well logs ---------- 209-186
Gore, J. V. See Osborne, F. J. F.
Gorel'chik, V. I. Seismological study of the activity of Karymskaya Volcano ---------- 215-369
Gorlitskiy, B. O. See Kazakov, L. R.
Gorokhov, I. M. See Artemov, Yu. M., Gerling, E. K., and Yashchenko, M. L.
Gorshkov, A. P. The state of the eruptive fissures on Koryakskaya Volcano on April 7, 1962 ---------- 215-371
Gorshkov, G. P. Concluding speech ---------- 213-197
—— The method of studying neotectonic movements and their relationship to seismicity ---------- 213-76
—— The seismicity of Africa ---------- 210-139
Gorshkov, G. S. Directed volcanic blasts ---------- 212-355
Gorsline, D. S. See Goodell, H. G.
Goryachev, A. V., Yershov, I. A., Kirillov, F. A., Kuzin, I. P., Lyamzina, G. A., Medvedev, S. V., Popov, V. V., Fedotov, S. A., and Shteynberg, V. V. On the seismic microregionalization of the Petropavlovsk-Kamchatski territory ---------- 207-49
Goryunov, I. I. The specific electrical resistivity of jointed rocks - 213-140
Gosling, J. T. A study of the relationship between absorption-time profiles of polar-cap-absorption events and Forbush decreases of cosmic-ray intensity ---------- 210-286
Gostev, M. A. Electrodynamic calibration of seismographs with recording on the seismogram, Pt. 2 ---------- 215-119
Goto, Kenichi. See Aki, Keiiti.
Göttlich, Karlhans von. The first radiocarbon dating of several settlements in the Federsee Moor (Federsee studies V) ---------- 212-26
Goudas, C. L. Development of the lunar topography into spherical harmonics ---------- 215-49
See also Baldwin, R. B.
Gough, D. I. A spinner magnetometer ---------- 212-271
Gough, D. I., and Brock, A. The paleomagnetism of the Shawa ijolite ---------- 212-279
Gough, D. I., Brock, A., Jones, D. L., and Opdyke, N. D. The paleomagnetism of the ring complexes at Marangudzi and the Mateke Hills ---------- 212-280
Gough, D. I., Opdyke, N. D., and McElhinny, M. W. The significance of paleomagnetic results from Africa ---------- 212-281
Gould, L. M., and Wells, H. W. International research in the Antarctic ---------- 215-153
Government of Japan. Case histories of oil and natural gas fields in Japan ---------- 214-121
Gow, A. J. Results of measurements in the 309 meter bore hole at Byrd Station, Antarctica ---------- 205-159
Graf, Anton. Behavior and calibration of the Munich-horizontal pendulum ---------- 205-175
—— The vertical pendulum instead of the horizontal pendulum for recording tides and very small inclinations ---------- 215-125
Grainger, J. F., and Ring, J. Lunar luminescence and solar radiation ---------- 210-105
—— Lunar luminescence ---------- 209-82

Abstract

Graham, K. W. T., Helsley, C. E., and Hales, A. L. Determination of the relative positions of continents from paleomagnetic data ---------- 215-260

Granar, L. J. Apparatus for electric potential investigation ---------- 210-217

Grant, F. S. See Gupta, R. N.

Grant-Taylor, T. L. Volcanic history of western Taranaki ---------- 211-350

Grantz, Arthur, Plafker, George, and Kachadoorian, Reuben. Alaska's Good Friday earthquake, March 27, 1964 ---------- 211-62

Grashchenko, S. M. See Sobotovich, E. V.

Gratsinskiy, V. G. The kinematics of wave fronts in well logging with distributed transducers ---------- 214-292

Grau, G. Principles of some modern techniques of treatment of information in seismic prospecting ---------- 213-316

Graves, W. P. E. Horror strikes on Good Friday ---------- 215-75

Gray, D. A. See Ineson, J.

Grechishnikov, G. A. See Nomokonov, V. P.

Grechukhin, V. V. An efficient combination of geophysical methods of investigating coal boreholes ---------- 205-108

Grechukhin, V. V., Neyman, Ye. A., and Yanshevskiy, Yu. P. Procedure for using lateral logging on the coal deposits of the Pechora basin ---------- 207-114

Green, D. H., and Ringwood, A. E. Fractionation of basalt magmas at high pressures ---------- 211-198

See also McDougall, Ian, and Ringwood, A. E.

Green, Jack. Lunar volcanism ---------- 212-104

—— Some Lunar resources ---------- 210-113

—— The geology of the lunar base ---------- 210-114

—— The geosciences applied to lunar exploration ---------- 209-63

See also Bülow, Kurd von.

Green, Ronald, and Haigh, J. E. The proton precession magnetometer as a prospecting instrument ---------- 208-273

See also Hill, P. A.

Green, W. D. See Damon, P. E.

Greenland, L. P. Fractionation of chlorine, germanium, and zinc in chondritic meteorites ---------- 207-23

Gregg, D. R. Structure ---------- 211-356

—— Volcanic risk from the Tongariro volcanoes ---------- 211-354

—— Volcanoes ---------- 211-355

Gregory, A. R. Shear wave velocity measurements of sedimentary rock samples under compression ---------- 205-83

See also Wyllie, M. R. J.

Gridnev, D. G. See Pariyskiy, N. N.

Griffin, A. A. See Halliday, Ian.

Griffin, J. B. See Crane, H. R.

Griffiths, D. H. Geophysical investigations in the Scotia Arc and Graham Land ---------- 204-142

Grigor'yev, G. I., and Dokuchayev, V. P. The influence of diurnal variation of the electric conductivity of the ionosphere on the spectrum of Sq variations ---------- 207-253

Grigor'yeva, N. P. Electrical resistivity measurements of minerals ---------- 205-114

Grinberg, A. A., and Nenashev, N. I. Geologic and absolute ages of the volcanogenic formations of the Ketanda river basin (Okhotsk-Chukotsk volcanic belt) ---------- 210-46

Grinda, Louis. Influence of the depth of an explosive on the amplitude of the seismic waves produced by a submarine explosion --- 206-89

Grinenko, L. N. See Vinogradov, A. P.

Abstract

Gringauz, K. I. Remarks on papers by J. W. Freeman, J. A. Van Allen, and L. J. Cahill, "Explorer 12 observations of the magnetospheric boundary and the associated solar plasma on September 13, 1961," and L. A. Frank, J. A. Van Allen, and E.Macagno, "Charged-particle observations in the Earth's outer magnetosphere" 209-273

Gringauz, K. I., Bezrukikh, V. V., Balandina, S. M., Ozerov, V. D., and Rybchinsky, R. E. Direct observations of solar plasma streams at a distance of ~1,900,000 km from the earth on February 17, 1961, and simultaneous observations of the geomagnetic field 210-296

Griscom, Andrew. See Boucot, A. J.

Grobelny, Andrzej. Determination of some elements characteristic of the Askania GS 11 NR 125 gravimeter 208-199

—— Determination of some of the elements characteristic of the Askania GS/11 NR 125 gravimeter (II) 209-232

Grodzenskiy, V. A., Vishnyakov, Ye. P., and Malovitskiy, Ya. P. Apparatus for correlation registration of seismic vibrations and results of its use 205-322

Gromin, V. I. See Luchitskiy, I. V.

Gromme, C. S., and Hay, R. L. Magnetization of basalt of Bed I, Olduvai Gorge, Tanganyika 207-275

Gromov, Yu. Ya. Marginal depressions of central massifs 215-178

Gronwald, Walther. See Dechend, Wilfried.

Gross, Barton. See Craddock, Campbell.

Gross, Hugo. The difficulties of the radiocarbon method and its application to age determination of early Quaternary deposits 213-3

Gross, M. G. Variations in the O^{18}/O^{16} and C^{13}/C^{12} ratios of diagenetically altered limestones in the Bermuda Islands 211-202

Grossmann, Walter. Results of some gravity measurements in Europe and Africa with two long-distance gravimeters of Askania GS 12 type, operating with variable masses 215-204

Grosval'd, M. G. Ancient shorelines of Franz Joseph Land and the late Quaternary history of its ice sheets 207-19

Grote, H. H. See Bomke, H. A.

Groten, Erwin. Calculation of plumbline deflections due to the ocean tide attraction for the Freiberg, Brezove Hory, and Sclaigneaux earth tide stations 208-108

See also Tomaschek, Rudolf.

Grumbkov, A. P., and Semenov, G. S. A test of spectrometric measurement of the natural γ-field of the Earth in radiometric prospecting for oil 208-288

Grum-Grzhimaylo, O. S., and Lartsev, V. S. Attempt at analytical study of one of the types of tectonic experiment 209-213

Grushinskiy, N. P. Conditions for gravimetric measurements on the diesel-electric ship "Ob" during its Antarctic voyages 212-218

Grushinskiy, N. P., and Sagitov, M. U. On gravity observations at the time of a total solar eclipse 204-176

Gryzlov, V. S. Test of the use of the microsonde to determine the thickness and structure of coal beds in the Donets basin 206-123

Guardia Romero, Jaime. Application of the balance of porosity in the analysis of electrical measurements in formations of Bolivia 210-207

Guberman, Sh. A. The similarity theory and borehole radiometry 215-315

Guberman, Sh. A., Izvekova, M. L., Kholin, A. I., and Khyrgin, Ya. I. Use of an image recognition algorithm for solving geophysical logging problems 211-102

Gubin, I. Ye. Seismicity and geologic structures of Central Asia 208-88

Gugunava, G. Ye. See Berdichevskiy, M. N.

Abstract

Guicherit, R. Gravity tectonics, gravity field, and paleomagnetism in NE-Italy—With special reference to the Carnian Alps, north of the Val Fella-Val Canale area between Paularo and Tarvisio, Province of Udine ------ 214-159
Guilcher, A. Continental shelf and slope (continental margin) ------ 208-346
Guillemaut, Armel. See Cailleux, André.
Gullier, M. T. See Delibrias, Georgette.
Gulshko, V. T. See Belayenko, F. A.
Gumarov, K. S. On the results of electrical surveying in southwestern Turkmenia ------ 211-94
Gumenykh, G. N. Study of the physico-mechanical properties of the coal and roof rock of the Upper Marianne bed ------ 214-332
Gunn, B. M. Flow rates and secondary structures of Fox and Franz Josef Glaciers, New Zealand ------ 213-199
Gupta, I. N., and Kisslinger, Carl. Model study of explosion-generated Rayleigh waves in a half-space ------ 210-183
—— Model study of seismic waves from explosions in rectangular cavities ------ 215-132
See also Kisslinger, Carl.
Gupta, R. N., and Grant, F. S. Theoretical Love wave dispersion in a single layer model ------ 207-77
Gura, K. A. Interpretation of the magnetic fields of some bodies of regular geometric shape under conditions of inclined magnetization ------ 212-286
See also Antonyuk, Ye. I.
Gurariy, G. Z., and Solov'yeva, I. A. Structure of the Earth's crust according to geophysical data ------ 215-214
Gurevich, B. L. See Goncharova, T. A.
Gurevich, G. I. On the fundamental regularities of propagation and attenuation of seismic vibrations, part 1 ------ 210-199
Gurevich, S. M. Composition of the natural gases of the deposits of the eastern part of the Karpinskiy arch and determination of their absolute age ------ 213-8
Gurevich, Yu. M., and Deryn, A. M. Interference-resistant apparatus for the electrical correlation method ------ 212-165
Gurvich, I. I., and Glogovskiy, V. M. On the calculation of static corrections according to observed reflection traveltime curves ------ 205-323
Gurvich, I. I., and Morozenko, Yu. P. On the theory of converters of seismic records ------ 204-333
See also Gil'bershteyn, P. G.
Gus'kova, Ye. G. Investigation of natural remanent magnetization of stony meteorites ------ 208-41
See also Pochtarev, V. I.
Gutenberg, Beno, and Richter, C. F. Magnitude, intensity, energy, and acceleration as earthquake parameters ------ 204-64
Gutiérrez, D. Directional effect of linearly distributed charges and its employment in seismic exploration ------ 215-341
Guyton, J. W. See Alsup, S. A.
Gyoda, Noriya. See Minakami, Takeshi.

H

Haas, Roland. See Israël, Hans.
Hackman, R. J. See Mason, A. C., and Shoemaker, E. M.
Hadikusumo, Djajadi. Report on the volcanological research activity in Indonesia for the period 1950-1957 ------ 214-358
Hadley, C. F. See Silverman, D.
Hadley, J. B. Landslides and related phenomena accompanying the Hebgen Lake earthquake of August 17, 1959 ------ 210-130
Hagemann, R. F. See Delaplanche, Jacques.

Abstract

Hagfors, T. Backscattering from an undulating surface with applications to radar returns from the Moon ---------- 215-59

See also Evans, J. V.

Hagiwara, Takahiro, Kayano, Ichiro, and Karakama, Ikuo. Foreshocks, aftershocks, and an earthquake swarm detected by the micro-earthquake observation ---------- 206-69

See also Tsuboi, Chuji.

Hahn-Weinheimer, P., Johanning, H., and Schütze, W. Age determination on the Bärhalde granite (southern Black Forest) according to the rubidium-strontium method ---------- 205-9

Haigh, J. E. See Green Ronald.

Haile, N. S. Oceanographic research off British Borneo ---------- 211-338

Hair, G. D. See McGarr, Arthur.

Haites, T. B. Independendent control for present time-scales ---- 206-1

Hakura, Yukio. Development of ionospheric and geomagnetic storms caused by solar corpuscular emissions. I. Polar cap blackout and auroral zone blackout ---------- 205-252

Hakura, Yukio; Nagai, Masao; and Sano, Yukizo. Development of ionospheric and geomagnetic storms caused by solar corpuscular emissions. II. Polar blackouts, storm Es, and geomagnetic storms ---------- 205-253

Halenka, Jaroslav. On the character of the connection between geomagnetic activity and chromospheric flares ---------- 215-255

See also Bednářová-Nováková, Bohumila

Hales, A. L. A look at the mantle ---------- 214-177

See also Graham, K. W. T.

Halfacree, J. A re-cycled hydrosphere? ---------- 210-233

Hall, D. H. Magnetic and tectonic regionalization on Texada Island, British Columbia ---------- 214-256

Hall, E. T. Dating pottery by thermoluminescence ---------- 215-9

Hall, F. R. Springs in the vicinity of Socorro, New Mexico ------- 207-205

Hall, S. H. See Stuart, W. F.

Hall, W. E., and Friedman, Irving. Composition of fluid inclusions, Cave-In-Rock Fluorite district, Illinois, and Upper Mississippi Valley zinc-lead district ---------- 204-230

Halliday, Ian, and Griffin, A. A. Evidence in support of a meteoritic origin for West Hawk Lake, Manitoba, Canada ---------- 205-194

Hallof, Philip G. A comparison of the various parameters employed in the variable-frequency induced-polarization method --- 212-150

—— Recent field applications of the variable frequency I. P. method - 207-99

Hamachi, Tadao, and Maruyama, Shuji. Report on the uraniferous deposits of Yoshida Mine, Tochigi Prefecture ---------- 204-317

Hamada, Kazuo. Model experiments on period of surface waves in a medium with a single layer ---------- 209-167

Hamada, Tatsuji. See Yamasaki, Fumio.

Hämeen-Anttila, K. A. A statistical model for the microstructure of the lunar surface ---------- 213-53

Hamilton, A. C. World standards for gravity measurements ------ 209-216

Hamilton, E. I. Reply [to comments on "Isotopic composition of strontium in carbonatites"] ---------- 211-209

Hamilton, E. I., and Sandford, K. S. Rubidium-strontium ages from North-East Land (Spitsbergen) ---------- 210-16

Hamilton, E. L. Sediment sound velocity measurements made in situ from the bathyscape Trieste ---------- 205-348

Hamilton, N., and King, R. F. Comparison of bedding errors of artificially and naturally deposited sediments with those predicted from a simple model ---------- 213-281

Hamilton, R. M., Ryall, Alan, and Berg, Eduard. Crustal structure southwest of the San Andreas fault from quarry blasts ------ 209-254

Abstract

Hamilton, Warren. Discussion of paper by D. I. Axelrod, "Fossil floras suggest stable, not drifting, continents ---- 211-126
See also Myers, W. B.
Hammer, Sigmund. See Richards, T. C.
Hamon, B. V., and Hannan, E. J. Estimating relations between time series ---- 205-123
Hanagud, Sathyanarayana. Spherical waves in a simple locking medium ---- 210-185
Hancock, J. M., Jr. See Norden, J. A. E.
Hanly, T. F. Sediment studies on the Madison River after the Hebgen Lake earthquake ---- 210-132
Hannan, E. J. See Hamon, B. V.
Hansen, S. F. A mechanism for the production of certain types of very-low-frequency emissions ---- 205-228
Hanshaw, B. B. See Feltz, H. R.
Hanson, G. N. See Craddock, Campbell, and Gast, P. W.
Hanson, R. J., and Marker, D. Soft gamma background radiation at the Earth's surface and at aircraft altitudes ---- 213-296
Hanus, Václav, and Krs, Miroslav. On the application of paleomagnetism to the determination of the age of hydrothermal ore deposits ---- 205-272
—— Paleomagnetic dating of hydrothermal deposits in Czechoslovakia ---- 207-277
—— Palaeomagnetic dating of hydrothermal mineralization on example of Spissko-Gemerské Rudohorie area, Czechoslovakia ---- 209-311
—— Paleomagnetic verification of the Neoidic age of hydrothermal mineralization in the Krusna Hora Mountains and in the Slavkovsky Les (Kaiserwald) ---- 209-310
Hapke, B. W. Packing properties of fine powders and the depth of the lunar dust layer ---- 209-48
Haque, A. K. M. M. See Collinson, A. J. L.
Harding, S. T. See Stepp, J. C.
Hardtwig, Erwin. Theories of microseismic agitation ---- 206-261
Harkrider, D. G. Surface waves in multilayered elastic media. I. Rayleigh and Love waves from buried sources in a multilayered elastic half-space ---- 210-163
See also Ben-Menahem, Ari.
Harney, A. G. See Berger, Rainer.
Harold, M. R. See Aitken, M. J.
Harris, A. K. See Bomke, H. A.
Harris, Joseph. See Friedman, Irving.
Harris, M. A. See Afanas'yev, G. D.
Harris, R. W. First order effect of magnetic moment nonconservation of geomagnetically trapped particles ---- 204-247
Harrison, J. C. See Worzel, J. L.
Harry, W. T., and Richey, J. E. Magmatic pulses in the emplacement of plutons ---- 206-147
Harshman, E. N. See Rosholt, J. N., Jr.
Hart, P. J. Upper Mantle Project ---- 215-222
Hart, S. R. A study of mineral ages in a contact metamorphic zone ---- 204-3
—— Excess argon in pyroxenes ---- 204-4
Hart, S. R., Aldrich, L. T., Davis, G. L., Tilton, G. R., Baadsgaard, Halfdan, Kouvo, Olavi, and Steiger, R. H. Geochronology and isotope geology ---- 208-5
See also Davis, G. L.
Hartman, Olaf. Treatment of local geomagnetic fields as a boundary value problem of potential theory ---- 204-273

	Abstract
Hartman, R. N., and Oriti, R. A. A preliminary report on the Lucerne Valley, San Bernadino County, California, aerolites (CN 1169, 345)	212-47
Hartman, R. R. See Hutchison, R. D.	
Hasegawa, H. S. See Savage, J. C.	
Hasegawa, Kiyoshi. Study on the time variation of the earth electric field, Pt. 4 and 5	205-28
Haskell, N. A. Radiation pattern of surface waves from point sources in a multilayered medium	209-140
Haskin, Larry. See Frey, F. A.	
Hattori, Yasuzo. See Tokairin, Tatsuo	
Hatuda, Zin'itiro. On the distribution of radioactive elements in granite intrusive bodies	213-295
—— On the distribution of radioactive elements in granite intrusive bodies	214-271
Haubrich, R. A. See LeSchack, L. A.	
Hawkins, G. S., Meunier, Paul, and Rosenthal, Shoshana. The plume over a meteorite crater	213-43
Hawkins, L. V. Seismic investigations on the foundation conditions at the Royal Mint Site, Canberra	207-325
Hay, R. J. See Ogden, J. G., III.	
Hay, R. L. See Gromme, C. S.	
Hayakawa, Masami. Geophysical structure of geothermal area	205-201
—— Measurement of longitudinal and transverse wave velocities of dunite, perioditite and some other rocks in Hidaka area, Hokkaido (laboratory experiment)	213-133
Hayakawa, Masami, and Balakrishna, S. Measurement of longitudinal and transverse wave velocities in some rocks of Hokkaido and India	212-145
See also Isshiki, Naoki.	
Hayakawa, Satio, and Matsuoka, Masaru. Characteristic X-rays from the lunar surface	205-24
Hayase, Kitaro; Otsuka, Ryohei; and Mariko, Tadashi. On the magnetic properties of natural pyrrhotites	214-227
Hayes, D. E., Worzel, J. L., and Karnick, Harmut. Tests on the 1962 model of the Anschütz gyrotable	209-230
Hayes, M. O. Lognormal distribution of inner continental shelf widths and slopes	210-351
Haynes, C. V., Jr. Fluted projectile points: their age and dispersion	215-11
See also Damon, P. E.	
Hays, W. W., and Scharon, LeRoy. An example of the influence of remanent magnetization on magnetic intensity measurements	206-237
Hayward, G. G. See Edgerton, H. E.	
Hazra, P. C., and Ray, D. K. A short note on seismic phenomena in India and their relation to tectonics	207-162
Healy, James. Volcanic mechanisms in the Taupo Volcanic Zone, New Zealand	211-347
Healy, J. H. Crustal structure along the coast of California from seismic-refraction measurements	204-336
Healy, J. H., and Press, Frank. Geophysical studies of basin structures along the eastern front of the Sierra Nevada, California	212-223
See also Roller, J. C.	
Heard, H. C. See Christie, J. M.	
Hearn, D. P. See Broding, R. A.	
Heberer, Gerhard, and Kurth, Gottfried. Remarks concerning "The age of the Rhünda skull, Pt. 3." C-14 dating of the layer of the find	212-27

Abstract

Heck, E. T. Comments on paper by Ralph O. Kehle, "The determination of tectonic stresses through analysis of hydraulic well fracturing" ---- 211-129

Hedeman, E. R. See Dodson, H. W.

Hédervári, Péter. A theory about the internal composition and development of the Moon ---- 211-48

—— Geophysical problems in relation to lunar vulcanism: A comment on Alphonsus ---- 206-46

—— Investigations regarding the Earth's seismicity. Pt. 1: The seismic great circle of the Earth ---- 211-66

—— On the energy and magnitude of volcanic eruptions ---- 207-349

—— On the geophysical interpretation of the seismical great-circle of the Earth ---- 209-209

—— On the problem of the hypsographic curve of the Moon ---- 206-54

—— The instability of small-size planetary cores and the development of the Moon ---- 209-53

—— The internal composition of the Moon and the structure of its solid crust ---- 206-57

—— Volcanological considerations in the calculation of the energy necessary to produce the craters of the Moon ---- 208-50

Hedge, Carl. See Gast, P. W.

Hedge, C. E. See Peterman, Z. E.

Heezen, B. C. The deep-sea floor ---- 205-149

Heezen, B. C., Bunce, E. T., Hersey, J. B., and Tharp, Marie. Chain and Romanche fracture zones ---- 210-350

Heezen, B. C., and Drake, C. L. Grand Banks slump ---- 209-343

Heezen, B. C., and Ewing, Maurice. The mid-oceanic ridge ---- 208-349

Heezen, B. C., Gerard, R. D., and Tharp, Marie. The Vema fracture zone in the equatorial Atlantic ---- 209-344

Heezen, B. C., and Laughton, A. S. Abyssal plains ---- 208-347

Heezen, B. C., and Menard, H. W. Topography of the deep-sea floor ---- 208-345

Heezen, B. C., and Nafe, J. E. Vema trench: western Indian Ocean ---- 210-352

See also Metcalf, W. G.

Heide, Fritz. Meteorites ---- 214-39

Heier, K. S. Rubidium-strontium and strontium-87/strontium-86 ratios in deep crustal material ---- 211-208

—— Uranium, thorium and potassium in eclogitic rocks ---- 204-218

Heier, K. S., McDougall, Ian, and Adams, J. A. S. Thorium, uranium and potassium concentration in Hawaiian lavas ---- 209-320

Heigold, P. C. See McGinnis, L. D.

Heiles, C. E. On the polarization of moonlight ---- 208-54

Heiles, C. E., and Drake, F. D. The polarization and intensity of thermal radiation from a planetary surface ---- 208-52

Heine, R. W. Gravity survey of the middle Wairarapa ---- 211-165

Heintz, Natascha. Dinosaur-footprints and polar wandering ---- 211-120

Heirtzler, J. R. See Drake, C. L., and Talwani, Manik.

Heiskanen, W. A. Geodetic standard base lines and the dimensions of the Earth ---- 208-173

—— Potentialities of satellite geodesy and physical geodesy ---- 205-137

Heisler, L. H., and Whitehead, J. D. The correlation between the occurrence of sporadic-E and the horizontal component of the Earth's magnetic field ---- 213-255

Helander, D. P. See Wang, G. C.

Helbig, Klaus. Graticules for the complete determination of the magnetic field of homogeneous magnetized cylindrical bodies with arbitrary cross section and finite lateral extension ---- 215-277

Hellner, E. Comments on "Comments on the two-feldspar geothermometer" by P. M. Orville ---- 205-207

Abstract

Craddock, Campbell, Thiel, E. C., and Gross, Barton. A gravity investigation of the Precambrian of southeastern Minnesota and western Wisconsin — 205-190

Craig, Harmon. The natural distribution of radiocarbon: Mixing rates in the sea and residence times of carbon and water, in Earth Science and Meteoritics — 210-272

See also Wasserburg, G. J.

Craig, J. R. See Richards, H. G.

Cram, I. H. There's fun ahead — 208-159

Cram, I. H., Jr. See McEuen, R. B.

Crampin, Stuart. See Bunce, E. T.

Crane, H. R., and Griffin, J. R. University of Michigan radiocarbon dates IX — 214-9

Crary, A. P. Current U. S. scientific research activites in the Antarctic — 207-135

—— Gravity and magnetic observations — 211-167

—— Seismic studies — 211-319

—— U. S. Antarctic research program, summer 1962-63 — 204-143

Crary, A. P., and Chapman, W. H. Additional glaciological measurements at the abandoned Little America station, Antarctica — 205-158

Craven, J. D. See Frank, L. A.

Creer, K. M. A reconstruction of the continents for the Upper Paleozoic from paleomagnetic data — 215-261

See also Chamalaun, F. H.

Crittenden, M. D., Jr. Effective viscosity of the Earth derived from isostatic loading of Pleistocene Lake Bonneville — 204-159

—— New data on the isostatic deformation of Lake Bonneville — 207-160

See also Mabey, D. R.

Crocker, E. A. See Lynn, V. L.

Croft, W. J. See Leipziger, F. D.

Crouch, E. A. C., and Tuplin, T. A. Isotopic composition and the atomic weight of naturally occurring molybdenum: a possible reflexion of the creation process — 213-243

Crouch, W. H., Jr. See Kuroda, P. K.

Crozaz, G., Picciotto, E. E., and DeBreuck, W. Antarctic snow chronology with Pb-210 — 212-243

Crozaz, G. See Picciotto, E. E.

Csomor, Dezső, and Kiss, Zoltán. The seismicity of Hungary (pt. 2) — 204-56

Cucu, V. See Marinescu, M.

Cudjoe, J. E. Geophysical prospecting — 213-157

Cugusi, Francesca. See Penta, Francesco

Cullington, A. L. The geomagnetic secular variation in the Ross Dependency — 205-224

Cumming, G. L. See Baadsgaard, Halfdan, Burwash, R. A., and Folinsbee, R. E.

Cumming, L. M. See Howie, R. D.

Cundari, Aldo, and Ventriglia, U. The volcanic apparatuses Cimino, Vico, Sabatino, and Cerite. Direction of magnetization — 207-276

Cundari, Aldo. See Ventriglia, Ugo.

Cunietti, Mariano. The equations of error in the compensation of networks of pendulum measurements of gravity — 206-170

Curray, J. R. See Moore, D. G., and Shepard, F. P.

Currie, J. B. See Bell, R. T.

Currie, K. L. On the origin of some "recent" craters on the Canadian Shield — 212-86

Curtis, G. H. See Evernden, J. F.

Abstract

Čuta, Jiří, and Válek, Rostislav. Interpretation of gravity profiles across the Svitavsk anomaly ---------- 209-222
Cuttitta, Frank. See Rose, H. J., Jr.
Czubek, J. A. Natural gamma-ray logging for density logging purposes ---------- 208-301
—— Neutron-neutron well logging theory ---------- 208-295
—— Quantitative interpretation of gamma-ray logs ---------- 208-299
Czubek, J. A., Dziunikowski, B., Jurkiewicz, L., Krzuk, J., Niewodniczánski, J., Przewłocki, Kazimierz, Werner, Z., and Zuber, A. Complex radiometric logging of directed mine boreholes in prospecting for potassium salts ---------- 205-306

D

Dachille, Frank. Changes in the Earth's axis due to large meteorite collisions ---------- 207-143
Dachille, Frank, and Roy, Rustum. Effectiveness of shearing stresses in accelerating solid phase reactions at low temperatures and high pressures ---------- 210-269
See also Johnson, G. G., and Vand, Vladimir.
Da Costa, J. A. Effect of Hebgen Lake earthquake on water levels in wells in the United States, in the Hebgen Lake, Montana, earthquake of August 17, 1959 ---------- 210-134
Dahanayake, C., Kaplon, M. F., and Lavakare, P. J. Isotopic composition and energy spectrum of low-energy helium nuclei in primary radiation ---------- 215-232
Dakhkil'gov, T. D. On the problem of the effect of overburden and formation pressure on the physical properties of rocks ---------- 215-147
See also Shurman, G. A.
Dakhnov, V. N. Modern possibilities and some paths of future development of geophysical logging methods in the field of studying the section of gas wells ---------- 207-116
—— Nomogram for the determination of porosity according to the volumetric and mineralogic density of a rock, and also according to the density of the medium impregnating its pores ---------- 206-289
—— On the effect of clay content on the value of specific resistivity and of the porosity parameter of sandstone reservoirs ---------- 207-119
—— On the problem of determining the specific resistivity of formation waters of argillaceous reservoirs and study of their surface conductivity ---------- 205-98
—— Use of the time factor in interpretation of the results of borehole investigations by the resistivity method ---------- 205-97
Dakhnov, V. N., and Dobrynin, V. M. Determination of specific surface and permeability of sandstone reservoirs according to data of the method of potentials of induced polarization ---------- 206-121
Dakhnov, V. N., and Shapiro, D. A. On the stresses on the cable in inclined wells ---------- 205-106
d'Albissin, Micheline. The traces of deformation in calcareous rocks ---------- 207-343
Dalrymple, G. B. Argon retention in a granitic xenolith from a Pleistocene basalt, Sierra Nevada, California ---------- 210-1
See also Cox, A. V.
Dalseide, Helge. See Gjellestad, Guro.
Dal'yan, I. B., and Sydykov, Zh. Geothermal conditions of the Aktyubinsk area near the Urals ---------- 211-176

Abstract

D'Ambrosi, C., and Mosetti, Feruccio. Preliminary results of hydrological research for the new Gorizia acqueduct 206-108

Damon, P. E., Erickson, R. C., and Livingston, D. E. K-Ar dating of Basin and Range uplift, Catalina Mountains, Arizona 204-12

Damon, P. E., and Green, W. D. Investigations of the helium age dating method by stable isotope-dilution technique 211-2

Damon, P. E., Haynes, C. V., and Long, Austin. Arizona radiocarbon dates V 214-14

Daneš, Z. F. Mathematical formulation of salt-dome dynamics 212-191

Danilov, Yu. S. See Yefimov, I. A.

Darbyshire, J. A study of microseisms in South Africa 208-284

Dasch, E. J. See Erickson, M. P.

Das Gupta, S. C. On transmission of pressure to ocean botton for generation of microseisms 207-296

Datypov, Zh. A nomogram for constructing a refracting horizon by the t_0 method 211-294

Daubin, S. C. Deep-sea buoy systems 209-351

Dauvillier, Alexandre. On the cosmic origin of tektites 213-45

—— On the mechanism of polar wanderings. Seismicity, variation of latitudes and length of the day 215-264

Davies, J. G. See Brierley, D. M.

Davino, André. See Kollert, Rudolf

Davis, B. T. C. Pyroxenes and associated minerals in the crust and mantle--The system enstatite-diopside at 30 kilobars pressure 208-228

Davis, B. T. C., and England, J. L. Pyroxenes and associated minerals in the crust and mantle-Melting of forsterite, Mg_2SiO_4, at pressures up to 47 kilobars 208-231

—— The melting of forsterite up to 50 kilobars 209-259

See also Boyd, F. R.

Davis, C. R. Graphic method for analysis of the velocity records 215-342

Davis, E. M. See Tamers, M. A.

Davis, G. L., Tilton, G. R., Aldrich, L. T., Hart, S. R., Steiger, R. H., and Kouvo, Olavi. The ages of rocks and minerals 208-4

See also Hart, S. R.

Davis, J. R., and Rohlfs, D. C. Lunar radio-reflection properties at decameter wavelengths 214-45

Davis, Leverett, Jr. See Midgley, J. E.

Davis, Raymond, Jr., Stoenner, R. W., and Schaeffer, O. A. Cosmic-ray produced Ar^{37} and Ar^{39} activities in recently fallen meteorites 211-37

Davis, S. N., and Karzulović K., Juan. Landslides at Lago Riñihue, Chile 208-76

Davis, W. E., Kinoshita, W. T., and Smedes, H. W. Bouger gravity, aeromagnetic, and generalized geologic map of East Helena and Canyon Ferry quadrangles and part of the Diamond City quadrangle, Lewis and Clark, Broadwater, and Jefferson Counties, Montana 209-312

Davydov, B. I. On the statistical theory of nonhomogeneous turbulence 206-198

Davydov, N. G. See Kunin, N. Ya.

Davydov, V. I., and Mishen'kin, B. P. Modification of the amplifier of the SS-24p seismic station for deep seismic sounding and correlation refraction operations 215-347

Davydova, N. I. Comparison of the dynamic characteristics of longitudinal head and diffracted seismic waves 211-80

—— On the dependence of the dynamic characteristics of diffracted seismic waves on the parameters of the medium according to modelling data 211-79

Abstract

Dawson, E., and Loomer, E. I. The North Magnetic Dip Pole ----- 207-238

Dawson, G. B. The nature and assessment of heat flow from hydrothermal areas ----- 211-180

Dawson, G. B., and Fisher, R. G. Diurnal and seasonal ground temperature variations at Wairakei ----- 211-179

See also Robertson, E. I.

Dawson, K. R. Catalogue of the Canadian National Meteorite Collection listing acquisitions to March 31, 1963 ----- 204-32

Dayev, D. S. Analysis of some variants of airborne electrical surveying ----- 204-128

Deacon, G. E. R. With "Discovery" in the Indian Ocean ----- 209-346

de Alvarez, M. G. Definitions of the geomagnetic equator ----- 204-240

Dean, W. C. Seismological applications of Laguerre expansions ----- 209-124

Deans, T. Reply [to comments on "Isotopic composition of strontium in carbonatites"] ----- 211-209

de Arenal, R. See Strella, E. P. P.

DeBreuck, W. See Crozaz, G., and Picciotto, E. E.

De Carli, P. S., Pepin, R. O., Reynolds, J. H., and Turner, Geoffrey. Shock emplaced argon in a stony meteorite ----- 211-41

See also Frederiksson, Kurt.

Dechend, Wilfried, and Gronwald, Walther. Crustal movements and sea level fluctuations in the coastal region of the southern North Sea ----- 205-156

De Chow, E. See Jensen, M. L.

Decker, R. W. See Lessing, Peter.

Deehr, C. S. See Romick, G. J.

Deevey, E. S., and Nakai, Noboyuki. Fractionation of sulfur isotopes in lake waters ----- 211-216

DeFelice, J. See Fireman, E. L., and Tilles, David.

Defouw, R. J. See Bell, Barbara.

Degaonkar, S. S. Variation of the geomagnetic field with solar activity at Tucson ----- 205-229

Degens, E. T. Genetic relationships between the organic matter in meteorites and sediments ----- 213-19

Degens, E. T., and Epstein, Samuel. Oxygen and carbon isotopes in coexisting calcites and dolomites from recent and ancient sediments ----- 209-266

Deich, S., Pastel's, P., Krylov, A. Ya., Silin, Yu., and Ravich, M. A. Comparative data on the absolute age of rocks of Queen Maud Land (Antarctica) ----- 213-13

Deines, P. See Weber, J. N.

Delaplanche, Jacques, Hagemann, R. F., and Bollard, P. G. C. An example of the use of synthetic seismograms ----- 204-328

See also Aynard, C.

de Lapparent, A. F., and Bordet, Pierre. Volcanism in central Afghanistan ----- 212-350

Delaroche, Michel. See Corcuff, Yvonne.

Delbos, Léon. Absolute age measurements on the Precambrian formations of Madagascar ----- 210-10

—— Ages of pegmatite mineralizations and of the host rocks of west central Ikalamavony-Matsiatra zone of Madagascar ----- 208-13

Deleveaux, M. H. See Cannon, R. S., Jr.

Delhal, J. See Cahen, Lucien.

Delibrias, Georgette, Gullier, M. T., and Labeyrie, J. Saclay natural radiocarbon measurements I ----- 214-29

See also Bibron, Roland.

Delitsin, I. S. See Ryabinin, Yu. N.

Demenitskaya, R. M. See Gladun, V. A.

Abstract

Dement'yev, V. A. See Mayorov, V. V.
Demidenko, S. G. See Shcherbank, M. P.
Demidenko, Yu. B. Nomogram for processing seismic logging data and calculating theoretical traveltime curves of reflected waves --- 206-309
Demidenko, Yu. B., and Fabiyanskiy, Ch. V. Use of the SSM-57 station with intermediate magnetic recording in borehole seismic surveying --- 206-329
Demidenko, Yu. B., Manyuta, M. G., Lysenko, V.A., and Spikhina, L. M. Results of seismic investigations in eastern Ukraine --- 213-325
Demidovich, O. A. On the use of methods of mathematical statistics in exploration geophysics --- 208-163
—— Some results of application of statistical analysis to data of mining electrical surveying --- 214-106
Demikhovskaya, E. M., and Kuznetsov, V. P. Features of the attenuation of energy from surface focuses of earthquakes --- 204-62
See also Kuznetsov, V. P.
de Morais, M. X. Radioactivity of a hornblende melteigite from the Quiculungo quarry (Golongo-Alto, Angola) --- 205-292
—— Radioactivity of a samarskite from Angola --- 205-293
Dem'yanovskaya, Ye. I. On the problem of the use of logging to solve some hydrogeologic problems in the Lvov-Volyn basin --- 208-148
Den, Nozomu. See Murauchi, Sadanori.
Denham, David. The use of geophone groups to improve the signal-to-noise ratio of the first arrival in refraction shooting --- 208-321
Den Hartog, S. L., and Ostenso, N. A. Gravity and magnetic observations from Ice Island ARLIS-II, 1 July to 6 October, 1961 --- 207-202
Denisenko, A. Ye. See Garris, M. A.
Denisik, S. A., Rezanov, R. A., and Likhminskiy, B. Ye. Calculation of the space-time distribution of neutrons by a Monte Carlo method --- 207-306
DeNoyer, John. See Willis, D. E.
Depereux, Joseph. See Villée, Freddy.
Depietri, Carlo. On the secular variation of the geomagnetic field - 215-245
Deresiewicz, H. The effect of boundaries on wave propagation in a liquid-filled porous solid: VI. Love waves in a double surface layer --- 209-142
—— The effect of boundaries on wave propagation in a liquid-filled porous solid: VII. Surface waves in a half-space in the presence of a liquid layer --- 209-143
Deresiewicz, H., and Rice, J. T. The effect of boundaries on wave propagation in a liquid-filled porous solid: V. Transmission across a plane interface --- 209-141
Dergachev, N. I., and Malovichko, A. K. On the effect of cartographic errors on the accuracy of determination of the correction for the effect of relief in gravity observations -- 205-169
Derham, C. J., and Geake, J. E. Luminescence of meteorites --- 209-29
Deryn, A. M. See Gurevich, Yu. M.
Desio, Ardito, and Marussi, Antonio. On the geotectonics of the granites in the Karakorum and Hindu Kush Ranges (central Asia)- 208-205
Desio, Ardito, Marussi, Antonio, and Caputo, Michele. Glaciological research of the Italian Karakorum expedition 1953-1955 -- 208-157
De Sitter, L. U. Problems of geotectonics --- 211-132
Dessler, A. J. See Maer, Kemp, Jr., and Parker, E. N.
Deumer, J. M., Gilot, E., and Capron, P. C. Louvain natural radiocarbon measurements II --- 214-20

Abstract

Deutsch, Sarah. See Pasteels, Paul, and Silver, L. T.
Devirts, A. L. See Velichko, A. A., Vinogradov, A. P.
DeWitt, R. N. See Wescott, E. M.
De Witte, A. J. On the statistics of fault plane solutions of earthquakes ---- 204-94
Deza Suárez, Antonio. Multiple test wells in the area of San Lorenzo, Tamaulipas ---- 215-338
— Noise analysis in the San Lorenzo, Tamaulipas, area ---- 215-339
Dickey, D. C. Effects of the GNOME nuclear explosion upon rock salt as measured by acoustical methods, ---- 213-137
Dickson, G. O. The palaeomagnetism of Peat's Ridge dolerite and Mt. Tomah basalt ---- 207-281
Die Umschau. A new method of determining the absolute age of rocks ---- 213-2
Dietrich, Günter. General Oceanography ---- 213-345
Dietz, R. S. A re-cycled Hydrosphere? ---- 210-233
— A theory of ocean basin origin ---- 211-139
— Ocean-basin evolution by sea-floor spreading ---- 205-150
— Origin of continental slopes ---- 209-206
— Sudbury structure as an astrobleme ---- 215-44
Dietz, R. S., and Buffington, E. C. Panamint Crater, California—Not meteoritic ---- 212-88
See also Lafond, E. C., and Middlehurst, B. M.
DiFilippo, Domenico, and Peronaci, Francesco. Contribution to the tectonics of the Dinaric Alps (Seismic period of January 1962) - 208-96
— Earthquakes of fracture and relations with the structure in the east Alps ---- 210-150
— Preliminary report on the physical nature of the phenomenon that gave rise to the Irpine earthquake swarm of August 1962 ---- 210-140
— The seismicity of the "faulted field" of the Aterno ---- 213-71
Dill, R. F. See Shepard, F. P.
Dimakov, A. I., and Sheptunov, V. P. Nomogram for interpretation of traveltime curves of multiple reflections ---- 211-295
Diment, W. H., and Robertson, E. C. Temperature, thermal conductivity, and heat flow in a drilled hole near Oak Ridge, Tennessee ---- 204-192
Diment, W. H, and Werre, R. W. Terrestrial heat flow near Washington, D. C. ---- 211-169
See also Stewart, S. W.
Dinesen, Birthe. Geoelectrical survey of the Limfjord area in Vester Hasing. Geochemical and geophysical properties of the control bore holes ---- 211-99
Divari, N. B. Calculation of the rate of fall of some specimens of the Sikhote-Alin meteorite shower ---- 210-60
— Phenomena accompanying the fall of the meteorite shower, and its atmospheric trajectory ---- 209-34
Dix, C. H. Comments on explosion studies in the Tulsa area—A letter ---- 208-217
Dixey, F. Geology, applied geology (mineral resources), and geophysics in Africa ---- 209-196
Dlabač, Mikuláš. Some geologic knowledge concerning the area of the Danube Lowland acquired through seismic-reflection measurements ---- 211-309
— The relation of fault tectonics to lithologic development of the Miocene and Pliocene complexes in the Danubian Basin ---- 209-191
Dlabač, Mikuláš, and Menčík, Eduard. Geological structure of the western part of the outer Carpathians in the territory of the Czechoslovakian Socialist Republic ---- 210-249
Dmitriyev, N. D. See Votakh, O. A.
Dobkina, E. I. See Velichko, A. A., and Vinogradov, A. P.

Abstract

Dobrev, T. B., and Pishchalov, S. S. Combined geologic interpretation of gravity-magnetic and seismic data for the territory of Bulgaria, Paper 2 ---------- 209-243

—— On the deep structure of the Misiy platform and adjacent areas according to geologic and geophysical data ---------- 203-199

—— The deep crustal structure of Bulgaria according to regional gravity and magnetic data ---------- 204-189

See also Pichatalov, St.

Dobrin, M. B. Modern techniques of geophysical exploration ---------- 208-162

Dobrin, M. B., and Rimmer, W. G. Regionals and residuals in seismic prospecting for stratigraphic features ---------- 208-308

Dobrin, M. B., and Van Nostrand, R. G. Review of current developments in exploration geophysics ---------- 205-121

Dobrokhotov, Yu. S., Belikov, B. D., Kramer, M. V., and Barsenkov, S. N. Tidal variations of gravity in Pulkovo ---------- 205-63

Dobrokhotov, Yu. S., Ostrovskiy, A. Ye., and Pertsev, B. P. Gravimetric and tilt stations for observations of Earth tides ---------- 213-114

See also Pariyskiy, N. N.

Dobrovolny, Ernest, Lemke, R. W., Bowes, William, Thomas, Herbert, and Bravo S., Nelson. Relation between geology and the damage in Puerto Montt, Chile, caused by the earthquake of 22 May 1960 ---------- 208-68

Dobrovol'skaya, T. I. See Gorbach, L. P.

Dobrovol'skiy, V. P. Electrical survey investigations in engineering-geologic explorations in conditions of "unbroken" distribution of permafrost (region of the Ust-Botuob lines of the Vilyui hydro project) ---------- 209-177

—— On the features of the make-up of a geoelectrical section that are produced by the presence of perenially frozen rocks (the permafrost geoelectrical section) ---------- 209-194

—— On the nature of the permafrost aspect of vertical electrical sounding curves ---------- 209-176

—— On the principles of regionalization of permafrost districts for purposes of electrical surveying in investigations under hydroelectric developments ---------- 209-178

Dobrynin, V. M. Change of the physical properties of sandstones under the action of hydrostatic pressure ---------- 207-140

See also Dakhnov, V. N.

Dodd, R. T., Jr., Salisbury, J. W., and Smalley, V. G. Crater frequency and the interpretation of lunar history ---------- 215-51

Dodson, H. W., and Hedeman, E. R. Problems of differentiation of flares with respect to geophysical effects ---------- 213-261

Dodson, M. H. Further argon age determinations on slates from southwest England ---------- 210-12

See also Allen, P.

Doell, R. R. See Cox, A. V.

Doi, Kazumi. Radioactivity of metamorphic rocks in Onnagawa district, Niigata Prefecture ---------- 214-269

Dokuchayev, V. P. See Grigor'yev, G. I.

Dolginov, S. Sh., and Pushkov, N. V. On some results of the Earth's magnetic field investigations in outer space ---------- 210-293

Dolginov, S. Sh., Yeroshenko, Ye. G., Zhuzgov, L., and Pushkov, N. V. A study of the magnetic field of the Moon ---------- 209-59

Dolginov, S. Sh., Zhuzgov, L. N., Pushkov, N. V., Tyurmina, L. O., and Fryazinov, I. V. Some results of measurements of the constant geomagnetic field above the USSR from the third artificial Earth satellite ---------- 205-221

—— Some results of the constant geomagnetic field measurements carried out from Sputnik III over the territory of the U.S.S.R. -- 210-294

Abstract

Dolgushin, L. D. Velocity of motion of Antarctic glaciers from repeated airphoto surveys and morphologic data 207-174
Dolitskiy, A. V., and Kiyko, I. A. On the causes of deformation of the Earth's crust 207-156
Doll, H. G., Tixier, M. P., and Segesman, F. Recent developments in well logging in the U.S.A. 215-150
—— Recent developments in well logging in the U.S.A. 214-114
Dollar, A. T. J. The seismicity of the Cornubian Peninsula in relation to its structure 210-143
Dollfus, Audouin. High resolution photographs of certain lunar regions 209-70
Domanitskiy, Ye. A., and Strunskiy, M. G. Measurements of natural electrical field in the sea 213-59
Domzalski, W. Some trends in mineral resources exploration, with particular references to airborne methods 210-226
Donath, F. A. Strength variation and deformation behavior in anisotropic rock 211-324
Donato, R. J. Amplitude of the head wave near the critical angle 209-154
—— The S head wave at a liquid-solid boundary 208-127
Donn, Bertram. The origin and structure of icy cometary nuclei 215-67
Donn, W. L. Alaskan earthquake of 27 March 1964: remote seiche stimulation 213-67
Donnelly, T. H. See Baker, George.
Donnelly, T. W. Evolution of eastern Greater Antillean Island Arc 212-194
Doodson, A. T., and Lennon, G. W. A measure of the accuracy of a single harmonic analysis 205-70
Dooley, J. R., Jr., Tatsumoto, Mitsunobu, and Rosholt, J. N., Jr. Radioactive disequilibrium studies of roll features, Shirley Basin, Wyoming 213-240
Dopp, S. Preliminary note on a refracted P phase in the Western Rift Valley of Africa 213-102
Dorman, James. See Oliver, J. E., and Takeuchi, Hitoshi.
Doussaint, Louis. See Allègre, Claude.
Douze, E. J. Rayleigh waves in short-period seismic noise 215-306
Dow, Willard, and Stillman, S. L. Inverted echo sounder 204-351
Doyel, W. W., Moraga B., Aldo, and Falcon M., Eduardo. Relation between the geology of Valdivia, Chile, and the damage produced by the earthquake of 22 May 1960 208-70
Doyle, R. G., Young, R. S., and Wing, L. A. A detailed economic investigation of aeromagnetic anomalies in eastern Penobscot County, Maine 204-284
Draheim, H. The Giessen-St. Gotthard-Brissago geoid profile 215-162
Drake, C. L. World rift system 215-165
Drake, C. L., Campbell, N. J., Sander, George, and Nafe, J. E. A mid-Labrador Sea ridge 208-356
Drake, C. L., and Girdler, R. W. A geophysical study of the Red Sea 214-119
Drake, C. L., Heirtzler, J. R., and Hirshman, Julius. Magnetic anomalies off eastern North America 204-283
See also Heezen, B. C., and Nafe, J. E.
Drake, F. D. See Heiles, C. E.
Drake, J. M. See Bell, W. E.
Dreimanis, Aleksis. Notes on the Pleistocene time-scale in Canada 215-3
Dreux, Philippe, and Rémy, J.-M. The volcanic manifestations of Possession Island (Crozets Archipelago) 207-354
Droste, Zofia, Dziewonski, A., and Hordejuk, Józef. Application of condensers in seismograph-galvanometer systems 207-67
See also Nguyen, K. M.
Drummond, J. M. An appraisal of fracture porosity 215-354

Abstract

Drysdall, A. R., and Garrard, P. Significance of the radiometric ages of the Nchanga and Lusaka granites, Northern Rhodesia --- 215-17

Duarte V., H. See Caldera, J. M.

Dubansky, Alois. Determination of absolute age of rocks by the potassium-argon method --- 208-6

Dubik, Yu. M. See Markhinin, Ye. K.

Dubois, R. L., and Carey, W. W. Magnetic investigations of a ring dike, Buell Park, Arizona --- 214-231

 See also Laidley, R. A.

Dubost, Henry, and Lefort, Marc. Diffusion of tritium out of iron samples in relation to tritium content in meteorites --- 208-42

Dubourdieu, Georges. The Algerian corridors safe from earthquakes --- 211-67

Dubrovskiy, V. G., and Kramarenko, S. A. Some additional comments on the diurnal and geographic distribution of ionospheric and magnetic-ionospheric disturbance --- 207-254

Duchesne, Jules. See Villée, Freddy.

Duda, S. J. Strain release in the circum-Pacific belt, Chile: 1960 - 204-61

 See Also, Båth, Markus.

Due Rojo, Antonio. Seismic notes, 1961 --- 206-64

—— Seismic notes for 1962 --- 212-113

DuFresne, E. R., and Anders, Edward. Chemical evolution of the carbonaceous chondrites --- 208-21

Dumitrashko, N. V., Liliyenberg, D. A., and Budagov, B. A. Relief and recent tectonics of the southeastern Caucasus --- 204-168

Dunayev, V. A., and Durneva, N. N. The age of some Ural micas determined by the Rb-Sr method --- 210-52

Duncan, R. A. Luni-solar variations in the ionosphere --- 213-271

Dungey, J. W. See Smith, E. J.

Durneva, N. N. See Dunayev, V. A.

Duska, Leslie. A rapid curved-path method for weathering and drift corrections --- 206-293

Dutta, Subhas. Note on the propagation of Love waves in a certain type of heterogeneous layer lying on homogeneous medium --- 209-155

—— On the propagation of Love waves in a non-homogeneous internal stratum of finite depth lying between two demi-infinite isotropic media --- 207-78

Dvořák, Arnošt. The influence of geological conditions on the propagation of vibrations from blasting --- 214-97

Dvorkin, I. L. See Alekseyev, F. A.

Dvorkin, L. B. Leaching in the vicinity of the shaft of a borehole -- 213-155

Dvulit, P. D. See Lavrent'yeva, Ye. V.

Dwornik, E. J. See Chao, E. C. T.

D'yachkova, A. Ya. Investigation of some dynamic features of head waves of models --- 213-127

Dyadin, N. N. See Garris, M. A.

Dyadkin, I. G., Zhezhnich, I. D., Zverev, G. N., and Rubinskiy, M. A. On the solution of the equations of the scattering of neutrons or gamma-quanta in multilayered mediums by the method of dual collisions and statistical sums --- 207-305

D'yakonov, D. I. See Vasil'yev, Yu. M.

D'yakonov, Ye. G. See Volodarskiy, R. F.

D'yakonova, M. I. Chemical composition of the Sikhote-Alin meteorite --- 210-77

D'yakonova, M. I., and Kharitonova, V. Ya. Chemical composition of the chondrules of the Nikolsk and Saratov Meteorites --- 210-65

Dychko, I. A. Organization and some results of observations of gravity variations with the GS-11 gravimeter at Poltava --- 208-110

Dyck, Willy. Variation of the radiocarbon concentration with time - 215-228

Abstract

Dyck, Willy, and Fyles, J. G. Geological survey of Canada radiocarbon dates III ------ 214-21

Dyk, Karl. Brief discussion of "The Gnome Symposium" ------ 204-124

Dzhafarov, Kh. D., and Ismailova, Kh. A. On the interpretation of sounding curves of KN type ------ 204-132

Dzhafarov, R. D. See Kuznetsov, V. P., and Ragimov, Sh. S.

Dzhanayev, M. M. Effectiveness of ground magnetic surveying in geologic mapping of covered areas of Central Kazakhstan ------ 213-286

Dzhanuzakov, K., and Gorbunova, I. V. The Son-Kul'sk earthquake of October 13, 1958 ------ 213-73

Dzhapiashvili, V. P., and Ksanfomaliti, L. V. First results from observations of the Moon by means of a polarimeter ------ 209-84

Dziewonski, A. See Droste, Zofia.

Dziunikowski, B. See Czubek, Jan.

Dźwinel, Jerzy. See Kostecki, Andrzej.

Dzyurak, M. D. See Shcherbinin, V. A.

E

Eardley, A. J. Polar rise and equatorial fall of sea level since the Cretaceous ------ 214-132

Easterbrook, Donald J. Late Pleistocene glacial events and relative sea-level changes in the northern Puget Lowland, Washington ------ 208-8

Easton, W. H. New evidence for a 40-foot shore line on Oahu ------ 208-165

Eaton, J. P. Crustal structure from San Francisco, California, to Eureka, Nevada, from seismic-refraction measurements ------ 204-208

See also Macdonald, G. A., and Richter, D. J.

Eberhard, Oskar. Earth tide observations, pt. 2. Results of the 1960 horizontal pendulum recordings of the First Division of the German Geodetic Research Institute in Berchtesgaden ------ 212-129

Eberhardt, Peter, Ferrara, Giorgio, and Tongiorgi, Ezio. Determination of the age of the allochthonous granites of the northern Apennine ------ 206-15

Eberhardt, Peter, Geiss, Johannes, Houtermans, F. G., and Signer, Peter. Age determinations on lead ores ------ 207-17

Eberhardt, Peter, Geiss, Johannes, and Lutz, H. Neutrons in meteorites, in Earth science and meteroritics ------ 210-82

Eckhardt, D. H. Geomagnetic induction in a concentrically stratified earth ------ 206-59

Eckhardt, D. H., Larner, K., and Madden, T. Long-period magnetic fluctuations and mantle electrical conductivity estimates ------ 206-60

Edeleva, N. P. See Yudin, I. A.

Edgerton, H. E., and Hayward, G. G. The "boomer" sonar source for seismic profiling ------ 213-317

See also Nalwalk, A. J.

Eguía Huerta, Armando, and A. Orozco, J. L. Diffraction as a means of seismologic interpretation ------ 208-319

See also Islas Leal, Juventino.

Egyed, László. The dynamic theory of the Earth ------ 206-155

—— The satellite geoid and the structure of the Earth ------ 213-237

Ehhalt, D. See Brinkmann, R.

Ehmann, W. D. New determinations of iridium and tantalum in meteoritic materials (an interim report) ------ 204-35

See also Setser, J. L.

Eiby, G. A. Earthquakes in Northland ------ 214-69

—— The New Zealand Sub-crustal Rift ------ 212-119

Eichler, R. See Brinkmann, R.

Abstract

Eklund, C. R., and Beckman, Joan. Antarctica. Polar Research and discovery during the International Geophysical Year -------- 210-224

Ekman, Stig-Rune. Subglacial sedimentation, with examples from Northern Sweden -------- 207-338

Ekren, E. B. See Frischknecht, F. C.

Elasser, W. M. Early history of the Earth, in Earth science and meteoritics -------- 210-261

El-Hinnawi, E. E. Petrochemical characters of African volcanic rocks--Pt. 1, Ethiopia and the Red Sea region (including Yaman and Aden) -------- 212-352

See also Wickman, F. E.

Ellanskiy, M. M., Gorbunova, V. I., and Romanova, T. F. Study of the reservoirs of the Leningrad district by geophysical logging methods in surveying the area for underground storage of gas -------- 207-127

See also Yevdokimova, V. A.

Elliott, F. E. Choosing oceanographic platforms -------- 209-352

Ellis, J. G., and Sharp, R. A. Sharp laboratories measurements I -------- 214-15

Ellis, R. M. See Vozoff, Keeva.

Ellyett, C. D., and Fraser, B. J. On the correlation of meteors with micropulsations -------- 205-249

Ellyet, C. D., and Keay, C. S. L. Effect of the Moon on terrestrial meteor rates -------- 210-87

See also Fraser, B. J., and Tinsley, B. A.

Elphick, J. O. See Suggate, R. P.

Embree, Peter, Burg, J. P., and Backus, M. M. Wide-band velocity filtering—the pie-slice process -------- 206-294

Emery, C. L. Strain energy in rocks, -------- 210-346

Emery, K. O., and Schlee, J. S. The Atlantic Continental Shelf and slope, a program for study -------- 204-349

See also Uchupi, Elazar.

Emiliani, Cesare. Paleotemperature analysis of the Caribbean cores A254-BR-C and CP-28 -------- 210-278

Emiliani, Cesare, and Flint, R. F. The Pleistocene record -------- 208-355

Emiliani, Cesare, and Mayeda, Toshiko. Oxygen isotopic analysis of some molluscan shells from fossil littoral deposits of Pleistocene age -------- 209-268

See also Rosholt, J. N.

Emrich, G. H., and Lucas, H. F., Jr. Geologic occurrence of natural radium-^{226} in ground water in Illinois -------- 205-216

Emslie, R. F. Potassium-argon age of the Michikamau anorthositic intrusion, Labrador -------- 211-13

Endo, Kunihiko. See Kigoshi, Kunihiko.

Enescu, Dumitru. Determination of the energy of Carpathian earthquakes by means of dislocation theory -------- 214-76

See also Constantinescu, Liviu.

Engdahl, E. R. See Gordon, D. W.

Engel, A. E. J., and Engel, C. G. Composition of basalts from the Mid-Atlantic Ridge -------- 212-351

See also Wasserburg, G. J.

Engel, C. G. See Engel, A. E. J., and Wasserburg, G. J.

Engel, K. H. On the origin of the Moon's surface features, pt. II. Radial surface structures and the origin of lunar craters -------- 207-34

—— On the origin of the Moon's surface features. Pt. 3—Annular relief structures and lunar craters -------- 209-52

—— The figure of the Moon -------- 206-44

—— The origin of lunar craters: The volcanistic hypothesis -------- 206-50

Engelhardt, Wolf von, and Hörz, Friedrich. High pressure glasses in the Nördlinger Ries -------- 213-22

Engels, Joan. See Kulp, J. L.

Abstract

England, J. L. See Boyd, F. R., and Davis, B. T. C.

Epstein, Samuel. See Degens, E. T.

Erickson, M. P., and Dasch, E. J. Geology and hydrothermal alteration in northwestern Black Mountains and southern Shauntie Hills, Beaver and Iron Counties, Utah -------- 212-289

Erickson, R. C. See Damon, P. E.

Ericson, D. B. Cross-correlation of deep-sea sediment cores and determination of relative rates of sedimentation by micropaleontological techniques -------- 208-354

Erozolimskiy, B. G. See Alekseyev, F. A.

Espersen, J. Scandinavian geophysicists start a new association --- 214-125

Ess, John. See Clay, C. S.

Evans, C. R., Steiner, J., and Weiner, J. L. Age-dating studies on Precambrian rocks at Jasper, Alberta -------- 210-5

Evans, J. R. Xenotime mineralization in the southern Music Valley area, Riverside County California -------- 214-268

Evans, J. V. Radio echo studies of the Moon -------- 212-102

Evans, J. V., and Hagfors, T. On the interpretation of radar reflections from the Moon -------- 215-55

Evans, J. V., and Pettengill, G. H. The scattering properties of the lunar surface at radio wave lengths -------- 208-21

Evans, S. International co-operative field experiments in glacier sounding -------- 205-126

Everitt, C. W. F. See Wilson, R. L.

Everling, G. A proposal concerning the definition of shear strength and related concepts -------- 209-337

—— Comments upon the definition of shear strength -------- 215-348

Evernden, J. F., and Curtis, G. H. Dating of the "early man" of Olduvai Gorge -------- 204-17

Evison, F. F. Earthquakes and faults -------- 204-89

Ewald, Heinz. See Seibt, Walter.

Ewart, A. The Taupo Quaternary pumice sequence and its bearing on the prediction of future ash eruptions -------- 211-353

Ewing, J. I. Elementary theory of seismic refraction and reflection measurements -------- 208-323

—— The mantle rocks -------- 208-234

Ewing, J. I., Le Pichon, Xavier, and Ewing, Maurice. Upper stratification of Hudson apron region -------- 206-333

Ewing, J. I., and Nafe, J. E. The unconsolidated sediments ------ 208-327

See also Ewing, Maurice, and Houtz, R. E.

Ewing, Maurice, Ewing, J. I., and Talwani, Manik. Sediment distribution in the oceans: The Mid-Atlantic Ridge -------- 208-334

Ewing, Maurice, Ludwig, W. J., and Ewing, J. I. Sediment distribution in the oceans: The Argentine Basin -------- 211-334

See also Ewing, J. I., Fray, Charles, Heezen, B. C., and Sato, Yoshio.

Eydlin, R. A. See Morozov, M. D.

Eyring, Henry. See Gabrysh, A. F.

Ez, V. V. Tectonic conditions for the generation of strong earthquakes in the Czechoslovakian Carpathians -------- 215-170

F

Faass, D. L. See Van Melle, F. A.

Fabiyanskiy, Ch. V. See Demidenko, Yu. B.

Fadeyev, V. Ye. Some features of the deep structure of the Earth's crust in the southern part of the Caspian Sea -------- 215-218

Fagherazzi, G. See Colombo, U.

Fahey, J. J. See Chao, E. C. T., and Skinner, B. J.

Abstract

Fahrig, W. F., and Wanless, R. K. Age and significance of diabase dyke swarms of the Canadian Shield ---------- 208-9
See also Gaucher, E. H.

Fairbairn, H. W., Faure, G., Pinson, W. H., Jr., Hurley, P.M., and Powell, J. L. Initial ratio of strontium 87 to strontium 86, whole-rock age, and discordant biotite in the Monteregian igneous province, Quebec ---------- 207-13

Fairbairn, H. W., Hurley, P. M., and Pinson, W. H., Jr. Preliminary age study and initial Sr-87/Sr-86 of Nova Scotia granitic rocks by the Rb-Sr whole-rock method ---------- 210-6
See also Faure, G. and Hurley, P. M.

Fajklewicz, Zbigniew. An attempt at plotting the roof of the Carboniferous layer in the Bd-mine by means of microgravity measurements ---------- 212-220

—— Detection of faults in the BD coal mine by means of microgravity measurements ---------- 212-219

—— Origin of gravity anomalies in the central part of the cis-Carpathian depression ---------- 213-212

Fajklewicz, Zbigniew, Kordylewski, Jerzy, and Kudelski, Gerard. Use of punch card Aritma computers for gravity and magnetic interpretation ---------- 205-166

Falcon M., Eduardo. See Doyel, W. W.

Faldus, Karel; Petr, Václav; Praus, Oldřich; and Tobyášova, Marta. A study of the electromagnetic field of a magnetic vertical dipole on the model of homogeneous half-space with a spherical cavity ---------- 207-102

Fandyumina, S. M. See Ostrovskiy, A. Ye.

Fanselau, Gerhard. Geomagnetic solar eclipse effect and irregularities of the Sq course ---------- 207-235

—— The expedition of the Geomagnetic Institute of the German Academy of Sciences in connection with the solar eclipse on February 15, 1961 ---------- 205-246

Fanselau, Gerhard, and Kautzleben, Heinz. The synoptic description of the main geomagnetic field and some results of its interpretation ---------- 207-227

Fara, H. D., and Scheidegger, A. E. The significance of regularities in multiple fault plane solutions of a single earthquake ---------- 213-83

Farberov, A. I. See Kirsanov, I. T., and Sirin, A. N.

Farmanova, N. V. See Afrikyan, A. N.

Farquhar, R. M., and Russell, R. D. A nomograph for the interpretation of anomalous lead isotope abundances ---------- 207-224
See also Slawson, W. F.

Fastabend, Hans, and Raupach, Friedrich von. Results of carbon-14 investigations on some sod soils of Emsland ---------- 205-10

Fatemi, Mohammad. Comparison of the telluric fields on the Morvan granitic massif and on the adjoining sedimentary basin ---------- 207-38

—— Effect of relief on the behavior of the telluric field in a granitic region ---------- 207-37

—— The telluric field in the granitic massif of Morvan and its vicinity, influence of topographic relief on the behavior of the telluric currents ---------- 208-57

Fatkullin, M. N. Lunar-diurnal magnetic field variations according to observations at the Kazan' Observatory ---------- 205-233

Faucherre, Jacques, and Michard, Gil. Geochemical study of the Biabaux sulfur deposit ---------- 209-270

Faul, Henry. Age and extent of the Hercynian complex ---------- 207-18

Faure, G., Hurley, P. M., Fairbairn, H. W., and Pinson, W.H., Jr. Age of the Great Dyke of Southern Rhodesia ---------- 209-12
See also Fairbairn, H. W., and Hurley, P. M.

Abstract

Faure, H., Manguin, E., and Nydal R. Lacustrine formations of the upper Quaternary of east Niger ---------- 205-7

Faust, L. Y. The Fargo field—a case history ---------- 206-334

Faustino, M. S., and Glover, F. N. A new magnetic earth inductor for field use ---------- 211-61

Fayn, E. Ye. See Satpayev, K. I.

Faynberg, F. S. See Metallova, V. V.

Faytel'son, A. Sh. On the problem of the evolution of the Earth's crust and isostasy ---------- 211-189

Fechtig, H., Gentner, W., and Lämmerzahl, P. Argon determinations on potassium minerals, pt. 12. Inert gas diffusion measurements on stone and iron meteorites ---------- 207-25

Federico, B. Traveltimes of P waves deduced from the study of the deep earthquake of the lower Tyrrhenian on January 3, 1960---------- 208-80
  See also Girlanda, Antonio.

Fedorchenko, V. I., and Shilov, V. N. The eruption of Chikurachki Volcano (Paramushir Islands) in 1961 ---------- 205-353
  See also Kirsanov, I. T.

Fedorov, M. V. See Kirsanov, I. T., Ivanov, B. V., and Zubin, M. I.

Fedorov, S. A. See Savarenskiy, Ye. F.

Fedorov, V. V. See Kaipov, R. L.

Fedorov, Ye. P. Nutation and forced motion of the Earth's Pole from data of latitude observations ---------- 212-130

Fedorovich, D. I. Determination of the thermophysical characteristics of the ground by use of electrical survey field equipment ---------- 211-95

Fedorovich, G. P. See Shcherbinin, V. A.

Fedotov, S. A., Bagdasarova, A. M., Kuzin, I. P., and Tarakanov, R. Z. On the seismicity and deep structure of the southern part of the Kurile Island Arc ---------- 211-69
  See also Goryachev, A. V.

Fedyakina, N. I. Type-II absorption and its relationship to magnetic field disturbance ---------- 210-297

Fedynskiy, V. V. Role of G. A. Gamburtsev in the development of geophysical methods of investigation of the crust ---------- 204-148

Fedyuk, V. I. See Krasulin, V. S.

Fejer, J. A. Atmospheric tides and associated magnetic effects ---------- 213-260
—— Theory of auroral electrojets ---------- 207-229
—— Theory of the geomagnetic daily disturbance variations ---------- 207-242

Fel'd, I. V. Experimental operations by the method of the electrical and magnetic field transient ---------- 205-90

Fel'dman, I. I. See Blyumentsev, A. M.

Fel'dshteyn, Ya. I. Auroras and magnetic activity in the neighborhood of the pole ---------- 205-235
—— Some problems concerning the morphology of auroras and magnetic disturbances at high latitudes ---------- 207-251

Feltz, H. R., and Hanshaw, B. B. Preparation of water sample for Carbon-14 dating ---------- 206-7

Feng, C.-L. On neotectonic movements on the territory of China according to the data of geomorphology, hydrography and sedimentation ---------- 213-183

Feng, H.-L. Results of tests of the method of the EP-1 electrical potential sonde for direct reading of apparent resistivity ---------- 206-124

Feng, Te-I. On calculating the effect of surface layers on the field of seismic waves ---------- 210-198

Fensler, W. E., Knott, E. F., Olte, A., and Siegel, K. M. The electromagnetic parameters of selected terrestrial and extraterrestrial rocks and glasses ---------- 209-94

Abstract

Feofilaktov, V. D. See Belotelov, V. L.
Fergusson, G. J. Recent C-14 data from upper troposphere ----- 204-228
Fergusson, G. J., and Libby, W. F. UCLA radiocarbon dates III - 214-35
Fernandez Alonso, Florencio. On the procedure of electrical soundings most favorable for mineral prospecting ------------- 209-180
Ferráes, S. G. A statistical method to determine the final direction of the slip-motion in earthquake mechanism -------------- 215-99
Ferrara, Giorgio. See Eberhardt, Peter.
Fesenkov, V. G. On the conditions of the fall to Earth of comets and meteorites -- 212-42
Fesenkov, V. G., and Krinov, Ye. L. Fall and study of the Sikhote-Alin iron meteorite shower ------------------------- 209-32
Field, G. B. The origin of the Moon -------------------------- 204-45
Fielder, Gilbert. A theory of the origin of lunar rilles, with particular reference to the Ariadaeus-Hyginus rille-system ------- 206-55
—— Erosion and deposition on the Moon------------------------ 207-30
—— Errors in the relative altitudes of points on the Moon's surface 206-49
—— Four major strike-slip faults on the Moon ----------------- 209-50
—— Results of first investigations of earth tides in Venezuela ----- 205-66
—— Strike-slip faulting in the Vaporum region of the Moon-------- 213-52
—— Terrestrial oceanic ridges and lunar mare ridges------------ 204-47
Fielder, Gilbert, Moore, Patrick, and Warner, Brian. Visual estimates of the depths of small craters on the Moon ---------- 206-53
Figueroa Huerta, Santos. Notes on new methods of seismic exploration -- 208-314
Filatov, V. A. See Konstantinov, G. N.
Filipescu, M. N., and Vincenţiu, I. A new method for extraction of argon from rocks for separation and determination by gas chromatography to establish the absolute age of rocks ---------- 213-1
Fiocco, G., and Colombo, G. Optical radar results and meteoric fragmentation --- 211-46
Fireman, E. L., DeFelice, J., and Tilles, David. Tritium and radioactive argon and xenon in meteorites and satellites -------- 211-36
See also Tilles, David.
Firsoff, V. A. Geology of the Moon --------------------------- 206-56
Firsov, L. V. Absolute age of the intrusive rocks of Kunashir and Urup Islands (Kurile Islands)--------------------------------- 213-11
—— First determinations of the absolute age of the granitic rocks of Sakhalin -- 213-10
—— Manifestations of Triassic magmatism in the Verkhoyan-Chukhotsk folded region ------------------------------------- 210-56
Fischer, Irene. Comments on comparison and combination of satellite with other results ---------------------------------- 205-139
—— The distance of the Moon---------------------------------- 210-232
Fisher, D. E. Lead-lead and uranium-lead ages of meteorites ---- 211-38
—— Non-destructive activation analysis of meteorites ------------ 212-67
—— The aluminum content of chondrite meteorites as determined by activation analysis ------------------------------------ 212-66
—— The fluorine content of some chondritic meteorites----------- 206-25
Fisher, R. G. Geothermal heat flow at Wairakei during 1958 ------ 211-181
See also Dawson, G. B.
Fisher, R. L., and Hess, H. H. Trenches ---------------------- 208-350
Fisher, R. V. Maximum size, median diameter, and sorting of tephra --- 207-359
Fiske, R. S., Hopson, C. A., and Waters, A. C. Mount Rainier Volcano -- 211-342
Fitch, F. H. Geological relationship between the Philippines and Borneo --- 205-157
Fitch, F. J., Miller, J. A., and Meneisy, M. Y. Geochronological investigations on rocks from North Wales ----------------- 204-18

Abstract
Fitch, F. W., and Anders, Edward. Organized element: possible identification in Orgueil meteorite ---------- 205-20
Flathe, H. Five-layer master curves for the hydrogeological interpretation of geoelectrical resistivity measurements above a two-story aquifer ---------- 208-136
—— New ways for the interpretation of geoelectrical resistivity measurements in the search for the delimitation of aquifers ----- 213-138
Fleagle, R. G. Recent and future trends in geophysics education--- 215-158
Fleischer, R. L., and Price, P. B. Fission track evidence for the simultaneous origin of tektites and other natural glasses ---- 213-25
—— Glass dating by fission fragment tracks ---------- 208-14
Fleischer, R. L., Price, P. B., and Symes, E. M. Fission-track ages and track-annealing behavior of some micas ---------- 209-1
Fleischer, Ulrich. Surface-ship gravity measurements in the North Sea ---------- 208-194
Flemming, N. C. Marine levels in south Italy ---------- 215-166
Flenov, Yu. P. See Butovskaya, Ye. M.
Flint, R. F. See Emiliani, Cesare.
Florenskiy, K. P. See Vinogradov, A. P.
Florenskiy, V. See Malinovskiy, Yu. M.
Fokeyev, V. M. See Polykovskiy, V. S.
Folinsbee, R. E., Baadsgaard, Halfdan, and Cummings, G. L. Dating of volcanic ash beds (bentonites) by the K-Ar method ----- 204-5
See also Baadsgaard, Halfdan and Burwash, R. A.
Fomina, Z. I. See Solntseva, N. T.
Fonarev, G. A. Vertical electric currents in the sea ---------- 211-56
See also Rokityansky, I. I.
Fontaine, Maxime, LeBorgne, Eugène, LeMouël, Jean, and Plessard, Claude. Anomalies of geomagnetic field variations in Corsica ---------- 211-54
Fonton, S. S. The use of the magnetic method for detecting meteorites and fragments of them ---------- 209-38
See also Krinov, Ye. L.
Fontseré, Eduardo. Earthquakes of Catalonia of the years 1959 to 1962 ---------- 212-115
Forbush, S. E. Theoretical and statistical geophysics ---------- 207-36
Forova, V. S. See Cherdyntsev, V. V.
Forsyth, P. A. See Niblett, E. R.
Fortunat, Wincenty. Results of research on straining and unstraining of marble from Dębnik quarry ---------- 211-330
Foster, M. R., Sengbush, R. L., and Watson, R. J. Design of sub-optimum filter systems for multi-trace seismic data processing ---------- 215-319
Fougere, P. F. Mutually consistent magnetic charts based on orthogonal functions ---------- 212-254
—— Reply ---------- 204-243
Fourmarier, Paul. The problem of the origin of the continents ---- 215-167
Fowler, W. A. Formation of light nuclei ---------- 208-25
See also Bernstein, W., and Wasserburg, G. J.
Fradkin, G. M. See Kaipov, R. L.
Francavaglia, A. See Battelli, O.
Francis, T. J. G. A seismic refraction section of the preglacial Teifi valley near Cenarth ---------- 214-299
Frank, L. A., Van Allen, J. A., and Craven, J. D. Large diurnal variations of geomagnetically trapped and of precipitated electrons observed at low altitudes ---------- 214-185
Frank-Kamenetskiy, D. A. The origin of the elements of the solar system ---------- 208-29
Frantsesson, Ye. V. Thermoelectric properties of natural solid solutions exemplified by the ilmenites from the kimberlites of Yakutia ---------- 204-138

Abstract

Frantsuzova, V. I. See Kukhtikova, T. I.

Frantti, G. E. Energy spectra for underground explosions and earthquakes ---- 204-99

—— Seismic energy from ripple-fired explosions ---- 208-135

—— Spectral energy density for quarry explosions ---- 204-121

—— The nature of high-frequency earth noise spectra ---- 204-295

Fraser, B. J., and Ellyett, C. D. Man-made magnetic micropulsations ---- 215-251

See also Ellyett, C. D.

Fraser, G. D., Witkind, I. J., and Nelson, W. H. A geologic interpretation of the epicentral area—the dual-basin concept ---- 210-129

—— Intensity, magnitude, and ground breakage ---- 210-125

Fray, Charles, and Ewing, Maurice. Pleistocene sedimentation and fauna of the Argentine shelf, I. Wisconsin sea level as indicated in Argentine continental shelf sediments ---- 206-12

Freden, S. C., and Paulikas, G. A. Trapped protons at low altitudes in the South Atlantic magnetic anomaly ---- 210-287

Frederiksson, Kurt, and De Carli, P. S. Shock emplaced argon in a stony meteorite. 1. Shock experiment and petrology of sample ---- 210-80

Frederiksson, Kurt, De Carli, P. S., and Aaramäe, A. Shock-induced veins in chondrites ---- 210-81

See also Keil, Klaus, and Nagy, Bartholomew.

Fredericks, R. W. See Bernstein, W.

Freeman, J. W., Jr. The morphology of the electron density distribution in the outer radiation zone and near the magnetospheric boundary as observed by Explorer 12 ---- 211-219

Fremd, V.M. Apparatus with memory for recording strong earthquakes ---- 204-106

Frey, F. A., and Haskin, Larry. Rare earths in oceanic basalts ---- 209-256

Fried, R. E. See Walton, Alan.

Friedman, Irving, Redfield, A. C., Schoen, Beatrice, and Harris, Joseph. The variation of the deuterium content of natural waters in the hydrologic cycle ---- 213-245

Friedemann, Helmut. Magnetometer for the measurement of inhomogenetites of the Earth's magnetic field ---- 211-243

—— Ring for seismic measurements on water ---- 205-326

Friedman, Howard, Becker, R. O., and Bachman, C. H. Geomagnetic parameters and psychiatric hospital admissions ---- 207-268

Friedman, Irving. The physical properties and gas content of tektites ---- 210-96

Friedman, Irving, Long, William, and Smith, R. L. Viscosity and water content of rhyolite glass ---- 206-356

Friedman, Irving, Smith, R. L., and Clark, Donovan. Obsidian dating ---- 215-6

See also Hall, W. E.

Friedman, Melvin. Petrofabrics ---- 211-326

Friedrich, G., Schachner, D., and Nielsen, Heims. Sulfur isotope investigations on sulfides from the ore occurrences of the Sierra de Cartagena in Spain ---- 212-246

Frischknecht, F. C., and Ekren, E. B. Evaluation of magnetic anomalies by electromagnetic measurements ---- 205-88

Fritsch, Volker. Electrical measurements on three dimensional conductors ---- 206-95

Fritz, J. N. See McQueen, R. G.

Frölich, Friedrich, and Stiller, Heinz. The nature of chemical bond of magnetite and consequences ---- 207-271

See also Stiller, Heinz.

Frolov, A. D. On appraising the possibilities of the ultrasonic method of monitoring the thickness and quality of frozen rock walls in sinking shafts by the freezing method ---- 209-173

Abstract

Frolov, A. I. Experimental determination of the subglacial relief of Antarctica from geophysical data ---------- 212-229
Frolov, A. I., and Stroyev, P. A. The attempt to determine gravity at sea with damped gravimeters ---------- 205-182
See also Gladun, V. A.
Frolov, P. P. On the establishment of an electromagnetic field --- 211-91
Frolov, V. Kh. On statistical methods of interpreting the graphs of electrical sounding ---------- 208-138
Frolova, A. V. See Gal'perin, Ye. I.
Fryazionov, I. V. See Dolginov, Sh. Sh.
Fu, L. K. Quantitative interpretation of electrical profiling data -- 206-105
Fuchs, Karl, Müller, Stephan, Peterschmitt, Elie, Rothé, J.-P., Stein, Albert, and Strobach, Klaus. Crustal structure of the West Alps according to seismic refraction measurements ------- 205-210
Fujino, Kazuo. See Tabata, Tadashi.
Fujiwara, Yoshiki. See Minato, Masao.
Fujiyama, Chikako. See Yamasaki, Fumio.
Fukushima, Naoshi, and Hirasawa, Takeo. Frequent occurence of local geomagnetic disturbance in high latitudes ---------- 211-232
See also Ohshio, Mitsuo.
Fukutomi, Takaharu. On the underground temperature in hot spring localities ---------- 205-203
Fuller, M. D. Expression of E-W fractures in magnetic surveys in parts of the U. S. A. ---------- 214-244
See also Nagata, Takesi.
Fulmer, C. V., and Roberts, W. A. Rock induration and crater shape ---------- 215-50
Funabiki, M. See Nishimura, Eiichi.
Furukawa, Toshitaro, and Sugai, Kanji. Reconnaissance survey of the radioactive intensity in the Hokonoko area, Kikuchi City, Kumamoto Prefecture ---------- 214-281
Fyles, J. G. See Dyck, W.

G

Gabła, Lubomir, Mokwa, Jozef, and Niewodniczański, Henryk. Spectral isotopic analysis of lead from Polish galena deposits --- 205-215
Gabrielse, H., and Reesor, J. E. Geochronology of plutonic rocks in two areas of the Canadian cordillera ---------- 215-15
Gabrysh, A. F., McKee, N. D., and Eyring, Henry. Determination of the radon emanation from carbonate rocks and its potential hazard in building materials ---------- 204-302
Gafarov, R. A. Structure of the folded basement of the East European platform according to geophysical data ---------- 206-128
—— Structure of the Precambrian basement of the northern Russian platform (according to the data of regional geophysical investigations) ---------- 211-163
Gair, F. C. See Alverson, R. C.
Galanapoulos, A. G. On mapping of seismic activity in Greece ---- 208-85
—— The Deluge of Deukalion from the geologic view ---------- 206-354
—— The Egyptian plagues and the Exodus of Israel from the geologic viewpoint ---------- 215-377
Galdin, N. Ye. See Afanas'yev, G. D., and Volarovich, M. P.
Gallant, L. C. Changes in the Earth's axis due to large meteorite collisions ---------- 207-143
Galli O., Carlos, and Sanchez R., Joaquin. Effects of the earthquakes of May 1960 in Concepçion and vicinity ---------- 208-67
—— Relation between the geology and the effects of the earthquakes of May 1960 in the city of Ancud and vicinity, Chiloé ---------- 208-66
—— Relation between geology and the effects of the earthquakes of May 1960 in the city of Castro and vicinity, Chiloé ---------- 208-65

Abstract

Gal'perin, Ye. I. Azimuthal method of observation of earthquakes 206-80

Gal'perin, Ye. I., and Frolova, A. V. Study of seismic waves by a combination of vertical and horizontal profiling 211-285

Gal'perin, Ye. I., and Zayonchkovskiy, M. A. Method and technique of deep seismic sounding (GSZ) at sea using submarines 214-294

See also Veytsman, P. S.

Galushko, P. Ya. Experimental determination of the coefficient of lateral thrust and coefficient of lateral linear deformation on rock samples and investigation of their dependence on the amount of stress 214-317

Galuzo, Yu. V. On the possibility of quantitative estimation of the gas saturation of reservoirs from data of the neutron-gamma method 206-281

—— Results of control by radiometric methods during the process of creating and exploiting the Kaluzh gas storage 206-287

Galuzo, Yu. V., and Poklonov, M. S. A technique of conducting radiometric investigations in wells under pressure 206-282

Galuzo, Yu. V., and Sevost'yanov, M. M. Study of the effect of the zone of infiltration of drilling mud filtrate on the effectiveness of distinguishing gas-bearing layers by the neutron-gamma method 206-279

Gaman, B. A. Nomogram for calculating the coefficients of four-point set-up with arbitrary electrode positions 213-142

Gamson, B. W. See Coolidge, J. E.

Gans, Philip. Log analysis on a small computer 206-111

Gantar, C. Direct comparison between the Italian Gravity Calibration Line and the French 206-175

Gantar, C., and Morelli, Carlo. Comparison between the Italian and Canadian calibrations by means of two La Coste and Romberg gravimeters along the southern part of the European calibration line 205-179

—— Contributions of the Experimental Geophysical Observatory of Trieste to the European gravity network 206-179

—— Gravimetric ties on the European Calibration Line and between the supporting stations to the intercontinental ties, with gravimeters of small field 206-176

—— New experimental data about temperature and pressure effects on Worden gravity-meters 205-178

—— On the national gravimetric base (Italian gravity calibration line) "Bologna-Ferrara" and on variation with time of the instrumental factor of the Worden gravimeter 206-174

—— Provisional adjustment 1962 of the southern part of the E. C. L. in the Italian standard for comparison purposes 205-186

—— The effect of temperature on the scale factor of the Worden gravimeter 206-169

See also Ciani, A.

Garavelli, C. L. Application of the radiometric method to the identification and to the study of uraniferous minerals present in traces 204-297

Garavelli, C. L. Contribution to the knowledge of natural radioactive disequilibria 204-296

—— Research on the enamation power of uraniferous and thoriferous minerals 204-298

García Rojas, Antonio. Notes on the use of multiple seismic detectors—Pt. 1, Detectors of equal sensitivity situated in a line 215-329

—— Seismologic apparatus with magnetic recording 206-320

—— Theory of seismic detectors with movable coil 208-315

García Rojas, Antonio, and Basurto García, J. Notes on the use of multiple seismic-detectors, pt. 2: Detectors of different sensitivities situated in a line or distributed in an area 206-324

Abstract

García Rojas, Antonio, Ochoa E., R., Valle T., E. del, and Basurto García, Jesús. Some perturbations that obsure the records of seismologic reflection------------ 206-299

Gardner, G. H. F. See Wyllie, M. R. J.

Garduño A., R. L. "Continuous velocity logging" and its application to use in the petroleum industry------------ 206-316

Garetskiy, R. G., Kolesnikov, Ye. M., Murav'yev, V. I., and Shlezinger, A. Ye. On the possibility of determining the absolute age of folding according to authigenic minerals in sedimentary rocks (exemplified by the folded basement of the southern Aral area)------------ 209-19

Garkalenko, I. A. See Sollogub, V. B.

Garlick, G. A. J. Luminescence of meteorites ------------ 210-85

Garner, E. L. See Rosholt, J. N., Jr.

Garrard, P. See Drysdall, A. R.

Garris, M. A., Dyadin, N. N., Denisenko, A. Ye., Lozovaya, L. S., Popov, Yu. N., and Solov'yeva, N. N. New data for the geochronological scale of the Urals------------ 210-53

Garris, M. A., and Pshenichnyy, G. N. On the age of the metasomatic rocks surrounding the Gay deposit ------------ 210-42

Garutt, V. Ye. See Geynts, A. Ye.

Gaskell, Robert. See Berg, J. W., Jr.

Gaskell, T. F. Boring deep into the Earth ------------ 207-216

—— Comparisons of Pacific and Atlantic Ocean floors in relation to ideas of continental displacement------------ 205-151

—— Interpretation of geophysical surveys------------ 212-179

—— Prospecting for oil in the North Sea ------------ 205-331

—— The study of oceanography and its bearing on exploration for oil ------------ 215-358

Gassmann, Fritz. Gravity measurements in the vicinity of Zürich - 204-188

Gast, P. W., and Hanson, G. N. Effects of contact metamorphism on Rb-Sr systems------------ 204-2

Gast, P. W., Tilton, G. R., and Hedge, Carl. Isotopic composition of lead and strontium from Ascension and Gough Islands ---- 215-233

See also Craddock, Campbell.

Gaucher, E. H., Larochelle, André, and Fahrig, W. F. Paleomagnetism of diabase dikes ------------ 215-267

Gaulon, Roland. See Blum, P.-A.

Gault, D. E. See Moore, H. J.

Gauntt, J. C., and Jenkins, R. E. The use of core analysis data to explain the abnormally low resistivities of some hydrocarbon-productive Simpson series sands in central Oklahoma------------ 206-117

Gaur, V. K. Electromagnetic model experiments simulating an airborne method of prospecting------------ 210-213

Gavrilov, Ye. Ya. See Tarasov, L. S.

Gay, S. P., Jr. Letter to the editor------------ 212-151

Gaydukov, N. Ye. See Solov'yev, O. A.

Gaynanov, A. G., and Solov'yev, O. N. On the nature of the magnetic anomalies in the region of transition from the Asiatic continent to the Pacific Ocean------------ 207-293

See also Zommer, I. E.

Gayskiy, V. N. See Medvedev, S. V.

Gazzarrini, Franco. See Colombo, U., and Nagy, Bartholomew.

Geake, J. E., Lipson, H., and Lumb, M. D. Laboratory simulation of lunar luminescence, ------------ 209-81

See also Derham, C. J.

Geffroy, Jacques, Lenoble, André, and Vernet, Jean. Age and mineralogic features of the pitchblende mineralization of the Gordolasque tunnel (Alpes-Maritimes) ------------ 209-15

Abstract

Geiss, Johannes. See Eberhardt, Peter, and Rosholt, J. N.

Gel'chinskiy, B. Ya. On an integral formula relating the dynamic and kinematic parameters of a wave propagating in an axially symmetrical medium ---------- 210-191

—— On the dynamic interpretation of seismic observations ---------- 210-189

Gel'fand, I. S. Electromagnetic field of a frame and of a cable in a multilayered medium ---------- 204-127

Gel'fand, N. I. Determination of the attitude of an elongated ellipsoid of rotation according to gravity and magnetic observations -- 204-179

—— Graphic solution of the direct problem for an elongated ellipsoid of rotation ---------- 204-277

Gendrin, Roger. On a theory of structured rapid pulsations. Calculation of the intensity of the observed oscillations ---------- 208-250

—— On a theory of the structure of rapid pulsations of the magnetic field of the Earth ---------- 204-250

Genkin, B. S., Politikov, M. I., and Udmadturidze, V. A. Experiment in the use of radiogeodetic measurements in large-scale aerial geophysical surveys ---------- 206-135

Gentner, W., and Lippolt, H. J. The potassium-argon dating of upper Tertiary and Pleistocene deposits ---------- 215-7

Gentner, W., Lippolt, H. J., and Müller, O. The potassium-argon age of the Bosumtwi crater in Ghana and the chemical composition of its glasses ---------- 211-14

See also Biswas, M. M., Fechtig, H., and Zähringer, J.

Geographical Survey Institute. The second order magnetic survey of Japan (4) ---------- 207-240

Geophysical Prospecting [Peking]. The use of seismic methods to investigate the underground structure and underground geothermal conditions of a volcanic dome ---------- 205-327

Georgalas, G. C. Catalogue of the Active volcanoes of the world including solfatara fields, Part XII. Greece ---------- 211-343

George, C. F., Jr., Smith, H. W., and Bostick, F. X., Jr. Application of inverse filters to induction log analysis ---------- 208-143

George, E. R. Formation evaluation in wells drilled with inverted emulsion mud compared with wells drilled with water-base mud - 206-274

Gerard, R. D. See Heezen, B. C.

Gerasimov, I. P., and Chebotareva, N. C. The absolute age of the late (Valdai) glaciation on the northwest Russian Plain ---------- 205-14

Gerasimov, Yu. G. Reflection of recent tectonic movements in the relief and emanation anomalies of the Krivoy Rog part of the Ukrainian crystalline shields ---------- 213-303

Gerasimov, Yu. G., and Naychuk, V. K. Test of the use of combined electrical profiling in the Khmel'nik district ---------- 208-140

Gerke, Karl. Report on the gravimeter measurements of the Institute for Applied Geophysics, Frankfurt a. M., Division — DGFI — for the Geophysical Year ---------- 205-59

Gerling, E. K., and Artemov, Yu. M. Absolute geochronology of the southern and central areas of the Yenisei Range ---------- 215-25

Gerling, E. K., and Gorokhov, I. M. Present state of the strontium method of determining geologic age ---------- 210-50

Gerling, E. K., Pap, A. M., Morozova, I. M., and Ovchinnikova, G. V. On the age of the crystalline basement of Belorussia ----- 210-35

Gerling, E. K., Varshavskaya, E. S., and Gorokhov, I. M. Attempt to determine the age of the rocks surrounding the Monchegorsk nickel-bearing pluton using the K-Ar and Rb-Sr methods -- 215-24

See also Mirkina, S. L.

Gershanok, V. A. See Malovichko, A. K.

Geyer, R. A. See Van Lopik, J. R.

Abstract

Geyh, M. A., and Schneekloth, Heinrich. Hannover radiocarbon measurements III 214-30

Geynts, A. Ye., and Garutt, V. Ye. Determination of the absolute age of fossil mammoth and woolly rhinoceras remains from the permafrost of Siberia by means of radioactive carbon (C-14) 211-20

Gèze, Bernard. Some information concerning eruptions in Hawaii in 1959-1960 212-344

Gèze, Bernard, and Tazieff, Haroun. The revival of European studies on active volcanoes 212-353

Giaever, J., and Schytt, V. General report of the expedition 210-225

Gibbons, W. D. See Steenland, N. C.

Gibson, W. M. See Hill, D. M.

Giese, Peter. The velocity distribution in the uppermost region of the crystalline, derived from refraction observations on the Bohmischbruck-Eschelohe profile 206-337

Giesel, W. Elastic anisotropy in tectonically deformed sedimentary rocks 208-130

Gifford, F. A., Jr. The Martian canals according to a purely aeolian hypothesis 215-65

Gil'bershteyn, P. G. Reflection of longitudinal waves from straight line boundaries in perforated layers upon oblique incidence 207-93

Gil'bershteyn, P. G., and Gurvich, I. I. Elastic wave absorption in perforated plates for seismic modeling 209-168

——Study on two-dimensional models of head waves from layers of different thickness 213-125

Gilbert, C. M. See Christensen, M. N.

Gilbert, F. P. See Andreasen, G. E.

Gilbert, Freeman. Propagation of transient leaking modes in a stratified elastic waveguide 213-116

Giletti, B. J. On the episodicity of orogeny 204-160

Gill, J. E. Note on folding and orogenesis 214-130

Gilliland, W. N. Extension of the theory of zonal rotation to explain global fracturing 213-170

Gilluly, James. Atlantic sediments, erosions rates, and the evolution of the continental shelf—Some speculations 213-341

Gilot, E. See Deumer, J. M.

Gilvarry, J. J. Effects of loss of lunar mass by meteoritic impact 215-53

Gimlett, J. I. A computer method for calculating complete Bouguer corrections with varying surface density 215-189

Ginodman, A. G. On the construction of provisional horizons in one area of Bashkiria 212-323

—— Study of salt domes of the Caspian basin by means of the extended traveltime curves of waves reflected from sub-salt horizons 206-343

Ginodman, A. G., and Mironova, L. V. On a method of introducing corrections into reflection traveltime curves 206-306

Gintsburg, M. A. Determination of all three components of the vector of the static magnetic field from its magnitude 207-233

—— Electromagnetic oscillations in the geomagnetic cavity 206-223

Ginzburg, A. I., Berezina, L. A., and Sharmin, N. F. Ground investigations on aerial anomalies characteristic of some type of rare-metal deposits 212-308

Ginzburg, A. I., and Korchagin, V. I. Conclusion 212-309

—— Deposits of rare elements and features of the aerogeophysical anomalies related to them 212-306

Giorgi, M. See Battelli, O.

Giraud, A. See Senior, T. B. A.

Giraudon, Robert, and Vachette, Michelle. Absolute age measurements on formations from Mauritania 212-19

Abstract

Girdler, R. W. Geophysical evidence on the nature of magmas and intrusions associated with rift valleys 204-165
—— Research note. How genuine is the circum-Pacific belt? 214-131
See also Drake, C. L.
Girlanda, Antonio. On the construction of two short-period pendulums for Galitzin-type horizontal and vertical seismographs with optico-galvanometric magnification 208-104
Girlanda, Antonio, and Federico, B. On some results obtained in the study of the deep earthquake of the lower Tyrrhenian of January 3, 1960 210-142
Gittins, A. See Baker, George.
Gjellestad, Guro, and Dalseide, Helge. Studies in geomagnetism—On calculation of geomagnetic storminess for high-latitude observatories 206-231
—— The magnetic station at Dombas (ϕ=62°04'.4 N., λ=9°02' E.). Observations 1961 206-215
Gladkiy, K. V. Calculation of the gravity effect by means of analytical extension 207-192
Gladun, V. A., Demenitskaya, R. M., Stroyev, P. A., Ushakov, S. A., and Frolov, A. I. Some results of geophysical investigations of the structure of the Earth's crust in Antarctica north of Novolazarevskaya station 211-168
Gladun, V. A., Stroyev, P. A., Ushakov, S. A., and Frolov, A. I. Geophysical investigations of crustal structure of the transition zone from the Antarctic continent to the Indian Ocean in the strip between long 55° and 100° E. 207-214
Glaessner, M. F. The dating of the base of the Cambrian 205-1
Glangeaud, Louis. Application of geophysical methods to the deep tectonics of the northwest Mediterranean ("Hesperian" Sea) 214-301
—— Evolution of oceanic and continental magmas according to modern statistical data 208-219
—— The assignments of scale in geology and geophysics—Application to the western Mediterranean and to the circumpacific ranges 214-133
Glanville, C. R. Principles of log interpretation by use of multiple curves 206-114
Glaser, G. C. See Norden, J. A. E.
Glaser, P. E. See Salisbury, J. W.
Glasko, V. B., Savarenskiy, Ye. F., and Shechkov, B. N. Data on the phase and group velocities of surface seismic waves 213-314
Glauberman, A. Ye., and Tal'yanskiy, I. I. The distribution of neutrons in a well after the source is shut off 207-309
See also Kobilyanskiy, V. B.
Glebovskiy, Yu. S. Geological structure of the Mirnyy Observatory area 212-295
—— Principal results of a small-scale aeromagnetic survey to the south of the Shackelton Ice Shelf 212-298
—— Subglacial Mt. Brown-Gaussberg Ridge 212-296
—— The existence of a subglacial ridge in the Pionerskaya area 212-294
—— The magnetic anomalies of the Vestfold Hills 212-297
Gleissberg, W. A solar hemisphere effect in geomagnetic disturbances 215-254
Glogovskiy, V. M. See Gurvich, I. I.
Glotov, O. K. On the determination of velocity on the basis of many synphase axes 212-321
Glover, E. D. See Sippel, R. F.
Glover, F. N. See Faustino, M. S.
Glukhikh, I. I. See Ponomarev, V. N.
Glyuzman, A. M. See Igumnov, S. A.

Abstract

Godby, E. A. See Hood, P. J.
Godfrey, J. D. See Baadsgaard, Halfdan.
Godwin, Harry. Isostatic recovery in Scotland ---------- 205-154
Godwin, Harry, and Willis, E. H. Cambridge University natural radiocarbon measurements I ---------- 214-18
Goel, P. S., and Kohman, T. P. Cosmic-ray-exposure history of meteorites from cosmogenic Cl^{36} ---------- 211-40
See also Kohman, T. P.
Gogichayshvili, B. V. See Savarenskiy, Ye. F.
Gokhberg, M. B. A method of analyzing records of oscillations of a natural electromagnetic field applied to deep sounding ---------- 204-50
Gold, T. Process on the lunar surface ---------- 209-80
—— Ranger moon pictures: implications ---------- 215-45
Goldberg, E. D. Geochronology with lead-210 ---------- 211-6
Goldberg, E. D., and Koide, Minoru. Rates of sediment accumulation in the Indian Ocean ---------- 210-279
Goldberg, J. E., Bogdanoff, J. L., and Sharpe, D. R. The response of simple nonlinear systems to a random disturbance of the earthquake type ---------- 209-115
Goldberg, R. A. See Chandra, S.
Gol'denfel'd, I. V. See Shcherbak, M. P.
Gol'dshmidt, V. I. See Morozov, M. D.
Golizdra, G. Ya. Distribution of singular points of the gravity field for one class of two dimensional bodies ---------- 215-194
—— On the problem of the possibility of using the boundary distribution of masses for solving problems of gravity surveying ---------- 210-244
—— On the relationship of axial points of the gravitational potential to the shape of disturbing bodies ---------- 213-201
Golovchenko, N. G. See Koltun, L. I.
Golovtsyn, V. N. See Antonyuk, Ye. I.
Golton, E. Calculations and local models of the near geomagnetic field ---------- 207-241
Gol'tsman, F. N. On some incorrect interpretations of the results of the frequency theory of grouping of signals ---------- 201-200
Golubchina, M. N. See Rabinovich, A. F., and Zhidkov, A. Ya.
Golubitskiy, V. G. See Matveyev, P. S.
Golubkov, V. V. See Anishchenko, G. N.
Goluk, A. I. See Tyapkin, K. F.
Goncharova, T. A., and Gurevich, B. L. On multiple waves in the Crimean Steppe ---------- 210-333
Gontoviy, I. Z. On the procedure of geophysical investigation of the upper part of the section of the inner zone of the Carpathian foreland depression ---------- 209-197
—— Some problems of interpretation of observations of surface traveltime curves of reflected waves ---------- 209-325
Goodell, H. G., McKnight, W. M., Osmond, J. K., and Gorsline, D. S. Rates of sedimentation and geochronology ---------- 211-269
Gooding, A. M. Illinoian and Wisconsin glaciations in the Whitewater basin, southeastern Indiana, and adjacent areas ---------- 207-6
Goor, F. V. An example of the influence of filters in seismic reflection ---------- 206-323
Gorai, Masao. Some relations between the distribution of crustal thickness and fundamental geologic structure of Japanese island - 213-227
Gorbach, L. P., and Dobrovol'skaya, T. I. On Lower Cretaceous paleoseismic phenomena in the Crimea ---------- 209-129
Gorbenko, L. A., and Rachkin, A. I. Investigation of the electrical parameters of KOBDT-4 and KOBD-4 logging cable ---------- 211-110
Gorbunova, I. V. Construction of maps of seismic activity with uniform accuracy ---------- 215-86

Abstract

Gorbunova, I. V. On the study of the seismicity of the Dzungarian and northern Tien Shan zones --- 215-87
See also Dzhanuzakov, K., and Masarskiy, S. I.
Gorbunova, V. I. See Ellanskiy, M. M.
Gordon, D. W., and Engdahl, E. R. An instrumental study of the Libyan earthquake of February 21, 1963 --- 212-114
Gordon, Edward. Automatic digitizing of well logs --- 209-186
Gore, J. V. See Osborne, F. J. F.
Gorel'chik, V. I. Seismological study of the activity of Karymskaya Volcano --- 215-369
Gorlitskiy, B. O. See Kazakov, L. R.
Gorokhov, I. M. See Artemov, Yu. M., Gerling, E. K., and Yashchenko, M. L.
Gorshkov, A. P. The state of the eruptive fissures on Koryakskaya Volcano on April 7, 1962 --- 215-371
Gorshkov, G. P. Concluding speech --- 213-197
— The method of studying neotectonic movements and their relationship to seismicity --- 213-76
— The seismicity of Africa --- 210-139
Gorshkov, G. S. Directed volcanic blasts --- 212-355
Gorsline, D. S. See Goodell, H. G.
Goryachev, A. V., Yershov, I. A., Kirillov, F. A., Kuzin, I. P., Lyamzina, G. A., Medvedev, S. V., Popov, V. V., Fedotov, S. A., and Shteynberg, V. V. On the seismic microregionalization of the Petropavlovsk-Kamchatski territory --- 207-49
Goryunov, I. I. The specific electrical resistivity of jointed rocks - 213-140
Gosling, J. T. A study of the relationship between absorption-time profiles of polar-cap-absorption events and Forbush decreases of cosmic-ray intensity --- 210-286
Gostev, M. A. Electrodynamic calibration of seismographs with recording on the seismogram, Pt. 2 --- 215-119
Goto, Kenichi. See Aki, Keiiti.
Göttlich, Karlhans von. The first radiocarbon dating of several settlements in the Federsee Moor (Federsee studies V) --- 212-26
Goudas, C. L. Development of the lunar topography into spherical harmonics --- 215-49
See also Baldwin, R. B.
Gough, D. I. A spinner magnetometer --- 212-271
Gough, D. I., and Brock, A. The paleomagnetism of the Shawa ijolite --- 212-279
Gough, D. I., Brock, A., Jones, D. L., and Opdyke, N. D. The paleomagnetism of the ring complexes at Marangudzi and the Mateke Hills --- 212-280
Gough, D. I., Opdyke, N. D., and McElhinny, M. W. The significance of paleomagnetic results from Africa --- 212-281
Gould, L. M., and Wells, H. W. International research in the Antarctic --- 215-153
Government of Japan. Case histories of oil and natural gas fields in Japan --- 214-121
Gow, A. J. Results of measurements in the 309 meter bore hole at Byrd Station, Antarctica --- 205-159
Graf, Anton. Behavior and calibration of the Munich-horizontal pendulum --- 205-175
— The vertical pendulum instead of the horizontal pendulum for recording tides and very small inclinations --- 215-125
Grainger, J. F., and Ring, J. Lunar luminescence and solar radiation --- 210-105
— Lunar luminescence --- 209-82

Abstract
Graham, K. W. T., Helsley, C. E., and Hales, A. L. Determination of the relative positions of continents from paleomagnetic data ---------- 215-260
Granar, L. J. Apparatus for electric potential investigation ---------- 210-217
Grant, F. S. See Gupta, R. N.
Grant-Taylor, T. L. Volcanic history of western Taranaki ---------- 211-350
Grantz, Arthur, Plafker, George, and Kachadoorian, Reuben. Alaska's Good Friday earthquake, March 27, 1964 ---------- 211-62
Grashchenko, S. M. See Sobotovich, E. V.
Gratsinskiy, V. G. The kinematics of wave fronts in well logging with distributed transducers ---------- 214-292
Grau, G. Principles of some modern techniques of treatment of information in seismic prospecting ---------- 213-316
Graves, W. P. E. Horror strikes on Good Friday ---------- 215-75
Gray, D. A. See Ineson, J.
Grechishnikov, G. A. See Nomokonov, V. P.
Grechukhin, V. V. An efficient combination of geophysical methods of investigating coal boreholes ---------- 205-108
Grechukhin, V. V., Neyman, Ye. A., and Yanshevskiy, Yu. P. Procedure for using lateral logging on the coal deposits of the Pechora basin ---------- 207-114
Green, D. H., and Ringwood, A. E. Fractionation of basalt magmas at high pressures ---------- 211-198
See also McDougall, Ian, and Ringwood, A. E.
Green, Jack. Lunar volcanism ---------- 212-104
—— Some Lunar resources ---------- 210-113
—— The geology of the lunar base ---------- 210-114
—— The geosciences applied to lunar exploration ---------- 209-63
See also Bülow, Kurd von.
Green, Ronald, and Haigh, J. E. The proton precession magnetometer as a prospecting instrument ---------- 208-273
See also Hill, P. A.
Green, W. D. See Damon, P. E.
Greenland, L. P. Fractionation of chlorine, germanium, and zinc in chondritic meteorites ---------- 207-23
Gregg, D. R. Structure ---------- 211-356
—— Volcanic risk from the Tongariro volcanoes ---------- 211-354
—— Volcanoes ---------- 211-355
Gregory, A. R. Shear wave velocity measurements of sedimentary rock samples under compression ---------- 205-83
See also Wyllie, M. R. J.
Gridnev, D. G. See Pariyskiy, N. N.
Griffin, A. A. See Halliday, Ian.
Griffin, J. B. See Crane, H. R.
Griffiths, D. H. Geophysical investigations in the Scotia Arc and Graham Land ---------- 204-142
Grigor'yev, G. I., and Dokuchayev, V. P. The influence of diurnal variation of the electric conductivity of the ionosphere on the spectrum of Sq variations ---------- 207-253
Grigor'yeva, N. P. Electrical resistivity measurements of minerals ---------- 205-114
Grinberg, A. A., and Nenashev, N. I. Geologic and absolute ages of the volcanogenic formations of the Ketanda river basin (Okhotsk-Chukotsk volcanic belt) ---------- 210-46
Grinda, Louis. Influence of the depth of an explosive on the amplitude of the seismic waves produced by a submarine explosion ---------- 206-89
Grinenko, L. N. See Vinogradov, A. P.

Abstract

Gringauz, K. I. Remarks on papers by J. W. Freeman, J. A. Van Allen, and L. J. Cahill, "Explorer 12 observations of the magnetospheric boundary and the associated solar plasma on September 13, 1961," and L. A. Frank, J. A. Van Allen, and E. Macagno, "Charged-particle observations in the Earth's outer magnetosphere" ---------- 209-273

Gringauz, K. I., Bezrukikh, V. V., Balandina, S. M., Ozerov, V. D., and Rybchinsky, R. E. Direct observations of solar plasma streams at a distance of ~1,900,000 km from the earth on February 17, 1961, and simultaneous observations of the geomagnetic field ---------- 210-296

Griscom, Andrew. See Boucot, A. J.

Grobelny, Andrzej. Determination of some elements characteristic of the Askania GS 11 NR 125 gravimeter ---------- 208-199

—— Determination of some of the elements characteristic of the Askania GS/11 NR 125 gravimeter (II) ---------- 209-232

Grodzenskiy, V. A., Vishnyakov, Ye. P., and Malovitskiy, Ya. P. Apparatus for correlation registration of seismic vibrations and results of its use ---------- 205-322

Gromin, V. I. See Luchitskiy, I. V.

Gromme, C. S., and Hay, R. L. Magnetization of basalt of Bed I, Olduvai Gorge, Tanganyika ---------- 207-275

Gromov, Yu. Ya. Marginal depressions of central massifs ---------- 215-178

Gronwald, Walther. See Dechend, Wilfried.

Gross, Barton. See Craddock, Campbell.

Gross, Hugo. The difficulties of the radiocarbon method and its application to age determination of early Quaternary deposits ---------- 213-3

Gross, M. G. Variations in the $0^{18}/0^{16}$ and C^{13}/C^{12} ratios of diagenetically altered limestones in the Bermuda Islands ---------- 211-202

Grossmann, Walter. Results of some gravity measurements in Europe and Africa with two long-distance gravimeters of Askania GS 12 type, operating with variable masses ---------- 215-204

Grosval'd, M. G. Ancient shorelines of Franz Joseph Land and the late Quaternary history of its ice sheets ---------- 207-19

Grote, H. H. See Bomke, H. A.

Groten, Erwin. Calculation of plumbline deflections due to the ocean tide attraction for the Freiberg, Brezove Hory, and Sclaigneaux earth tide stations ---------- 208-108

See also Tomaschek, Rudolf.

Grumbkov, A. P., and Semenov, G. S. A test of spectrometric measurement of the natural γ-field of the Earth in radiometric prospecting for oil ---------- 208-288

Grum-Grzhimaylo, O. S., and Lartsev, V. S. Attempt at analytical study of one of the types of tectonic experiment ---------- 209-213

Grushinskiy, N. P. Conditions for gravimetric measurements on the diesel-electric ship "Ob" during its Antarctic voyages ---------- 212-218

Grushinskiy, N. P., and Sagitov, M. U. On gravity observations at the time of a total solar eclipse ---------- 204-176

Gryzlov, V. S. Test of the use of the microsonde to determine the thickness and structure of coal beds in the Donets basin ---------- 206-123

Guardia Romero, Jaime. Application of the balance of porosity in the analysis of electrical measurements in formations of Bolivia- 210-207

Guberman, Sh. A. The similarity theory and borehole radiometry - 215-315

Guberman, Sh. A., Izvekova, M. L., Kholin, A. I., and Khyrgin, Ya. I. Use of an image recognition algorithm for solving geophysical logging problems ---------- 211-102

Gubin, I. Ye. Seismicity and geologic structures of Central Asia -- 208-88

Gugunava, G. Ye. See Berdichevskiy, M. N.

Abstract

Guicherit, R. Gravity tectonics, gravity field, and paleomagnetism in NE-Italy—With special reference to the Carnian Alps, north of the Val Fella-Val Canale area between Paularo and Tarvisio, Province of Udine---------- 214-159
Guilcher, A. Continental shelf and slope (continental margin)------ 208-346
Guillemaut, Armel. See Cailleux, André.
Gullier, M. T. See Delibrias, Georgette.
Gulshko, V. T. See Belayenko, F. A.
Gumarov, K. S. On the results of electrical surveying in southwestern Turkmenia ---------- 211-94
Gumenykh, G. N. Study of the physico-mechanical properties of the coal and roof rock of the Upper Marianne bed---------- 214-332
Gunn, B. M. Flow rates and secondary structures of Fox and Franz Josef Glaciers, New Zealand---------- 213-199
Gupta, I. N., and Kisslinger, Carl. Model study of explosion-generated Rayleigh waves in a half-space---------- 210-183
—— Model study of seismic waves from explosions in rectangular cavities---------- 215-132
See also Kisslinger, Carl.
Gupta, R. N., and Grant, F. S. Theoretical Love wave dispersion in a single layer model---------- 207-77
Gura, K. A. Interpretation of the magnetic fields of some bodies of regular geometric shape under conditions of inclined magnetization ---------- 212-286
See also Antonyuk, Ye. I.
Gurariy, G. Z., and Solov'yeva, I. A. Structure of the Earth's crust according to geophysical data---------- 215-214
Gurevich, B. L. See Goncharova, T. A.
Gurevich, G. I. On the fundamental regularities of propagation and attenuation of seismic vibrations, part 1 ---------- 210-199
Gurevich, S. M. Composition of the natural gases of the deposits of the eastern part of the Karpinskiy arch and determination of their absolute age---------- 213-8
Gurevich, Yu. M., and Deryn, A. M. Interference-resistant apparatus for the electrical correlation method ---------- 212-165
Gurvich, I. I., and Glogovskiy, V. M. On the calculation of static corrections according to observed reflection traveltime curves -- 205-323
Gurvich, I. I., and Morozenko, Yu. P. On the theory of converters of seismic records---------- 204-333
See also Gil'bershteyn, P. G.
Gus'kova, Ye. G. Investigation of natural remanent magnetization of stony meteorites ---------- 208-41
See also Pochtarev, V. I.
Gutenberg, Beno, and Richter, C. F. Magnitude, intensity, energy, and acceleration as earthquake parameters ---------- 204-64
Gutiérrez, D. Directional effect of linearly distributed charges and its employment in seismic exploration ---------- 215-341
Guyton, J. W. See Alsup, S. A.
Gyoda, Noriya. See Minakami, Takeshi.

H

Haas, Roland. See Israël, Hans.
Hackman, R. J. See Mason, A. C., and Shoemaker, E. M.
Hadikusumo, Djajadi. Report on the volcanological research activity in Indonesia for the period 1950-1957 ---------- 214-358
Hadley, C. F. See Silverman, D.
Hadley, J. B. Landslides and related phenomena accompanying the Hebgen Lake earthquake of August 17, 1959---------- 210-130
Hagemann, R. F. See Delaplanche, Jacques.

Abstract

Hagfors, T. Backscattering from an undulating surface with applications to radar returns from the Moon 215-59
See also Evans, J. V.

Hagiwara, Takahiro, Kayano, Ichiro, and Karakama, Ikuo. Foreshocks, aftershocks, and an earthquake swarm detected by the micro-earthquake observation 206-69
See also Tsuboi, Chuji.

Hahn-Weinheimer, P., Johanning, H., and Schütze, W. Age determination on the Bärhalde granite (southern Black Forest) according to the rubidium-strontium method 205-9

Haigh, J. E. See Green Ronald.

Haile, N. S. Oceanographic research off British Borneo 211-338

Hair, G. D. See McGarr, Arthur.

Haites, T. B. Independendent control for present time-scales 206-1

Hakura, Yukio. Development of ionospheric and geomagnetic storms caused by solar corpuscular emissions. I. Polar cap blackout and auroral zone blackout 205-252

Hakura, Yukio; Nagai, Masao; and Sano, Yukizo. Development of ionospheric and geomagnetic storms caused by solar corpuscular emissions. II. Polar blackouts, storm Es, and geomagnetic storms 205-253

Halenka, Jaroslav. On the character of the connection between geomagnetic activity and chromospheric flares 215-255
See also Bednářová-Nováková, Bohumila

Hales, A. L. A look at the mantle 214-177
See also Graham, K. W. T.

Halfacree, J. A re-cycled hydrosphere? 210-233

Hall, D. H. Magnetic and tectonic regionalization on Texada Island, British Columbia 214-256

Hall, E. T. Dating pottery by thermoluminescence 215-9

Hall, F. R. Springs in the vicinity of Socorro, New Mexico 207-205

Hall, S. H. See Stuart, W. F.

Hall, W. E., and Friedman, Irving. Composition of fluid inclusions, Cave-In-Rock Fluorite district, Illinois, and Upper Mississippi Valley zinc-lead district 204-230

Halliday, Ian, and Griffin, A. A. Evidence in support of a meteoritic origin for West Hawk Lake, Manitoba, Canada 205-194

Hallof, Philip G. A comparison of the various parameters employed in the variable-frequency induced-polarization method 212-150
—— Recent field applications of the variable frequency I. P. method 207-99

Hamachi, Tadao, and Maruyama, Shuji. Report on the uraniferous deposits of Yoshida Mine, Tochigi Prefecture 204-317

Hamada, Kazuo. Model experiments on period of surface waves in a medium with a single layer 209-167

Hamada, Tatsuji. See Yamasaki, Fumio.

Hämeen-Anttila, K. A. A statistical model for the microstructure of the lunar surface 213-53

Hamilton, A. C. World standards for gravity measurements 209-216

Hamilton, E. I. Reply [to comments on "Isotopic composition of strontium in carbonatites"] 211-209

Hamilton, E. I., and Sandford, K. S. Rubidium-strontium ages from North-East Land (Spitsbergen) 210-16

Hamilton, E. L. Sediment sound velocity measurements made in situ from the bathyscape Trieste 205-348

Hamilton, N., and King, R. F. Comparison of bedding errors of artificially and naturally deposited sediments with those predicted from a simple model 213-281

Hamilton, R. M., Ryall, Alan, and Berg, Eduard. Crustal structure southwest of the San Andreas fault from quarry blasts 209-254

Abstract

Hamilton, Warren. Discussion of paper by D. I. Axelrod, "Fossil floras suggest stable, not drifting, continents ---- 211-126
See also Myers, W. B.
Hammer, Sigmund. See Richards, T. C.
Hamon, B. V., and Hannan, E. J. Estimating relations between time series ---- 205-123
Hanagud, Sathyanarayana. Spherical waves in a simple locking medium ---- 210-185
Hancock, J. M., Jr. See Norden, J. A. E.
Hanly, T. F. Sediment studies on the Madison River after the Hebgen Lake earthquake ---- 210-132
Hannan, E. J. See Hamon, B. V.
Hansen, S. F. A mechanism for the production of certain types of very-low-frequency emissions ---- 205-228
Hanshaw, B. B. See Feltz, H. R.
Hanson, G. N. See Craddock, Campbell, and Gast, P. W.
Hanson, R. J., and Marker, D. Soft gamma background radiation at the Earth's surface and at aircraft altitudes ---- 213-296
Hanus, Václav, and Krs, Miroslav. On the application of paleomagnetism to the determination of the age of hydrothermal ore deposits ---- 205-272
— Paleomagnetic dating of hydrothermal deposits in Czechoslovakia ---- 207-277
— Palaeomagnetic dating of hydrothermal mineralization on example of Spissko-Gemerské Rudohorie area, Czechoslovakia ---- 209-311
— Paleomagnetic verification of the Neoidic age of hydrothermal mineralization in the Krusna Hora Mountains and in the Slavkovsky Les (Kaiserwald) ---- 209-310
Hapke, B. W. Packing properties of fine powders and the depth of the lunar dust layer ---- 209-48
Haque, A. K. M. M. See Collinson, A. J. L.
Harding, S. T. See Stepp, J. C.
Hardtwig, Erwin. Theories of microseismic agitation ---- 206-261
Harkrider, D. G. Surface waves in multilayered elastic media. I. Rayleigh and Love waves from buried sources in a multilayered elastic half-space ---- 210-163
See also Ben-Menahem, Ari.
Harney, A. G. See Berger, Rainer.
Harold, M. R. See Aitken, M. J.
Harris, A. K. See Bomke, H. A.
Harris, Joseph. See Friedman, Irving.
Harris, M. A. See Afanas'yev, G. D.
Harris, R. W. First order effect of magnetic moment nonconservation of geomagnetically trapped particles ---- 204-247
Harrison, J. C. See Worzel, J. L.
Harry, W. T., and Richey, J. E. Magmatic pulses in the emplacement of plutons ---- 206-147
Harshman, E. N. See Rosholt, J. N., Jr.
Hart, P. J. Upper Mantle Project ---- 215-222
Hart, S. R. A study of mineral ages in a contact metamorphic zone ---- 204-3
— Excess argon in pyroxenes ---- 204-4
Hart, S. R., Aldrich, L. T., Davis, G. L., Tilton, G. R., Baadsgaard, Halfdan, Kouvo, Olavi, and Steiger, R. H. Geochronology and isotope geology ---- 208-5
See also Davis, G. L.
Hartman, Olaf. Treatment of local geomagnetic fields as a boundary value problem of potential theory ---- 204-273

Abstract

Hartman, R. N., and Oriti, R. A. A preliminary report on the Lucerne Valley, San Bernadino County, California, aerolites (CN 1169, 345) 212-47

Hartman, R. R. See Hutchison, R. D.

Hasegawa, H. S. See Savage, J. C.

Hasegawa, Kiyoshi. Study on the time variation of the earth electric field, Pt. 4 and 5 205-28

Haskell, N. A. Radiation pattern of surface waves from point sources in a multilayered medium 209-140

Haskin, Larry. See Frey, F. A.

Hattori, Yasuzo. See Tokairin, Tatsuo

Hatuda, Zin'itiro. On the distribution of radioactive elements in granite intrusive bodies 213-295

—— On the distribution of radioactive elements in granite intrusive bodies 214-271

Haubrich, R. A. See LeSchack, L. A.

Hawkins, G. S., Meunier, Paul, and Rosenthal, Shoshana. The plume over a meteorite crater 213-43

Hawkins, L. V. Seismic investigations on the foundation conditions at the Royal Mint Site, Canberra 207-325

Hay, R. J. See Ogden, J. G., III.

Hay, R. L. See Gromme, C. S.

Hayakawa, Masami. Geophysical structure of geothermal area 205-201

—— Measurement of longitudinal and transverse wave velocities of dunite, perioditite and some other rocks in Hidaka area, Hokkaido (laboratory experiment) 213-133

Hayakawa, Masami, and Balakrishna, S. Measurement of longitudinal and transverse wave velocities in some rocks of Hokkaido and India 212-145

See also Isshiki, Naoki.

Hayakawa, Satio, and Matsuoka, Masaru. Characteristic X-rays from the lunar surface 205-24

Hayase, Kitaro; Otsuka, Ryohei; and Mariko, Tadashi. On the magnetic properties of natural pyrrhotites 214-227

Hayes, D. E., Worzel, J. L., and Karnick, Harmut. Tests on the 1962 model of the Anschütz gyrotable 209-230

Hayes, M. O. Lognormal distribution of inner continental shelf widths and slopes 210-351

Haynes, C. V., Jr. Fluted projectile points: their age and dispersion 215-11

See also Damon, P. E.

Hays, W. W., and Scharon, LeRoy. An example of the influence of remanent magnetization on magnetic intensity measurements 206-237

Hayward, G. G. See Edgerton, H. E.

Hazra, P. C., and Ray, D. K. A short note on seismic phenomena in India and their relation to tectonics 207-162

Healy, James. Volcanic mechanisms in the Taupo Volcanic Zone, New Zealand 211-347

Healy, J. H. Crustal structure along the coast of California from seismic-refraction measurements 204-336

Healy, J. H., and Press, Frank. Geophysical studies of basin structures along the eastern front of the Sierra Nevada, California 212-223

See also Roller, J. C.

Heard, H. C. See Christie, J. M.

Hearn, D. P. See Broding, R. A.

Heberer, Gerhard, and Kurth, Gottfried. Remarks concerning "The age of the Rhünda skull, Pt. 3." C-14 dating of the layer of the find 212-27

Abstract

Heck, E. T. Comments on paper by Ralph O. Kehle, "The determination of tectonic stresses through analysis of hydraulic well fracturing" ---------- 211-129
Hedeman, E. R. See Dodson, H. W.
Hédervári, Péter. A theory about the internal composition and development of the Moon ---------- 211-48
—— Geophysical problems in relation to lunar vulcanism: A comment on Alphonsus ---------- 206-46
—— Investigations regarding the Earth's seismicity. Pt. 1: The seismic great circle of the Earth ---------- 211-66
—— On the energy and magnitude of volcanic eruptions ---------- 207-349
—— On the geophysical interpretation of the seismical great-circle of the Earth ---------- 209-209
—— On the problem of the hypsographic curve of the Moon ---------- 206-54
—— The instability of small-size planetary cores and the development of the Moon ---------- 209-53
—— The internal composition of the Moon and the structure of its solid crust ---------- 206-57
—— Volcanological considerations in the calculation of the energy necessary to produce the craters of the Moon ---------- 208-50
Hedge, Carl. See Gast, P. W.
Hedge, C. E. See Peterman, Z. E.
Heezen, B. C. The deep-sea floor ---------- 205-149
Heezen, B. C., Bunce, E. T., Hersey, J. B., and Tharp, Marie. Chain and Romanche fracture zones ---------- 210-350
Heezen, B. C., and Drake, C. L. Grand Banks slump ---------- 209-343
Heezen, B. C., and Ewing, Maurice. The mid-oceanic ridge ---------- 208-349
Heezen, B. C., Gerard, R. D., and Tharp, Marie. The Vema fracture zone in the equatorial Atlantic ---------- 209-344
Heezen, B. C., and Laughton, A. S. Abyssal plains ---------- 208-347
Heezen, B. C., and Menard, H. W. Topography of the deep-sea floor ---------- 208-345
Heezen, B. C., and Nafe, J. E. Vema trench: western Indian Ocean ---------- 210-352
See also Metcalf, W. G.
Heide, Fritz. Meteorites ---------- 214-39
Heier, K. S. Rubidium-strontium and strontium-87/strontium-86 ratios in deep crustal material ---------- 211-208
—— Uranium, thorium and potassium in eclogitic rocks ---------- 204-218
Heier, K. S., McDougall, Ian, and Adams, J. A. S. Thorium, uranium and potassium concentration in Hawaiian lavas ---------- 209-320
Heigold, P. C. See McGinnis, L. D.
Heiles, C. E. On the polarization of moonlight ---------- 208-54
Heiles, C. E., and Drake, F. D. The polarization and intensity of thermal radiation from a planetary surface ---------- 208-52
Heine, R. W. Gravity survey of the middle Wairarapa ---------- 211-165
Heintz, Natascha. Dinosaur-footprints and polar wandering ---------- 211-120
Heirtzler, J. R. See Drake, C. L., and Talwani, Manik.
Heiskanen, W. A. Geodetic standard base lines and the dimensions of the Earth ---------- 208-173
—— Potentialities of satellite geodesy and physical geodesy ---------- 205-137
Heisler, L. H., and Whitehead, J. D. The correlation between the occurrence of sporadic-E and the horizontal component of the Earth's magnetic field ---------- 213-255
Helander, D. P. See Wang, G. C.
Helbig, Klaus. Graticules for the complete determination of the magnetic field of homogeneous magnetized cylindrical bodies with arbitrary cross section and finite lateral extension ---------- 215-277
Hellner, E. Comments on "Comments on the two-feldspar geothermometer" by P. M. Orville ---------- 205-207

Abstract

Logis, Z. See Beck, A. E.

Logn, Ø. Temperatures in deep drill holes in the Fosdalen mines -- 215-209

Lomnitz, Cinna. See Steinhart, J. S.

Loncarevic, B. D. Geophysical studies in the Indian Ocean -------- 208-358

Long, Austin. See Damon, P. E., and Sigalov, J. J.

Long, L. E. Rb-Sr chronology of the Carn Chuinneag intrusion, Ross-shire, Scotland -------- 210-13

Long, William. See Friedman, Irving.

Loomer, E. I., and Whitham, Kenneth. On certain characteristics of irregular magnetic activity observed at Canadian magnetic observatories during 1960 -------- 204-261

See also Dawson, E.

Lopatin, S. S. See Kondrat'yev, O. K.

Loper, G. B., and Pittman, R. R. Seismic recording on magnetic tape -------- 206-331

López Arroyo, Alfonso. See Båth, Markus.

Lorch, Siegfried. Measurement of the water content in soils by the neutron probe -------- 207-315

Lorius, Claude. Isotopes in relation to polar glaciology -------- 213-247

Loshchakov, A. I. Approximate method of interpretation of the magnetic field of Z_a -------- 204-274

Lotgering, F. K. Ferromagnetism in spinels: $CuCr_2S_4$ and $CuCr_2Se_4$ -------- 210-308

Lotze, Franz. Actua-geologic characteristics in the year 1960 ---- 207-40

—— Actuo-geologic characteristics of the year 1961 -------- 207-41

—— Actuo-geologic characteristics of the year 1962 -------- 211-65

Lougnon, Jean. See Aubert, Guy.

Lovan, T. E., Jr. Logging observation wells in gas storage ------ 206-275

Loveridge, W. D. The determination of isotopic abundances of lead in sulphide minerals -------- 215-235

See also Robinson, S. C.

Lovering, J. F., and Morgan, J. W. Rhenium and osmium abundances in tektites -------- 213-26

—— Uranium and thorium abundances in stony meteorites. 1. The chondritic meteorites -------- 211-27

See also Morgan, J. W.

Lövseth, Knut. See Nydal, Reidar.

Lovtsyus, A. V. See Sobotovich, E. V.

Lowder, W. M., Beck, H. L., and Condon, W. J. Spectrometric determinations of dose rates from natural and fall-out gamma-radiation in the United States, 1962-63 -------- 212-304

Lozano Calvo, Luis. Fundamentals for a method of direct interpretation of magnetic anomalies -------- 206-246

Lozinskaya, A. M. See Yegorov, A. P.

Lozovaya, L. S. See Garris, M. A.

Lubimova, E. A., and Magnitskiy, V. A. Thermoelastic stresses and the energy of earthquakes -------- 214-75

Lucarelli, L. B. See Hutchison, R. D.

Lucas, H. F., Jr. See Emrich, G. H

Luchitskiy, I. V., Gromin, V. I., and Ushakov, G. D. Comparative data on the deformation of quartzite, obsidian, olivinite, serpentinite, and marble -------- 212-334

Ludwig, Rainer. See Seibt, Walter.

Ludwig, W. J. See Ewing, Maurice.

Lugn, R. V. See Moore, H. J.

Lukashin, Yu. P. Calculation of the effect of random time shifts between seismic signals on the efficiency of grouping -------- 205-318

—— Some possibilities of using correlation procedure in the reflection method -------- 205-320

Abstract

Lukeš, Ladislav. See Klepešta, Josef.
Lumb, M. D. See Geake, J. E.
Lundgren, L. B. See Östlund, H. G.
Lundqvist, Gosta. Geological radiocarbon datings from the Stockholm station -------- 209-17
Lungersgauzen, G. F. On the periodicity of geologic phenomena and changes of climate in past geologic epochs -------- 207-151
Lur'ye, A. G. Seismic soundings by the reflection method using air transport (aeroseismics) in the central Ob region -------- 212-325
Lüst, Rh. See Middlehurst, B. M.
Luth, W. C., Jahns, R. H., and Tuttle, O. F. The granite system at pressures of 4 to 10 kilobars -------- 209-257
Luthin, J. N. See Brutsaert, Wilfried.
Lutz, H. See Eberhardt, Peter.
L'vovskiy, Yu. M. Features of the structural plan of the monoclinal framework of the Caspian Basin and possibilities of discovering oil- and gas-bearing structures (exemplified by the Volgograd area on the Volga) -------- 214-304
Lyakhov, B. M. The Earth's main magnetic field -------- 211-226
Lyakhov, L. L. See Solov'yev, G. A.
Lyamzina, G. A. See Goryachev, A. V., and Medvedev, S. V.
Lynn, R. D. Earth crust measurements by seismograph in Oklahoma—An interim report -------- 208-216
Lynn, V. L., Sohigian, M. D., and Crocker, E. A. Radar observations of the Moon at a wavelength of 8.6 millimeters -------- 209-49
Lyon, R. J. P. See Burns, E. A.
Lysenko, V. A. See Demidenko, Yu. B.
Lyttleton, R. A. A cometary mechanism for the formation of tektites -------- 213-29
—— On the origin of mountains -------- 204-163
Lyubalin, V. D. On the calculation of the effect of relief in carrying out gravity surveys -------- 211-152
Lyubavin, L. M. The rotating magnetic field method in southern Karelia -------- 206-98
Lyubimova, Ye. A. Heat transfer by excitations in the Earth's mantle -------- 206-192
Lyubimova, Ye. A., and Magnitskiy, V. A. Thermoelastic stresses and earthquake energy -------- 215-92
Lyubtseva, Ye. F. See Veshev, A. V.

M

Ma, E.-T. A study of multiple seismometer theory in the presence of microseisms -------- 215-326
Ma, H.-Y. Neotectonic movements in the Wut'aishan and Chungt'iaoshan Mountains -------- 213-186
Ma, H.-Y., Yu, C.-T., T'an, Y.-C., Yang, W.-J., Li, T.-H., and Wu, C.-W. Some fundamental problems of the geotectonics of China -------- 206-154
Mabey, D. R. Complete Bouguer anomaly map of the Death Valley region, California -------- 209-238
—— Gravity map of Eureka County and adjoining areas -------- 209-237
Mabey, D. R., Crittenden, M. D., Jr., Morris, H. T., Roberts, R. J., and Tooker, E. W. Aeromagnetic and generalized geologic map of part of north-central Utah -------- 209-313
See also Kinoshita, W. T., and Oliver, H. W.
McArthur, R. D. See Boardman, C. R.
McBirney, Alexander R. Conductivity variations and terrestrial heat-flow distribution -------- 206-190
McCall, G. J. H. Are cryptovolcanic structures due to meteoritic impact: -------- 209-42
McCamy, Keith, and Meyer, R. P. A correlation method of apparent velocity measurement -------- 209-148

Abstract

McCormick, J. F., and Cotter, D. J. Radioactivity on southeastern granite outcrops ---------- 212-299
McCracken, C. W. See Alexander, W. M.
MacDiarmid, R. A. The application of thermoluminescence of geothermometry ---------- 208-213
Macdonald, G. A., and Eaton, J. P. Hawaiian volcanoes during 1955 ---------- 212-343
MacDonald, G. J. F. Dependence of the surface heat flow on the radioactivity of the Earth ---------- 213-216
— Earth and Moon: past and future ---------- 215-46
— Geophysical implications of satellite geodesy ---------- 205-212
— The deep structure of continents ---------- 207-212, 211-190
— The escape of helium from the Earth's atmosphere ---------- 204-234
— The interiors of the planets ---------- 208-28
— Tidal friction ---------- 215-47
See also Lee, W. H. K., and Wasserburg, G. J.
MacDonald, R. R. See Kinoshita, W. T.
McDonnell, J. A. M. See Jennison, R. C.
McDougall, Ian. Potassium-argon ages from lavas of the Hawaiian Islands ---------- 210-2
McDougall, Ian, and Green, D. H. Excess radiogenic argon in pyroxenes and isotopic ages on minerals from Norwegian eclogites- 215-21
McDougall, Ian, and Tarling, D. H. Dating geomagnetic polarity zones ---------- 213-274
— Dating of polarity zones in the Hawaiian Islands ---------- 205-270
See also Heier, K. S.
MacDougall, John, Butler, Richard, Kronberg, Philipp, and Sandqvist, Aage. A comparison of terrestrial and universal expansion ---------- 204-156
McDowall, A. J. See Key, F. A.
McElhinny, M. W. Statistical significance of the fold test in paleomagnetism ---------- 209-302
McElhinny, M. W., and Opdyke, N. D. The paleomagnetism of the Precambrian dolerites of eastern Southern Rhodesia, an example of geologic correlation by rock magnetism ---------- 212-277
See also Gough, D. I.
McEuen, R. B., Cram, I. H., Jr., and Slack, H. A. Geophysical research, the American Petroleum Institute and the Petroleum Research Fund ---------- 208-160
McGarr, Arthur, Hofmann, R. B., and Hair, G. D. A moving-time-window signal-spectra process ---------- 210-171
McGinnis, L. D., and Bradbury, J. C. Aeromagnetic study of the Hardin County area, Illinois ---------- 214-245
McGinnis, L. D., Kempton, J. P., and Heigold, P. C. Relationship of gravity anomalies to a drift-filled bedrock valley system in northern Illinois ---------- 205-189
McInnes, C. A. J. See Snales, A. A.
McIvor, I. K. Methods of spectral analysis of seismic data ---------- 215-318
Mackay, J. R., and Terasmae, J. Pollen diagrams in the Mackenzie Delta area, N. W. T. ---------- 209-8
Macke, Wilhelm, Rennert, Peter, and Rieger, Frank. On the shape and gravity field of the Earth ---------- 210-240
McKee, N. D. See Gabrysh, A. F.
MacKevett, E. M., Jr. See Lanphere, M. A.
McKinley, D. W. R. Meteor science and engineering ---------- 212-44
See also Middlehurst, B. M.
McKnight, W. M. See Goodell, H. G.
MacLaren, A. S. Red Lake-Landsdowne House area, Northwestern Ontario—Aeromagnetic investigations ---------- 207-290
MacLean, W. F. Modern pseudo-upwarping around Lake Erie ---------- 212-193

Abstract
McMunn, C. E. Seismic prospecting for oil and gas in northwestern Colorado ---------- 206-335
McNitt, J. R. Exploration and development of geothermal power in California ---------- 208-207
McQueen, R. G., Fritz, J. N., and Marsh, S. P. On the composition of the Earth's interior ---------- 213-230
McQuillin, R., and Ruson, J. Gravity measurements over the Rhum Tertiary plutonic complex ---------- 205-196
Madden, T. See Eckhardt, D. H.
Madhwa Simha, K. R. See Kailasam, L. N.
Madill, R. B., and Clark, J. F. Magnetic results, 1938-1947 ----- 207-236
See also Cook, A. B.
Maeda, Hiroshi, and Yamamoto, M. Daytime enhancement of the amplitude of geomagnetic sudden impulses in the equatorial region ---------- 205-240
See also Shirgaokar, A. J.
Maer, Kemp, Jr., and Dessler, A. J. Comment on the paper by Conway W. Snyder et al., "The solar wind velocity and its correlation with cosmic-ray variations and with solar and geomagnetic activity ---------- 213-253
Magdiyev, R. A. See Khamrabayev, I. Kh.
Magnitskiy, V. A. Interpretation of the main gravity anomalies of the Earth ---------- 206-167
See also Lyubimova, Ye. A.
Major, M. W., Sutton, G. H., Oliver, J. E., and Metsger, Robert. On elastic strain of the Earth in the period range 5 seconds to 100 hours ---------- 209-134
Majzoub, Moustapha. See Roblot, M. M.
Makarenko, F. A. Thermal waters of the USSR and problems of their use as thermal energy ---------- 211-172
Makarevich, V. N., and Skokov, K. D. On some results of geothermal investigations in deep boreholes of the Pripyat basin --- 211-177
Makarov, N. P. See Yurkina, M. I.
Makino, Tadao. On the cosmic-ray cut-off rigidities and the Earth's magnetic field ---------- 209-289
Maksarava, T. S. See Polykovskiy, V. S.
Mal, A. K. Rayleigh-waves in a heterogeneous medium ---------- 210-187
Malhotra, P. D. A note on the composition of the Basti meteorite - 206-22
Malikov, Kh. M. Waves in an isotropic medium generated by application of pressure to spherical and cylindrical cavities ---------- 215-138
Malinovskaya, L. N. See Keylis-Borok, V. I.
Malinovskiy, Yu. M., and Florenskiy, V. On the relationship of cyclic astronomic phenomena to fluctuations of climate and rhythmic sedimentation ---------- 208-117
Malovichko, A. K. On the apportionment of nonclosure of a gravimetric loop according to a parabolic law ---------- 212-217
Malovichko, A. K., and Gershanok, V. A. On the calculation of horizontal derivatives from the results of observations along a profile ---------- 211-121
See also Dergachev, N. I.
Malovitskiy, Ya. P. See Grodzenskiy, V. A.
Mal'tsev, V. N. Bottom relief of the Agulhas Basin ---------- 212-341
—— Discovery of an underwater elevation in the Indian Ocean ----- 211-337
—— Investigation of the approaches to the Lazarev Station ---------- 212-339
—— Principal structural forms of the bottom relief ---------- 212-340
Malyshev, V. I. See Cherdyntsev, V. V.
Mamedov, I. F. See Kuznetsov, V. P., and Ragimov, Sh. S.
Mancheva, N. V. See Latyshova, M. G.
Mangan, G. B. See Stuart, D. J.

Abstract
Manghnani, M. H., and Woollard, G. P. Establishment of north-south gravimetric calibration line in India -------------------- 206-185
Manguin, E. See Faure, H.
Manilov, F. I. Test of the use of high-accuracy magnetic surveying in the mapping of a zone of alkaline metasomatism ------------- 208-272
Manilov, S. A. See Kondrat'yev, O. K.
Mann, J. E., Jr. Magnetotelluric theory of the sinusoidal interface -- 215-70
Mansfield, J., and Kennett, P. A gravity survey of the Stranraer sedimentary basin --- 210-246
Mansinha, L. The velocity of shear fracture ------------------- 209-139
See also Savage, J. C.
Mansurov, S. M. Causes of local geomagnetic variations in the Mirnyy region -- 212-262
See also Rokityansky, I. I.
Manuel, O. K., and Kuroda, P. K. Isotopic composition of the rare gases in the Fayetteville Meteorite ------------------------- 211-29
—— Isotopic composition of the rare gases in the Fayetteville meteorite -- 212-71
See also Kuroda, P. K., and Rowe, M. W.
Manwaring, E. A. The palaeomagnetism of some igneous rocks of the Sydney Basin, N.S.W.-- 207-282
Manyulova, M. M. See Yashchenko, M. L.
Manyuta, M. G. See Demidenko, Yu. B.
Mapper, D. See Smales, A. A.
Marcelli, Libano, and Pannocchia, Guido. Seismic activity in the Peschiera Springs zone--------------------------------------- 210-141
Marcelli, Liliana, and Montecchi, P. Contributions to a study on the seismicity of Italy ------------------------------------ 208-84
Marcelli, Liliana, and Pannocchia, Guido. The seismic activity in the Peschiera Springs zone ---------------------------------- 208-79
Marchuk, G. D. Once more on the effect of vertical accelerations on the readings of sea gravimeters -------------------------- 215-195
Marcus, M. G. See Heusser, C. J.
Marek, František. A method of interpretation of logarithmic traveltime curves in seismic reflection prospecting --------------- 207-319
Mareš, Stanislav. Electropotential methods and their use for investigation of ore deposits in boreholes --------------------- 207-103
Mariani, F. Pitch-angle distribution of the photoelectrons and origin of the geomagnetic anomaly in the F2 layer ---------------- 208-241
Mariani, F., and Molina, F. Geomagnetic, auroral, ionospheric, and cosmic ray perturbations: interdependence and relations with solar activity (5) --- 207-228
Mariko, Tadashi. See Hayase, Kitaro.
Marinelli, Giorgio. Geothermal energy in Tuscany -------------- 214-349
Marinescu, M., Cucu, V., and Chişcan, V. Geophysical contributions to deciphering the tectonics of the eastern Carpathian flysch between the localities of Moineşti and Piatra Neamţ ------------ 213-321
Maringer, R. E. See Bollmann, W.
Marker, D. See Hanson, R. J.
Markhinin, Ye. K. Ascent of Klyuchevskaya Volcano in a period of eruption (1961) --- 205-350
—— Sarychev volcano -- 215-366
Markhinin, Ye. K., Tokarev, P. I., and Pugach, V. B. Study of the state of the volcanoes of the Kliychevskaya group and the Sheveluch Volcano in 1961 ---------------------------------- 215-362
Markhinin, Ye. K., Tokarev, P. I., Pugach, V. B., and Dubik, Yu. M. The eruption of Bezymyannyy Volcano in the spring of 1961--- 205-352

Abstract
Markov, A. V. Physical nature of different zones of the lunar surface ---------- 209-72
—— Probable structure and nature of the Moon according to photometric measurements of lunar photographs ---------- 209-58
Markov, K. K. On the dynamics of the Antarctic ice sheet ---------- 204-173
Markov, K. K., and Kapitsa, A. P. The glaciology of Antarctica and problems of paleoglaciology ---------- 204-172
Markov, V. K. See Ryabinin, Yu. N.
Markova, N. G. See Vinogradov, A. P.
Markowitz, William. Lunar and solar earth-tides and the rotation of the Earth ---------- 205-42
Marler, G. D. Effects of the Hebgen Lake earthquake of August 17, 1959, on the hot springs of the Firehole Geyser Basins, Yellowstone National Park, in The Hebgen Lake, Montana, earthquake of August 17, 1959 ---------- 210-136
—— Seasonal changes in ground water in relation to hot spring activity ---------- 211-360
Marlowe, J. I., and Vilks, G. Marine geology, eastern part of Prince Gustaf Adolf Sea, District of Franklin (Polar Continental Shelf Project) ---------- 207-346
Marov, I. N. See Vinogradov, A. P.
Marquart, Patrik. See Krajčovič, Silvester.
Marsh, S. P. See McQueen, R. G.
Marshall, P. D. See Key, F. A.
Martell, E. A. Radioactive fallout from cratering shots; remarks on paper by M. D. Nordyke and W. Wray, "Cratering and radioactivity results from a nuclear cratering detonation in basalt" -- 213-298
Martínez Guerrero, J. See Strella, E. P. P.
Martínez, Macario. See Merino y Coronado, José.
Martinov, Sv. L. Hydrogeological investigation of thermal waters around Văršec, Mikhaylograd district ---------- 210-260
Martirosyan, A. G. See Akopyan, Ts. G.
Martres, M. J. See Avignon, Y.
Marussi, Antonio. The gravity anomalies along the Karakorum-Hindu Kush chain ---------- 214-161
—— The University of Triest station for the study of the tides of the vertical in the Grotta Gigante ---------- 205-44
See also Desio, Ardito.
Maruyama, Shuji. See Hamachi, Tadao.
Maruyama, Takuo. On the force equivalents of dynamical elastic dislocations with reference to the earthquake mechanism ---------- 206-73
Marvin, R. F. See Lee. D. E.
Marych, M. I. Determination of the figure of the Earth taking into account small third-order quantities ---------- 207-150
Mar'yenko, N. N. Some problems of enhancing the efficiency of radiometric operations in distinguishing gas-bearing reservoirs in well sections ---------- 206-280
Marzahn, Kurt. Gravity values in the European gravimeter calibration system of 1962 for the Copenhagen-Catania line ---------- 211-159
See also Kneissl, Max.
Masarskiy, S. I., and Gorbunova, I. V. The seismicity of Dzungaria and the Altai-Sayan district ---------- 215-88
Masaytis, V. L., and Staritskiy, Yu. G. On a special type of structure of East Asia (a third major structural element of continental crust—the tiwa) ---------- 215-177
Mason, A. C., and Hackman, R. J. Photogeologic study of the Moon ---------- 209-68
Mason, Brian. Olivine composition in chondrites ---------- 206-26
—— The Yonozu meteorite ---------- 205-15

Abstract

Mason, Brian, and Wiik, H. B. The amphoterites and meteorites of similar composition ---- 211-25

Mason, R. G. See Bullard, E. C.

Mason, R. J., ,and van der Merwe, N. J. Radiocarbon dating of iron age sites in the southern Transvaal-Melville Koppies and Uitkomst cave ---- 213-5

Massalski, T. B., and Park, F. R. A study of four pallasites using metallographic, microhardness and microprobe techniques ---- 215-30

Masszi, Dénes. Possibilities of the geophysical solution of some mining problems ---- 207-101

Masuda, Akimasa. Relative distribution of thorium, uranium, and lead estimated from the isotopic composition of lead in ores ---- 215-234

Mather, K. B. See Wescott, E. M.

Mathews, W. H. Potassium-argon age determination of Cenozoic volcanic rocks from British Columbia ---- 212-14

Matschinski, Matthias. Dephasing of the glaciations of the northern and southern hemispheres and emplacements of the Permocarboniferous and Eocambrian glaciations ---- 215-185

Matsumoto, Hatao. Petrological study on rocks from Aso Volcano - 214-352

Matsuo, S. See Miyake, Yasuo.

Matsuoka, Masaru. See Hayakawa, Satio.

Matsushima, Shogo. Experimental study of deformation of igneous rocks at high temperature and pressure ---- 213-334 214-311

Matsushita, Sadami. Earth's upper atmospheric and exospheric phenomena during magnetic storms ---- 210-302

See also Jacobs, J. A.

Matthews, D. H., and Reilly, T. A. Disappointing interium paleomagnetic results from the Seychelles ---- 215-262

See also Vine, F. J.

Matthews, R. K. Continuous seismic profiles of a shelf-edge bathymetric prominence in northern Gulf of Mexico ---- 209-331

Matuszak, D. R. Construction of porosity, Rwa, Rw, water saturation, permeability and traveltime versus resistivity plots by the IBM 704 computer ---- 206-112

Matuura, Nobuo. Characteristics of large amplitude geomagnetic pulsations ---- 205-241

Matveyev, B. V. Investigations of the volumetric strength and deformation characteristics of rocks under volumetric stresses ---- 214-318

Matveyev, P. S. Remarks on the averaging of results of harmonic analysis of earth tides ---- 208-115

Matveyev, P. S., Golubitskiy, V. G., and Yevtushenko, Ye. I. On the dependence of the natural period of horizontal pendulums with a Tselnerov suspension on the vibration amplitude ---- 208-114

Matveyev, P. S., and Zakharchenko, S. N. Reduction values for calculating group waves of earth tides for 1958-67 ---- 208-113

See also Ostrovskiy, A. Ye.

Maxwell, A. E. See Von Herzen, R. P.

Mayaud, P.-N. Does the duration of K variations vary as a function of latitude? ---- 211-231

—— Does the the duration of the K-variations vary as a function of the level of magnetic disturbance? ---- 210-288

Mayeda, Toshiko, See Emiliani, Cesare.

Mayer, C. H. Introductory review on the radio emission of the planets ---- 210-119

Mayer-Böricke, C. See Biswas, M. M.

Mayorov, V. V. The choice of spacing between charges in a group - 206-307

Mayorov, V. V., Kaplan, B. L., and Dement'yev, V. A. The effect of spacing between charges in a group on the amplitude and frequency spectrums of a signal recorded from the explosion ---- 206-308

Mazor, E. See Wasserburg, G. J.

	Abstract
Mazyukevich, N. P., Parlag, A. M., and Shkoda-Ul'yanov, V. A. On the possibility of using photonuclear reactions for recording the water-oil interface	208-305
Mead, G. D. Deformation of the geomagnetic field by the solar wind	210-281
Mead, G. D., and Beard, D. B. Shape of the geomagnetic field solar wind boundary	210-280
Means, W. D. Comments on dynamic fault interpretation	209-111
Mechler, Pierre. See Allègre, Claude.	
Mednikova, N. V. See Kiyanovskiy, M. P.	
Medvedev, N. D. Geomagnetic investigation along the sledge-tractor traverse from the Pravda Coast to the South Geomagnetic Pole	210-299
Medvedev, S. V. Deformation and stresses in the foundation of structures in strong earthquakes	207-57
—— Ground vibrations in strong earthquakes	208-101
Medvedev, S. V., Bune, V. I., Vvedenskaya, N. A., Gayskiy, V. N., Kirillova, I. V., Nersesov, I. L., Riznichenko, Yu. V., Savarenskiy, Ye. F., and Sorskiy, A. A. Instructions for seismic regionization	206-70
Medvedev, S. V., and Lyamzina, G. A. Seismic effect of explosions in a mine	206-169
Medvedev, S. V., and Sinitsyn, A. P. Vibrations of arch dams under seismic stress	207-60
See also Goryachev, A. V.	
Meecham, W. C. Satellite signal fluctuation caused by ionspheric irregularity	214-187
Mehech y Fernando Munizaga, Sonia. See Levi, Beatriz.	
Meidav, Tsvi. Viscoelastic properties of the standard linear solid	212-132
Meinel, A. B., and Meinel, M. P. Height of the glow stratum from the eruption of Agung on Bali	209-355
Meinel, M. P. See Meinel, A. B.	
Meinschein, W. G. See Anders, Edward.	
Meisser, Otto, and Militzer, Heinz. Static and dynamic comparison measurements on sample foundations and on the adjacent rock in dam building	208-134
Meisser, Otto, Militzer, Heinz, and Milde, Gerald. Combined geophysical-geological investigations on large-scale foundations	208-133
Mekhtiyeva, V. L. Study of the isotopic fractionation of sulfur in its bacterial oxidation by a culture of Thiobacillus denitrificans	214-240
Melchoir, P. J. Report on earth tides, 1961-63	213-115
—— Results of eight months of recording of tides at the Royal Observatory of Belgium (UccLE) by means of an Askania no. 145 gravimeter	205-55
—— Utilization of an IBM 650 electronic computer for harmonic analysis, comparison of various methods, possibility of revision of old observations, practical demonstration	205-77
Melchoir, P. J., and Pâquet, Paul. Automation in measurements of periodic deformations of the terrestrial globe: making of a punch gravimeter	204-114
Melikov, T. K. Changes of temperature in a radial direction with respect to the axis of a borehole	213-223
Mel'kanovitskiy, I. M. Regularities in variations of the physical properties of rocks of the eastern part of Central Asia	211-248
Mella, Arnoldo. See Wright, Charles.	
Menaker, G. I. Graticules for the determination of the first, second, and third vertical derivatives of the gravitational potential from three-dimensional bodies of arbitrary shape	215-196
Menard, H. W. Marine geology of the Pacific	215-355

Abstract
Menard, H. W., Chase, T. E., and Smith, S. M. Galapagos Rise in the southeastern Pacific ---------- 211-339
Menard, H. W., and Ladd, H. S. Oceanic islands, seamounts, guyots and atolls ---------- 208-348
Menard, H. W., Smith, S. M., and Chase, T. E. Guyots in the southwestern Pacific basin ---------- 209-345
See also Heezen, B. C., and Wasserburg, G. J.
Menard, J. Z. See Walker, R. A.
Menčík, Eduard. See Dlabac, Mikulás.
Mendès, Francisco. Absolute ages of some rocks from Angola by the strontium method ---------- 212-18
Meneisy, M. Y., and Miller, J. A. Geochronological study of the crystalline rocks of Charnwood Forest, England ---------- 210-11
See also Fitch, F. J.
Meng, H.-M. Quaternary movements in the northeast and southeast portions of Yunnan Province ---------- 213-190
Mercer, J. H. Glacier variations in the Karakoram ---------- 211-141
Mercier, Jacques, and Rollet, Michel. The Skopje earthquake (Macedonia, Yugoslavia) and its relation to the tectonics ---------- 207-42
Mereu, R. F. The attenuation of high-amplitude waves in rocks ---------- 212-143
Mereu, R. F., Uffen, R. J., and Beck, A. E. The use of a coupler in the conversion of impact energy into seismic energy ---------- 204-330
Merino y Coronado, J. Regional studies - Mexican seismological tables ---------- 204-59
Merino y Coronado, José, Salyano, Eduardo, Rosales, J. J., and Martínez, Macario. The earthquakes of Acapulco of 1962 ---------- 214-67
Mero, J. See Arrhenius, Gustaf.
Merrill, R. H. In situ determination of stress by relief techniques ---------- 210-348
Merrill, R. H., Williamson, J. V., Ropchan, D. M., and Kruse, G. H. Stress determinations by flatjack and borehole-deformation methods ---------- 211-321
Merritt, D. W. Velocity anisotrophy studies of Precambrian lamellar formations ---------- 211-278
Meschyan, S. R. On investigations of the creep of clay soils ---------- 214-321
Meshbey, V. I. On the problem of seismic surveying proceudre in the piedmont belt of northwest Ciscaucasia ---------- 213-323
Meshbey, V. I., and Muzyka, I. M. The use of directed sources for distinguishing converted sliding-diffracted-head $S_{12}P_{21}$ waves and sliding diffracted $S_{12}P_1$ waves ---------- 211-286
Meshcheryakov, R. P. See Berzin, A. K.
Meshcheryakov, Yu. A. See Bylinskaya, L. N.
Meshkova, Z. S. See Panasenko, G. D.
Message, P. J. The determination of the mass, shape, moments of inertia, and gravitational field of the Moon ---------- 212-98
Metallova, V. V., and Faynberg, F. S. Investigation of magnetic properties of traps in the southern part of the Siberial platform ---------- 214-235
Metcalf, W. G., Heezen, B. C., and Stalcup, M. C. The sill depth of the Mid-Atlantic Ridge in the equatorial region ---------- 210-349
Metsger, Robert. See Major, M. W.
Metzger, A. A. T. On an experimental resistivity survey of the Archaean bedrock of Pargas in S. W. Finland ---------- 210-218
Metzger, A. E. See Trombka, J. I.
Metzger, M. E. See Hodgson, J. H.
Meunier, Paul. See Hawkins, G. S.
Meuschke, J. L. See Boynton, G. R.
Meyer, R. P. See McCamy, Keith.
Meyer, V. A. See Kudryavtsev, Yu. I.
Michal, Emanuel. Some remarks on the uniform graphic designation of seismic values on maps ---------- 208-92
Michard, Gil. See Faucherre, Jacques.

Abstract

Michielsen, H. F. The usefulness of decaying satellite orbits in the study of zonal harmonics ---- 205-134

Michigan University Institute of Science and Technology. A bibliography of seismology for the VELA UNIFORM Program, Addendum No. 5 ---- 209-132

Michon, D. See Aynard, C.

Middlehurst, B. M., and Kuiper, G. P., eds. The Moon, meteorites, and comets ---- 208-21

Midgley, J. E. Perturbation of the geomagnetic field --a spherical harmonic expansion ---- 210-282

Midgley, J. E., and Davis, Leverett, Jr. Calculation by a moment technique of the perturbation of the geomagnetic field by the solar wind ---- 204-246

—— Computation of the bounding surface of a dipole field in a plasma by a moment technique ---- 204-238

Migunova, M. F., and Yurkova, L. A. On the problem of the use of geophysical logging equipment ---- 211-122

Mikerina, N. V. The study of interference at the Voyeykovo magnetic observatory ---- 206-222

See also Ivanov, K. G.

Mikhaylenko, I. G. Attempt to use the procedure of nonlongitudinal paired profiles under the conditions of the piedmont areas of the Ili intermontane basin ---- 211-289

Mikhaylov, A. A. The reverse side of the Moon ---- 209-55

Mikhaylov, G. P. See Berzin, A. K.

Mikhaylova, N. G., and Pariyskiy, B. S. Calculation of theoretical seismograms for the simplest cases of structure of medium at normal incidence ---- 214-296

Mikhaylova, N. P. On the age of the pyroxenites of the Oktyabar alkaline massif ---- 211-253

—— On the specific electrical resistivity of the rocks of the Ukrainian crystalline shield ---- 208-151

Mikhaylova, N. P., and Lalo, Yu. M. On the All-union conference on paleomagnetism ---- 210-312

Mikhelev, I. P. On the possibility of mapping the Paleozoic formations in the Rudnyy Altai by the seismic method ---- 211-317

Mikheyeva, I. G. See Kunin, N. Ya.

Mikhno, M. F. Study of the sedimentary layer of the Tyrrhenian and Ionian Seas by seismic methods ---- 207-335

Mikhota, G. G. See Veytsman, P. S.

Miki, Haruo. On the gradient of the time-distance curve of seismic P wave ---- 208-98

—— On the gradient of time-distance curve of seismic P wave (Preliminary report) ---- 214-89

Mikov, B. D. On the interpretation of magnetic anomalies under conditions of complex refief of an area ---- 204-278

See also Solov'yev, O. A.

Mikumo, Takeshi. Mechanism of local earthquakes in Kwanto region, Japan, derived from the amplitude relations of P and S waves ---- 213-91, 214-78

—— Notes on seismograph feedback systems ---- 213-111, 214-91

Mikumo, Takeshi, and Aki, Keiiti. Determination of local phase velocity by intercomparison of seismograms from strain and pendulum instruments ---- 209-126

Milde, Gerald. See Meisser, Otto.

Militzer, Heinz. Development and testing of a variable-amplitude and variable-frequency ground vibrator for near-seismic investigations ---- 208-132

—— Principle and results of engineering-geophysical investigations. Foundation and highway construction and building supervision ---- 206-134

See also Meisser, Otto.

Abstract

Millard, F. S. Application of the gamma density log to formation evaluation in the Arkoma Basin---------------------------------- 206-272

Millard, F. S., and King, R. B. Well log evaluation of the Trenton-Black River carbonate in the Scipio-Albion trend ----------- 208-291

Millard, H. T., Jr., and Brown, Harrison. Meteoritic time-of-fall pattern--- 206-23

Miller, C. H. Gravity survey in the Rampart Range area, Colorado--- 205-191

Miller, G. R., Munk, W. H., and Snodgrass, F. E. Long-period waves over California's continental borderland, pt. 2. Tsunamis- 206-81

Miller, J. A. Dating basalts ------------------------------------ 215-8

Miller, J. A., and Brown, P. E. The age of some carbonatite igneous activity in southwest Tanganyika ------------------------ 206-14

See also Baker, B. H., Brown, P. E., Fitch, F. J., Meneisy, M. Y., Philpotts, A. R., and Shibata, Ken.

Miller, M. M. Our restless Earth------------------------------- 215-100

Miller, T. D. See Cladis, J. B.

Milliès-Lacroix, Adrien. The tektites: sedimentologic observations and chronologic division --------------------------------- 208-46

Millman, P. M., and McKinley, D. W. R. Meteors ------------- 208-21

Milne, A. R. Two seismic refraction measurements: north Pacific Ocean basin and Dixon entrance ------------------------------ 208-336

Mil'nichuk, V. S. See Arabadzhi, M. S.

Milton, D. J. See Chao, E. C. T.

Minai, Ryoichiro. See Tanabashi, Ryo.

Minakami, Takeshi. A note on earthquakes originating from volcanoes--- 213-353

Minakami, Takeshi, Hiraga, Shiro, Miyazaki, Tsutomu, Ito, Kikuko, and Gyoda, Noriya. The 1962 eruption of Miyake-sima, one of the Seven Izu Islands, Japan --------------------------------- 207-358

Minato, Masao, and Fujiwara, Yoshiki. Palaeomagnetism and palaeoclimatology of the Japanese Islands ---------------------- 214-236

Mink, J. F. See Cox, D. C.

Mirchink, M. F., Bobukh, V. A., Krylov, N. A., and Levanin, A. I. New data on the geology of the karpinsky ridge and adjacent territory --- 211-311

Miridzhanyan, R. T. Geological effectiveness of electrical methods of logging in ore deposits of the Armenian S. S. R.----------- 206-120

Mirimanov, I. G. Determination of the erodability of clayey rocks - 214-329

Mirkina, S. L., Gerling, E. K., and Shukolyukov, Yu. A. Determination of the age of the alkaline complexes of the central Urals by the lead isotope and potassium-argon methods--------------- 204-23

See also Zhidkov, A. Ya.

Mirnova, V. I. See Neprochnov, Yu. P.

Mironova, L. I. See Ostrovskiy, A. Ye.

Mironova, L. V. See Ginodman, A. G.

Miroshnichenko, Ye. M. The effect of the pH of flushing fluids on the value of diffusion-adsorption potentials ------------------- 205-96

Mirza, M. B. See Wright, F. D.

Mirzoyeva, G. I. See Kuznetsov, V. P.

Mishra, S. K. Propagation of sound pulses in a sime-infinite stratified medium-- 211-85

Misharina, L. A. Investigation of the focal mechanism of aftershocks of the Central Baikal earthquake of August 29, 1959------ 215-94

See also Vvedenskaya, N. A.

Mishen'kin, B. P. See Davydov, V. I.

Mishin, V. M., Naydenova, N. Ya., and Platonov, M. L. Diurnal variation in the probability of the occurrence of commencements, active periods, and ends of magnetic storms------------------ 205-257

Abstract

Mishin, V. M., and Shulin, I. A. Some problems concerning geomagnetic activity. I ---------- 204-252
Mishurov, Ye. M. See Tokhtuyev, G. V.
Mitra, Manindra. An SH-point source in a half-space with a layer - 204-117
—— Exact solution of the source problem for a finite three-dimensional source---------- 207-82
Mitronovas, Walter. See Booker, Aaron.
Miyake, Yasuo, and Matsuo, S. A note on the deuterium content in the atmosphere and the hydrosphere ---------- 214-181
Miyakoshi, Junichiro. Study on geomagnetic variation caused by tidal current ---------- 213-266
—— Study on geomagnetic variation of telluric origin—Pt. 1, On geomagnetic variation caused by oceanic tidal current ---------- 213-268
—— Study on geomagnetic variation of telluric origin—Pt. 2, On geomagnetic variation associated with earthquakes ---------- 213-101
—— Study on geomagnetic varitation of telluric origin—Pt. 3, On geomagnetic anomaly observed at some hot spring areas ---------- 213-290
Miyamoto, S. A geological interpretation of the Lunar surface----- 206-47
—— On the possibility of gas ejection from the Lunar surface ------ 206-52
—— Prediction of volcanic eruptions---------- 211-359
Miyamura, Manabu. See Horikawa, Yoshio.
Miyashita, Michio. See Aoyagi, Nobuyoshi.
Miyazaki, Tsutomu. See Minakami, Takeshi.
Miyoshi, Hisashi. The tsunami originated by a circular origin and expressed by the asymptotic representations---------- 213-109
Mizoue, Megumi. Deformation of the Earth's crust in the Tempoku-Urakawa zone ---------- 207-196
Mizyuk, L. Ya., and Podzharyy, V. M. Measurement of the parameters of an elliptically polarized field in inductive electrical prospecting ---------- 211-90
Model', Yu. M. On glaciological investigations in the region of Mirnyy Observatory, carried out by the first coordinated Antarctic Expedition of the Academy of Science of the USSR ---------- 207-165
Modzeleski, V. E. See Nagy, Bartholomew.
Moe, Kenneth. Dependence on latitude of atmospheric heating during geomagnetic storms---------- 209-293
Mogi, Akio. Geomorphological evolution of the sea bottom of Bisanseto in the Japanese Island [Inland] Sea (Seto-naikai)------- 214-340
Mogi, Kiyoo. Some discussions on aftershocks, foreshocks, and earthquake swarms—the fracture of a semi-infinite body caused by an inner stress origin and its relation to the earthquake phenomena (3d paper) ---------- 206-75
—— Some discussions on earthquake phenomena from the standpoint of fracture theory---------- 213-92
—— The fracture of a semi-infinite body caused by an inner stress origin and its relation to the earthquake phenomena -- The case of the materials having some heterogeneous structures (2d paper) ---------- 206-74
Mogilevskaya, S. Ye. Problems of creep and long-term strength of clay soils in relation to pressure on retaining walls ---------- 214-322
Mogilevskiy, E.I. Corpusclar solar streams with force-free magnetic fields---------- 210-304
See also Afanas'yeva, V. I., and Zhulin, I. A.
Mohajer, G. A., and Pierce, G. R. Qazvin, Iran, earthquake----- 205-30
Mohan Rao, A. M. See Vohra, K. G.
Moiseyenko, U. I., and Istomin, V. Ye. Electrical resistivity of rocks under high temperature and pressure---------- 209-193
—— Investigation of the electrical conductivity of rocks at high temperatures ---------- 208-150

Abstract

Moiseyenko, U. I., Istomin, V. Ye., and Ushakov, G. D. The effect of unilateral pressure on the electrical resistivity of rocks---- 209-192

Moiseyenko, V. S., and Aleksandrova, Ye. P. Stratigraphic boreholes of the USSR. The Valday stratigraphic borehole (Novgorodsk Region)---- 211-113

Moiseyev, O. N. See Kartavtsev, S. M.

Mokwa, Jozef. See Gabła, Lubomir.

Molina, F. See Battelli, O., and Mariani, F.

Mollard, Paul. See Cohen, Joseph.

Molodenskiy, M. S. Direction of the principal axes of the stress state in connection with Earth tides---- 213-113

—— Effect of viscosity on the phase of Earth tides---- 213-112

Molodenskiy, M. S., Yeremeyev, V. F., and Yurkina, M. I. An evaluation of accuracy of Stokes' series and of some attempts to improve his theory---- 205-138

Molotkov, I. A. Investigation of the nonstationary distribution of waves in a nonhomogeneous medium when a geometrical shadow area is formed---- 210-196

Molotova, L. V. On the absorption of ultrasonic waves in granites---- 211-82

—— Value of the ratio of velocities of longitudinal and transverse waves in clastic rocks---- 214-94

Moltokov, L. A. See Krauklis, P. V.

Moltshan, G. M., Pissarenko, V. F., and Smirnova, N. A. Some statistical methods of detecting signals in noise---- 210-168

Momoi, Takao. Diffraction of tsunami invading a semi-circular peninsula---- 206-84

—— The effects of a bottle-neckon tsunami---- 206-83

—— Tsunami in a canal of varying width---- 204-112

—— Tsunami in an L-shaped bay (I)---- 210-155

—— Tsunami in an L-shaped canal (I)---- 207-65

—— Tsunami in a T-shaped canal---- 204-111

Momose, Kan-ichi. Studies on the variations of the Earth's magnetic field during Pliocene time---- 206-244

Monakhov, F. I. Conditions of generation and propagation of North Atlantic microseisms---- 215-308

—— The use of long-period microsisms for obtaining information on storms in the ocean---- 206-262

—— The use of long period microseisms for tracing of the storms in the North Atlantic---- 209-319

Mongelli, F., and Morelli, Carlo. On the topographic correction in geothermal prospecting. Measurement of gradient at Matera---- 209-250

Monich, V. K. See Borukayev, R. A., and Ivanov, A. I.

Monīn, Ī. F. On the calculation in the theory of the figure of the Earth---- 204-152

—— On the calculation of plumbline deflection---- 204-153

—— On the problem of the determination of the form of the topographic surface of the Earth---- 207-148

Montecchi, P. See Marcelli. Liliana.

Montgomery, Porter. Effects of Alaskan earthquake on water levels in the Edwards underground reservoir in Bexar County---- 214-66

Mookherjee, Asoke. Discussion of "Distribution of radioactivity in the Mosaboni Copper mine, Bihar, India---- 212-303

Moorbath, S., and Vokes, F. M. Lead isotope abundance studies on galena occurrences in Norway---- 206-16, 206-205

Moore, D. G., and Curray, J. R. Sedimentary framework of continental terrace off Norfolk, Virginia, and Newport, Rhode Island---- 206-348

Moore, G. W. Magnetic disturbances preceding the Alaska earthquake---- 215-101

Abstract

Moore, H. J., Gault, D. E., and Lugn, R. V. Experimental impact craters in basalt ---------- 209-43

Moore, J. G. The 1962 flank eruption of Kilauea ---------- 214-345

Moore, J. G., and Krivoy, H. L. The 1962 flank eruption of Kilauea Volcano and structure of the east rift zone ---------- 211-341

See also Richter, D. J.

Moore, Patrick. A survey of the Moon ---------- 209-96

See also Fielder, Gilbert.

Moraga B., Aldo. See Doyel, W. W., and Thomas, Herbert.

Moran, J. H., and Hoyle, W. A progress report on machine interpretation of well logs ---------- 209-185

Morelli, Carlo. A look into the future of geophysics ---------- 206-132

—— New methods of research on the physics of the Earth ---------- 209-199

—— The Bad Harzburg gravity value in the present Potsdam system ---------- 210-247

—— The first order and absolute world gravity nets ---------- 205-183

Morelli, Carlo, and Carrozzo, M. T. Calculation by means of templates of the perturbations in elevation due to the terrain topography ---------- 212-210

—— Calculation of the anomalous gravity gradient in elevation from Bouguer's anomalies ---------- 209-225

—— Calculation of the gravity gradient components and of gravity in elevation from gravity anomalies referred to the physical Earth's surface ---------- 212-211

See also Baglietto, E. E., Ciani, A., Closs, Hans, Gantar, C., Innes, M. J. S., Kumagai, Naoiti, and Mongelli, F.

Morgan, J. W., and Lovering, J. F. Rhenium and osmium abundances in stony meteorites ---------- 211-26

—— Uranium and thorium abundances in stony meteorites ---------- 211-28

See also Lovering, J. F.

Morgan, T. A., and Panek, L. A. A method for determining stress in rock ---------- 206-345

Morishita, Toshizo. See Tanaka, Teiji.

Moritz, Helmut. Interpolation and prediction of point gravity anomalies ---------- 208-187

—— Physical geodesy ---------- 210-231

Morkovkina, V. F. On the age of the hyperbasites of the northern Urals ---------- 212-33

Morley, L. W., and Larochelle, André. Palaeomagnetism as a means of dating geological events ---------- 215-266

Morokov, V. D. See Ivanov, A. I.

Morozenko, Yu. P. See Gurvich, I. I.

Morozov, M. D., Brodovoy, V. V., Bekzhanov, G. R., Kolmogorov, Yu. A., Kuz'min, Yu. I., Kuminova, M. V., Eydlin, R. A., and Gol'dshmidt, V. I. Main geologic structures of Eastern Kazakhstan and the Mugodzhar according to regional geophysical investigations ---------- 209-198

Morozova, G. M. See Krotevich, N. F., and Van'yan, L. L.

Morozova, I. M. See Gerling, E. K.

Morozova, T. D. See Velichko, A. A.

Morozovich, Ya. R. See Latyshova, M. G.

Morris, D. B. The application of resistivity methods to groundwater exploration of alluvial basins in semi-arid areas ---------- 214-111

Morris, H. T. See Mabey, D. R.

Morrisey, N. S. See Rummerfield, B. F.

Morrison, R. H. See Thomas, R. P.

Mosetti, Feruccio. On analysis by means of linear combinations of ordinates of particular functions of two variables arranged from periodic elements ---------- 206-133

Abstract
Mosetti, Feruccio. See D'Ambrosi, C.
Moskalenko, V. N. New data on the structure of the sedimentary layer of the Mediterranean Sea ---------- 209-332
Moskaleva, S. V. On the age of the ultramafics of the southern Urals ---------- 204-271
—— The problem of the upper mantle and the genesis of hyperbasic rocks ---------- 215-225
Mossop, S. C. Volcanic dust collected at an altitude of 20 km ----- 215-361
Motoya, Yoshinobu, and Nogoshi, Mitsuo. Tremors observed at active volcano, geyser, and fumarole ---------- 207-357
Mott, R. J. See Terasmae, J.
Mottlová, Ludmila. Contributions to the solution of the indirect gravity problem with electronic computers ---------- 214-141
Mou, Y.-K. Discussion of the refraction method ---------- 206-311
Mouritsen, S. A. Multiple reflection problems in western Canada -- 205-328
Moxham, R. M. Radioelement dispersion in a sedimentary environment and its effect on uranium exploration ---------- 211-275
Mozzhenko, A. N. Some interferences in low-frequency seismic surveying ---------- 206-327
Mudretsova, Ye. A. A method of calculating gravity gradients in underground measurements ---------- 208-192
Muehlberger, W. R., Bhatrakarn, Tanakarn, and Youash, Younathan. Correlation of geology and gravity observations in southern Burnet County, Texas ---------- 209-236
Mueller, I. I., Holway, Orlando III, and King, R. B., Jr. Geodetic experiment by means of torsion balance ---------- 213-164
Mueller, R. F. Chemistry and petrology of Venus ---------- 212-108
—— Phase equilibria and the crystallization of chondritic meteorites ---------- 209-26
See also Olsen, Edward.
Muirhead, F. R. Measurements of the remanent magnetization of some individual magnetic particles near the single-domain size -- 204-268
Müller, O. See Gentner, W.
Müller, Stephan, Stein, Albert, and Vees, R. Seismic scaling laws for explosions on a lake bottom ---------- 205-87
See also Fuchs, Karl.
Mumme, I. A. An evaluation of the crustal thickness in the Maralinga area, South Australia ---------- 213-228
—— Geophysical survey of the Officer Basin, South Australia ------ 213-215
Mumme, W. G. Aeromagnetic prospecting for iron ore on Eyre Peninsula, South Australia ---------- 204-291
—— Negative total-intensity magnetic anomalies in the southeast of South Australia ---------- 207-294
Munk, W. H. See Miller, G. R.
Münnich, K. O. See Brinkmann, R.
Munro, D. C. See Bradley, R. S.
Munske, R. E. Progress on Mohole ---------- 212-237
Munuera, J. M. A formula for evaluating seismic movements ----- 209-109
Murakami, Nobuhide, and Kubota, Shigeyoshi. Evolution of feldspars in plutonic rocks ---------- 208-211
Murakami, Takashi. See Horibe, Tomio.
Murano, Tohru. Radioactive equilibrium in the Nigyotoge uranium ores, especially between ionium and uranium ---------- 214-270
Muratov, M. V. Structural complexes and stages of evolution of geosynclinal folded areas ---------- 206-151
Murauchi, Sadanori; Den, Nozomu; Asano, Shuzo; Hotta, Hiroshi; Chujo, Junsuke; Asanuma, Toshio; Ichikawa, Kanenori; and Noguchi, Iwao. A seismic refraction exploration of Kumano Nada (Kumano Sea), Japan ---------- 214-175

Abstract

Murav'yev, V. I. See Garetskiy, R. G.
Murayama, Masaro. See Hosono, Takeo.
Muriedas Pavón, Alfonso, and Juarez Temoltzin, David. Stratigraphic traps and their manifestations from the seismological point of view ---------- 215-332
See also Basurto García, Jesús.
Muroi, Isao. See Kato, Yoshio.
Muromtseva, Z. G., Tarkhov, A. G., and Liu, S.-T. Attempt at statistical treatment of the data of geothermal observations in boreholes of the Krivoy Rog ---------- 208-209
Murphy, L. M., and Brazee, R. J. Seismological investigations of the Hebgen Lake earthquake ---------- 210-122
Murphy, T. J. See Nagy, Bartholomew.
Murray, B. C., and Wildey, R. L. Surface temperature variations during the lunar nighttime ---------- 212-94
Murray, E. A. See Shepard, F. P.
Murrell, S. A. F. A criterion for brittle fracture of rocks and concrete under triaxial stress, and effect of pore pressure on the criterion ---------- 205-338
—— The effect of high pressure on brittle fracture ---------- 204-343
Murtazina, T. M. See Rabinovich, A. V.
Murthy, V. R. Elemental and isotopic abundances of molybdenum in some meteorites ---------- 207-24
—— Isotopic abundances of some elements in meteorites ---------- 204-37
Murty, G. S. See Rao, B. S. R.
Murty, R. C. Mean and effective atomic weights of rock specimens ---------- 211-89
Musin, Ya. A. See Chalov, P. I.
Muzyka, I. M. See Meshbey, V. I.
Muzylev, S. A. See Itsikson, M. I.
Myers, W. B., and Hamilton, Warren. Deformation accompanying the Hebgen Lake earthquake of August 17, 1959 ---------- 210-128
Myshko, Z. A. On the problem of determining direction of magnetization from magnetic anomalies ---------- 211-256
Mysina, L. G. See Komstantinovka, A. G.

N

Nadai, A. L. Theory of flow and fracture of solids, v. 2 ---------- 204-342
Nafe, J. E., and Drake, C. L. Physical properties of marine sediments ---------- 208-353
See also Drake, C. L., Ewing, J. I., and Heezen, B. C.
Nag, K. R. A note on the velocities of elastic waves in a fluid saturated porous medium ---------- 210-331
—— Transient disturbance due to tangential stress applied on the surface of an elastic half-space ---------- 212-139
Nagai, Masao. See Hakura, Yukio.
Nagata, Takesi. IAGA/IAMAP symposium on palaeomagnetism and palaeoclimatology ---------- 211-249
—— Magnetic properties of ferrimagnetic minerals of Fe-Ti-O system ---------- 214-218
—— Polar geomagnetic daily variations on quiet days ---------- 214-192
—— Polar geomagnetic disturbances ---------- 208-248
—— Two main aspects of geomagnetic secular variation—Westward drift and non-drifting components ---------- 214-193
Nagata, Takesi, and Arai, Y. Secular variation of the geomagnetic total force during the last 5,000 years ---------- 204-260
Nagata, Takesi, and Kaneda, E. An inter-relation between auroral luminosity and simultaneous geomagnetic disturbances ---------- 205-244

Abstract

Nagata, Takesi, Kobayashi, Kazuo, and Fuller, M. D. Identification of magnetite and hematite in rocks by magnetic observation at low temperatures ---------- 211-245

Nagata, Takesi, Ozima, Minoru, and Yama-ai, Mitsuko. An experimental demonstration of the production of a new type of remanent magnetization ---------- 213-276

Nagata, Takesi, and Rikitake, Tsuneji. The northward shifting of the geomagnetic dipole and stability of the axial magnetic quadrupole of the Earth ---------- 213-269

Nagata, Takesi. See Ohshio, Mitsuo, and Ozima, Minoru.

Naguma, Shozaburo. Analysis of gravity map by inverse convolution filter ---------- 212-209

—— On the elastic property of granular media (III)—Static response and stress dependency of deformation coefficient ---------- 212-148

Nagy, Bartholomew; Frederiksson, Kurt; Kudynowski, Jan; and Carlson, Leon. Ultra-violet spectra of organized elements ---- 207-26

Nagy, Bartholomew; Murphy, T. J.; Modzeleski, V. E.; Rouser, George; Claus, George; Hennessy, D. J.; Colombo, Umberto; and Gazzarrini, Franco. Optical activity in saponified organic matter isolated from the interior of the Orgueil meteorite ---------- 210-90

Nagy, Bartholomew, Meinschein, W. G., and Hennessy, D. J. Discussion on the paper "Meteoritic hydrocarbons and extraterrestrial life" by Edward Anders ---------- 205-19

—— Further discussion on the paper "Meteoritic hydrocarbons and extraterrestrial life" by Edward Anders ---------- 205-19

Nahas, Michel. The monthly axial rotation of the Earth and its action in geophysics ---------- 207-71

Naidin, D. P. See Teys, R. V.

Nairn, A. E. M. Palaeomagnetic measurements on Karroo and post-Karroo rocks. A second progress report ---------- 211-252

See also Bucha, Václav.

Nakagawa, Ichiro. On tidal variation of gravity ---------- 214-150, 214-153

See also Ichinohe, Tokio, Nishimura, Eiichi, and Sato, Yasuo.

Nakai, Junji, Horikawa, Yoshio, and Hosono, Takeo. Radiometric survey with car-mounted instrument in Tochigi Prefecture ----- 204-312

Nakai, Junji, Kanaya, Hiroshi, and Takei, Yoshiyuki. Geophysical loggings at Asahi-mura, Higashitagawa-gun, Yamagata Prefecture ---------- 204-327

See also Hosono, Takeo.

Nakai, Noboyuki. See Deevey, E. S., and Jensen, M. L.

Nakamura, Kazuaki. See Isshiki, Naoki.

Nakamura, Yosio. Model experiments on refraction arrivals from a linear transition layer ---------- 209-136

Nakamura, Yosio, and Howell, B. F., Jr. Maine seismic experiment: frequency spectra of refraction arrivals and the nature of the Mohorovičić discontinuity ---------- 209-137

Nakano, Shokichi. Some remarks on crustal deformations -------- 213-93

—— The effect of surface temperature on crustal deformations ---- 213-175

Nakhamkin, S. A. On the theory of controlled directional reception (RNP) ---------- 201-339

See also Volodina, K. N.

Nalwalk, A. J., Hersey, J. B., Reitzel, J. S., and Edgerton, H. E. Improved techniques of deep-sea rock-dredging ---------- 204-350

Namikawa, Tomikazu; Kitamura, Taiichi; and Okuzawa, Takashi. On the propagation of weak hydromagnetic shock waves in the exosphere and the sudden commencement of geomagnetic storm. Pt. 3, Transverse shock ---------- 206-230

Namikawa, Tomikazu; Okuzawa, Takashi; and Kitamura, Taiichi. On the propagation of weak hydromagnetic shock waves in the exosphere and the sudden commencement of geomagnetic storm. Pt. 1, Fast shock ---------- 206-228

Abstract
Napadensky, H. Dynamic response of snow to high rates of loading- 213-130
Naruse, Yo. See Kaizuka, Sohei.
Nassonov, V. A. See Uskov, P. S.
Nasu, Noriyuki; Kagami, Hideo; and Chujo, Junsuke. Submarine geology at the entrance of Tokyo Bay (Cooperative survey at the entrance of Tokyo Bay) ----- 210-357
Nasu, Noriyuki, and Sato, Takahiro. Geological results in the Japanese deep sea expedition in 1961 (JEDS-4) ----- 210-354
See also Kagami, Hideo, and Sakamoto, Takao.
National Academy of Sciences. Proposed United States program for the International Upper Mantle Project ----- 204-215
Naudy, Henri. Filtering properties of the formulas used for the transformation of gravimetric maps ----- 212-208
See also Baranov, Vladimir.
Naumenkov, N. L. See Baranskiy, L. N.
Naychuk, V. K. See Gerasimov, Yu. G.
Naydenova, N. Ya. See Michin, V. M.
Nazarnyy, S. A. A graphoanalytical method of establishing the velocity law from traveltime curves of transient waves ----- 211-298
—— Interpretation of observations of inverse seismic logging ----- 211-291
Neale, E. R. W. See Poole, W. H.
Neale, R. N. The use of isochron charts in seismic refraction interpretation ----- 215-320
Nechay, A. M. The problem of quantitative calculation of secondary porosity of jointed oil and gas reservoirs ----- 213-156
Nedostup, G. A. A scintillation gamma spectrometer for borehole investigation ----- 207-316
Nedostup, G. A., and Yakubson, K. I. Radioactivity logging of copper-nickel ore deposits ----- 205-310
Nefedov, V. P., and Ostrovskiy, E. Ya. Geologic-geophysical interpretation of airborne geophysical data ----- 212-307
Neidell, Norman. Recent work on palaeomagnetism ----- 212-273
—— The physics of the Moon ----- 212-93
Neisig, K. E. An air-borne scintillometer ----- 214-282
Nekhoroshev, V. P. On terminology in tectonics ----- 215-174
—— The main hypotheses of tectogenesis and their contradictions -- 215-173
Nekrasova, K. A. See Litvinenko, I. V.
Nelepo, B. A. Gamma-spectrometric measurements of the radioactivity of Atlantic Ocean waters ----- 204-306
—— Some results of measurements of the total radioactivity of waters of the Antarctic sector of the Pacific Ocean ----- 204-305
Nelson, W. H. See Fraser, G. D., and Ross, C. P.
Nemtsov, L. D., and Prishibalko, A. I. Attempt at high-accuracy measurements of increments in the force of gravity ----- 207-187
Nenashev, N. I. See Anodin, T. I., and Grinberg, A. A.
Neprochnov, Yu. P. On the possibility of using deep explosions in marine seismic investigations by the reflection method in deep-water regions ----- 215-323
Neprochnov, Yu. P., Neprochnova, A. F., Zverev, S. M., Mirnova, V. I., Bokun, R. A., and Chekunov, A. V. New data on crustal structure of the Black Sea Basin south of the Crimea --- 213-322
Neprochnova, A. F. See Neprochnov, Yu. P.
Neri España, F. A criterion to follow in determination of interval velocities ----- 215-337
—— Delay time ----- 208-318
—— The method of least squares ----- 215-331
—— Uses and dangers of narrow band step filters ----- 208-316
Nersesov, I. L., and Rautian, T. G. The kinematics and dynamics of seismic waves at distances to 3,500 km from the epicenter --- 215-113

Abstract

Nersesov, I. L., and Riznichenko, Yu. V. Frequency of earthquakes and map of seismic activity ---- 215-89

Nersesov, I. L., and Tokmulin, M. Kh. A graphic method of choosing the frequency-amplitude and phase characteristics of a seismograph ---- 215-117

See also Medvedev, S. V.

Ness, N. F., Scearce, C. S., and Seek, J. B. Initial results of the Imp 1 magnetic field experiment ---- 215-248

See also Heppner, J. P.

Nestor, Kh. E. See Aaloe, A. O.

Nettle, R. L. See Pirson, S. J.

Nettleton, L. L. Recent developments in airborne magnetics and gravity ---- 215-276

Neuburg, H. A. C. See Shen, S. P.

Neugebauer, Marcia. See Snyder, C. W.

Neumann, Henrich. See Kulp, J. L.

Neumann, R. Contribution to the simplified calculation of long-distance terrain corrections in gravimetry ---- 208-185

Neuschel, S. K. See Pitkin, J. A.

Nevolin, N. V. See Lipovetskiy, I. A.

Newkirk, L. L., and Walt, Martin. Longitudinal drift velocity of geomagnetically trapped particles ---- 211-221

New Orleans Geological Society. Electric logs of south Louisiana -- 205-110

Newton, R. C. See Kennedy, G. C.

Newton, R. R. Geodesy by satellite ---- 211-124

—— Non-zonal harmonics deduced from the motion of Transit 4A -- 205-163

Newton, V. C., and Corcoran, R. E. Petroleum geology of the western Snake River Basin, Oregon-Idaho ---- 215-199

Neyman, Ye. A. Device for reconstructing the gradient curve of U_{SP} as the curve of the self-polarization potentials ---- 205-103

—— Graticules for three-electrode potential sondes and layers of limited thickness ---- 205-101

See also Grechukhin, V. V., and Sarkisov, A. L.

Nguyen-Hai. Propagation of longitudinal waves in the Earth's core - 208-237

—— The Earth's core according to the deep earthquakes of the southern Pacific Ocean ---- 207-220

Nguyen, K. M., Droste, Zofia, Hordejuk, Józef, and Teisseyre, Roman. Analysis of macroseismic phenomena and dynamic processes in the earthquake of June 12, 1961 in Vietnam ---- 207-45

Niazi, Mansour. Seismicity of northern California and western Nevada ---- 210-137

Niblett, E. R., and Forsyth, P. A. Canadian national report on geomagnetism and aeronomy ---- 207-237

Nicolaysen, L. O., Burger, A. J., and Johnson, R. L. The age of the Shawa carbonatite complex ---- 208-11

Nielsen, Heims, and Ricke, W. Sulfur isotope ratios of evaporites from Germany; a contribution to knowledge of δS-34 in seawater sulfate ---- 212-245

See also Friedrich, G.

Nielsen, N. N. See Hudson, D. E.

Niewodniczánski, Henryk. See Gabła, Lubomir.

Niewodniczánski, J. See Czubek, Jan.

Niggli, Ernst. See Jager, Emilie.

Niini, Aarno. The mid-oceanic ridges and the movement of the continents ---- 213-180

—— The origin of the present formations of the Earth's surface ---- 204-162

Nikiforuk, B. S. See Sollogub, V. B.

Nikitenko, K. I. A procedure for statistical interpretation of telluric observations ---- 211-60

Abstract

Nikitenko, K. I. Zoning of an investigated territory according to data of the telluric current method ---- 211-48

Nikolayev, N. I. Neotectonics and its expression in the structure and relief of the territory of the USSR ---- 213-181

Nikolayevskiy, A. A. Some features of the junction of the Siberian platform with the Mesozoic structures of the northeastern U.S.S.R. according to data of geophysical investigations ---- 212-228

Nikolin, V. I., and Ilivitskiy, A. A. Investigations of the strength, deformational and rheological properties of rocks of the Vysogorsk deposit ---- 214-334

Nikol'skiy, A. P. Characteristics of the diurnal distribution of irregular magnetic disturbances between the geomagnetic and geographic poles in the Arctic ---- 206-226

—— Comparison of magnetic disturbance in the high latitudes and the Störmer theory ---- 205-239

—— The geographical distribution of magnetic disturbances, radio wave absorption and radar echoes from auroras in the high latitudes ---- 210-298

Nikol'skiy, A. P., and Ol', A. I. Comments on the article "Certain problems of magnetic activity. 1." by V. M. Mishin and I. A. Shulin ---- 207-255

Nilssen, B. See Kulp, J. L.

Nilsson, Tage. Standard pollen diagrams and C-14 datings on the Ageröd peatmoss in central Scania ---- 213-6

Nininger, H. H. Meteorite distribution on the Earth ---- 208-21

Nishida, Atsuhiro. Ionospheric screening effect and storm sudden commencement ---- 211-238

—— Theory of irregular magnetic micropulsations associated with a magnetic bay ---- 209-290

Nishida, Atsuhiro, and Cahill, L. J., Jr. Sudden impulses in the magnetosphere observed by Explorer 12 ---- 212-255

Nishida, Atsuhiro, and Young, J. H. Explorer XII observations of magnetic sudden impulses in the Earth's magnetosphere ---- 209-285

Nishimura, Eiichi; Ichinone, Tokio; Nakagawa, Ichiro; and Funabiki, M. Observational results of earth tidal change of gravity during I. G. Y. in Japan ---- 205-65

Nishimura, Eiichi, and Tanaka, Yutaka. On peculiar mode of secular ground-tilting connected with a sequence of earthquakes in some restricted areas ---- 213-94, 214-79

Nishimura, Eiichi; Tanaka, Yutaka; and Tanaka, Teiji. On a tiltmeter for the observations of secular ground-tilting ---- 205-38

See also Sato, Yasuo.

Nishimura, Masakichi, and Sandell, E. B. Zinc in meteorites ---- 215-28

Nishitake, Teruo. See Hughes, D. S.

Noakes, J. E., Isbell, A. F., Stipp, J. J., and Hood, D. W. Benzene synthesis by low temperature catalysis for radiocarbon dating ---- 204-9

Noakes, J. E., Stipp, J. J., and Hood, D. W. Texas A and M University radiocarbon dates I ---- 214-23

Noerdlinger, P. D. Wave generation near the outer boundary of the magnetosphere ---- 208-242

Noetzlin, Jacques. See Krummenacher, Daniel.

Nogoshi, Mitsuo. See Motoya, Yoshinobu.

Noguchi, Iwao. See Murauchi, Sadanori.

Nojarov, P. On the magnetization of ferromagnetic ellipsoids in strong homogeneous magnetic fields ---- 210-311

Nomokonov, V. P., and Grechishnikov, G. A. A high-frequency seismic station based on the mass-produced station SS-24P ---- 211-305

Abstract

Nomura, Satoshi. Palaeomagnetic studies on the Neogene volcanic rocks from the Sendai district, northeast Honshu, Japan (Pt. 1) 206-243

—— Paleomagnetic studies on the Neogene volcanic rocks from the Sendai district, northeast Honshu, Japan. Pt. 2 208-266

Nordemann, Daniel. See Cheminée, J.-L.

Norden, J. A. E. Magnetic field study of basement relief and susceptibility variations in the Muskogee-Tahlequah area, Oklahoma 215-279

Norden, J. A. E., Kotila, D. A., and Glaser, G. C. Magnetic delineation of the basement surface at Greenleaf Lake, Muskogee County, Oklahoma 212-288

Norden, J. A. E., and Langton, J. M. Magnetic delineation of the basement surface, Adair County, Oklahoma 206-252

—— Magnetic profile control of basement configuration, northern Cherokee County, Oklahoma 206-253

Norden, J. A. E., Langton, J. M., and Hancock, J. M., Jr. Magnetic profile across the Watts Reef, Adair County, Oklahoma 204-285

Nordquist, J. M. A catalog of southern California earthquakes, and associated electronic data processing programs 213-65

Nordyke, M. D., and Wray, W. Cratering and radioactivity results from a nuclear cratering detonation in basalt 209-147

Nordyke, M. D. Reply: "Cratering and radioactivity results from a nuclear cratering detonation in basalt" 213-298

Norinelli, Armando, and Tesi, F. Results of recordings of the gravitational earth tide at the stations of Padova and Trieste (Grotto Gigante) 205-78

Norris, D. K., and Black, R. F. Palaeomagnetic age of the pre-Ordovician rocks near Inuvik, Northwest Territories 215-268

North, F. K. Gravitational tectonics 215-164

—— The geological time-scale 215-1

Norton, J. J. See Zartman, R. E.

Novák, Břetislav. See Červený, Vlastislav.

Novikov, E. A. New data on the absolute age of the Taurian shales of Crimea 211-17

—— New data on the age of rocks revealed in deep boreholes in the Crimean Steppe 214-5

Novikov, G. F. On the interpretation of gamma logs in the study of complex uranium-thorium ores 204-320

Novotný, Oldřich, and Pěč, Karel. Equivalence between Love waves propagating in double layer and single layer medium 209-163

Novozhilov, G. N. See Alfimov, N. N.

Nowak, Stanisław. Determination of the sensitivity of the horizontal double pendulum (Lettau type) 205-181

—— Observations of plumbline deflections at Borowiec in 1959 207-72

Nozdryukhin, V. K. See Suslov, V. F.

Nuttli, O. W. Seismological evidence pertaining to the structure of the Earth's upper mantle 204-216

—— Some observations relating to the effect of the crust on long-period P-wave motion 209-120

Nydal, Reidar; Lövseth, Knut; Skullerud, K. E.; and Holm, Marianne. Trondheim natural radiocarbon measurements IV 214-32

See also Faure, H.

Nye, J. F. The response of a glacier to changes in the rate of nourishment and wastage 204-169

O

Oakley, K. P. Analytical methods of dating bones 215-4

—— Relative dating of Arlington Springs Man 205-5

Oba, Yoshio. Petrological studies of the Usu Volcano, with special reference to somma lavas, Pt. 1 212-347

Abstract

Obayashi, Tatsuzo. Interaction of solar plasma streams with the outer geomagnetic field ---------- 209-282
—— Streaming of solar particles between Sun and Earth ---------- 213-262
Oberti, Guido. Geomechanical tests on the rock of Mont Blanc ---- 212-335
Obi, Nakamaru. See Iwasaki, Shoji.
Oblogina, T. I. Form and spectrum of diffracted waves ---------- 214-295
Obukhov, G. G. Propagation of surface Love waves in the crust under conditions of periodic irregularity of the surface and of the interface between the crust-mantle interface ---------- 213-122
Obukhov, V. A. The small-size laboratory seismoscope LS-2(18)-- 211-83
Öcal, Nevzat. Structure of the Earth's crust in Anatolia ---------- 206-193
Ochoa E., R. See García Rojas, Antonio.
Odén, Svante. See Welander, Pierre.
O'Donnell, T. J. Current techniques in geophysical prospecting for petroleum ---------- 207-141
Oelsner, Christian. The special gravimetric surveys of the Geyer-Ehrenfriedersdorf region ---------- 211-161
Oganisyan, Sh. S. See Akopyan, Ts. G.
Ogden, J. G., 3d, and Hay, R. J. Ohio Wesleyan University natural radiocarbon measurements I ---------- 214-36
Ogorodov, N. V. See Kirsanov, I. T., and Vazheyevskaya, A. A.
Oguti, Takasi. Geomagnetic bay disturbance and simultaneous increase in ionospheric absorption of cosmic radio noise in the auroral zone ---------- 214-200
—— Inter-relations among the upper atmosphere disturbance phenomena in the auroral zone ---------- 207-257
—— Inter-relations among the upper atmosphere disturbance phenomena in the auroral zone - II. Spriral pattern of the polar aeronomical disturbances ---------- 205-243
O'Hara, M. J. Origin of igneous rocks--Melting of bimineralic eclogite at 30 kilobars ---------- 208-224
—— Origin of igneous rocks--Melting of garnet peridotite at 30 kilobars ---------- 208-222
—— Pyroxenes and associated minerals in the crust and mantle--The join diopside-pyrope at 30 kilobars ---------- 208-230
O'Hara, M. J., and Schairer, J. F. Pyroxenes and associated minerals in the crust and mantle--The join diposide-pyrope at atmospheric pressure ---------- 208-229
O'Hara, M. J., and Yoder, H. S., Jr. Origin of igneous rocks--Partial melting of the mantle ---------- 208-223
Ohmoto, Hiroshi. K-Ar ages of hornblendes of the Hida gneiss complex in central Japan ---------- 213-12
Ohshio, Mitsuo, Fukushima, Naoshi, and Nagata, Takesi. Solar flare effect on geomagnetic variation ---------- 206-221
Ohta, Yutaka. Amplitude distribution of Rayleigh type waves in stratified double layer ---------- 208-119
—— On the phase velocity and amplitude distribution of Rayleigh type waves in stratified double layer (in case of $\lambda \neq \mu$) ---------- 208-120
Oilweek. Aeromagnetic surveys now underway in Arctic Islands --- 214-258
—— Gravity survey reveals large offshore east coast structures --- 214-156
—— Says new logging technique is big technological breakthrough -- 213-160
Ojima, Minoru. Review of palaeomagnetic study at Geophysical Institute, University of Tokyo ---------- 206-242
Oka, Yukitoshi. See Hiramatsu, Yoshio.
Okada, Atusi. Topographic survey and vertical ground displacement accompanied by the eruption of Volcano Miyake Island in 1962 --- 204-354
Okada, Hiroshi. See Tazime, Kyozi.
Okamura, Arnold. See Krivoy, H. L.
Okano, Kennosuke. Simultaneous observation of microseismic waves at two stations ---------- 213-292, 214-266

Abstract

O'Keefe, J. A. The origin of tektites ---- 210-99

—— Water in tektite glass ---- 215-43

O'Keefe, J. A., and Kaula, W. A. Stress differences and the reference ellipsoid ---- 204-174

O'Keefe, J. A., Walter, L. S., and Wood, F. M., Jr. Hydrogen in a tektite vesicle ---- 206-36

Okumura, Kiyohiko. See Horibe, Tomio.

Okuzawa, Takashi. See Namikawa, Tomikazu.

Ol', A. I. Long-period geomagnetic field pulsations ---- 206-227
See also Nikol'skiy, A. P.

Olausson, Eric, and Uusitalo, Sulo. On the influence of seismic vibrations on sediments ---- 212-124

Oldale, R. N., and Tuttle, C. R. Seismic investigations on Cape Cod, Massachusetts ---- 209-329

Olehy, D. A. See Schmitt, R. A.

Olhovich, V. A. Comments on the use of filters ---- 215-336

—— Determination of the surface of contact of a layer of high velocity in the vicinity of a deep well ---- 206-317

—— General method for construction of diagrams of paths and fronts of waves in order to calculate the distribution of velocities ---- 207-320

—— Gravimetric interpretations ---- 207-197

—— Nomogram for the calculation of the influence of the Sun and Moon in gravimetric work in the Republic of Mexico ---- 208-197

Oliver, H. W., and Mabey, D. R. Anomalous gravity field in east-central California ---- 205-192

Oliver, J. E. Earthquake prediction ---- 212-127

—— Propagation of PL waves across the United States ---- 209-121

Oliver, J. E., and Dorman, James. Exploration of sub-oceanic structure by the use of seismic surface waves ---- 208-218
See also Major, M. W.

Oliver, R. L. See Briden, J. C.

Olivero, Sergio. Temperature of the underground in the Mont Blanc tunnel between points 3,300 and 5,600 m from the Italian mouth ---- 204-194

Olsen, Edward. Some calculations concerning the effect of nickel on the stability of cohenite in meteorites ---- 212-59

Olsen, Edward, and Mueller, R. F. Silicates in some iron meteorites ---- 209-25

Olsson, I. U., and Kilicci, Serap. Uppsala natural radiocarbon measurements IV ---- 214-33

Olte, A. See Fensler, W. E.

Omes', S. P., Bondarenko, Yu. V., Zakharova, N. I., and Borkov, F. P. On the study of the gamma-field over oil and gas fields ---- 208-289

Onasch, H.-J. A slide rule for calculating reflection depths ---- 209-326

Onhauser, A. A. See Ross, W. E.

Onhauser, M. H. See Ross, W. E.

Onishchenko, Yu. A. See Rusakov, N. G.

Ono, Hiroyasu. See Wada, Tatsuhiko, and Yoshikawa, Keizo.

Ono, Yoshihiko; Suyama, Junji; and Baba, Kenzo. Reliability of observations by D. C. method and the heterogeneity effect on VES diagrams ---- 214-113

Onodera, Seibe. An evaluation of the relative resistivity for a multiple layered Earth ---- 213-145

—— Analytical interpretation of apparent resistivity curves for horizontally layered Earths ---- 212-158

Onodera, T. F. Dynamic investigation of foundation rocks in situ ---- 205-337

Onwumechilli, C. A. On the existence of days with extraordinary geomagnetic lunar tide ---- 214-195

Oort, J. H. Empirical data on the origin of comets ---- 208-21

Oosterveld, M. M. See Koefoed, O.

Opdyke, N. D. Palaeoclimatology and continental drift ---- 205-142

Abstract
Opdyke, N. D. The paleomagnetism of the Permian red beds of southwest Tanganyika 212-278
See also Gough, D. I., and McElhinny, M. W.
Öpik, Ernst. Dissipation of the solar nebula 208-24
Orange, A. S. See Komack, R. L.
Orbiku, K. K. The meteorite collection of the Estonian Academy of Sciences 212-54
Orcel, Jean. The meteorites, messengers of the cosmos 212-41
See also Jérémine, Elisabeth.
Ore Logging Test Staff of the Geophysical Research Institute of the Geologic Bureau [China] 205-112
Orekhovskaya, Ye. P. See Shcherbinin, V. A.
Oriti, R. A. See Hartman, R. N.
Orlov, V. P. Secular variation of elements of the geomagnetic field in Antarctica 205-223
—— Secular variation of geomagnetic elements in the Arctic for the period 1954-1959 204-258
—— Sharp changes in the secular variation of the geomagnetic field to the east of Lake Baikal 205-222
See also Adam, N. V.
Orlova, A. V. On the possibility of a systematic relationship between the speed of rotation of the planet and the angle of inclination of its axis 208-118
—— Variations in the Earth's climate as evidence of its uneven rate of rotation 208-116
Orlova, L. B. See Ab, E. A.
Orlova, N. S. A study of the angle of repose of some loose materials and its bearing on the hypothesis of a dust layer on the lunar surface 209-77
Orovetskiy, Yu. P. See Lebedev, T. S.
Orozco y Jiménez, J. L. Statistical correlation—Applied to seismological interpretation 214-285
Orville, P. M. Comments on the two-feldspar geothermometer 205-207
Osada, Kaio. See Kanai, Kiyoshi.
Osborne, F. J. F., Shkarofsky, I. P., and Gore, J. V. Laboratory simulation of the solar wind magnetosphere interaction 207-263
Oshafīychuk, Ī. M. See Tolstoy, M. I.
Oshry, H. I. See Lebreton, Francisque, and Youmans, A. H.
Osipov, N. K. Algorithms for use in preparing analytical representations of observed geomagnetic fields on digital computers 205-258
—— Secular variations of the energy spectrum of the inner part of the Earth's main geomagnetic field 207-256
—— The energy spectrum of the inner part of the constant geomagnetic field in the epochs 1955 and 1958 206-211
—— The nonpotential part of the Earth's main magnetic field 207-234
—— The outer part of the Earth's main magnetic field 207-232
See also Adam, N. V.
Osmond, J. K. See Goodell, H. G.
Ossing, H. A. Dispersion of Rayleigh waves originating in the Mid-Atlantic Ridge 215-108
Ostafiychuk, I. M. See Tolstoy, M. I.
Ostenso, N. A. See Bentley, C. R., Black, D. J., and Den Hartog, S. L.
Ostic, R. G., Russell, R. D., and Reynolds, P. H. A new calculation for the age of the Earth from abundances of lead isotopes 206-9
See also Slawson, W. F.
Östlund, H. G., Brown, R. M., and Bainbridge, A. E. Standardization of natural tritium measurements 215-244
Östlund, H. G., and Lundgren, L. B. Stockholm natural tritium measurements 215-243
See also Rusnak, G. A.

Abstract

Ostrekin, M. E. Some preliminary conclusions on the geographical distribution of diurnal magnetic disturbances at the South Pole according to observations in 1958 ---- 212-265

Ostrovskiy, A. Ye., A. Ye., Bakhryshin, A. B., and Mironova, L. I. Tidal tilts of the Earth according to the observations in 1958 in Kondara (near Stalinabad) ---- 205-47

Ostrovskiy, A. Ye., Ionychev, N. N., and Fandyumina, S. M. Tidal tilts of the Earth according to the observations in Ashkhabad in 1957 and 1958 ---- 205-48

Ostrovskiy, A. Ye., Khoromskiy, A., and Mironova, L.I. Results of tidal tilts of the Earth's surface by means of a photoelectric tiltmeter in Kounrad in October-December, 1957 ---- 205-49

Ostrovskiy, A. Ye., Matveyev, P. S., and Fandyumina, S. M. Observations of the tidal tilts of the Earth by means of a photoelectric tiltmeter in Poltava, July-October 1958 ---- 205-46

See also Dobrokhotov, Yu. S.

Ostrovskiy, E. Ya., and Korchagin, V. I. Airborne geophysical methods and their possibilities of application in prospecting for mineral deposits ---- 212-181

See also Korchagin, V. I., and Nefedov, V. P.

Ostrovskiy, M. I., and Berman, L. I. Correlation of Devonian formations in the southwestern regions of the Udmurt A. S. S. R. in connection with petroleum-prospecting drilling ---- 207-115

Oszlaczky, Szilárd. Note on the correction of gravimeter readings- 205-177

Ota, Masaziro. Geomagnetic study of Aso volcano ---- 213-277, 214-263

Otsuka, Michio. Some considerations on the wave forms of ScS phases ---- 213-105, 214-80

Otsuka, Michio, and Ishizuka, Shoji. On an experimental long period seismograph ---- 208-103

See also Tsuboi, Chuji.

Otsuka, Ryohei. See Hayase, Kitaro.

Ottemann, J. See Schüller, A.

Otto, J. B. See Burke, W. H.

Ovchinnikov, K. N. Absolute age of Precambrian and Paleozoic formation of the Ural according to data of the potassium-argon and lead-alpha method ---- 210-41

Ovchinnikov, L. N. See Yunikov, B. A.

Ovchinnikova, G. V. See Gerling, E. K.

Overton, A. See Sander, G. W.

Owen, J. D., and Cook, C. F. The application of a source-detector transfer equation to neutron logging investigations ---- 206-268

Oxburgh, E. R. Upper mantle inhomogeneity and the low velocity zone ---- 213-233

Ozawa, Izuo. On an extensometer of new type ---- 205-53

—— On some coefficients of earth tidal strains ---- 205-54

—— On the combined observations of the crustal deformations at some observatories in the short intervals ---- 213-95, 214-81

Ozerov, D. K. A grapho-analytical method of solving the inverse problem in the case of several inhomogeneous mediums ---- 210-190

Ozerov, V. D. See Gringauz, K. I.

Ozima, Minoru; Yama-ai, Mituko; and Nagata, Takesi. Role of crystalline anisotropy energy in the acquisition of stable remanent magnetization: inverse type of thermoremanent magnetization ---- 207-269

See also Nagata, Takesi.

Ozurtsov, K. I. See Uspenskiy, I. N.

Abstract

P

Pagaczewski, Janusz. The seismological station of the Polish Academy of Sciences at Niedzicy (Pieniny) ---- 207-68

Paitson, L. See Savit, C. H.

Pakiser, L. C. Gravity, volcanism, and crustal structure in the southern Cascade Range, California ---- 214-157

—— Reply [to comments by M. N. Qureshy on papers "Structure of the crust and upper mantle in the western United States," and "Crustal structure in eastern Colorado from seismic refraction measurements."] ---- 211-146

—— Structure of the crust and upper mantle in the western United States ---- 204-204

Pakiser, L. C., and Hill, D. P. Crustal structure in Nevada and southern Idaho from nuclear explosions ---- 204-205

See also Jackson, W. H.

Paliyev, G. I., and Traynin, L. P. On some physical properties and geologic age of the rocks of the area west of the Mugodzhary Range ---- 213-132

Palm, Ann. See Strom, R. G.

Palmason, Gudmundur. Seismic refraction investigation of the basalt lavas in northern and eastern Iceland ---- 214-300

Pan, S. K. Deformation and stresses in different Earth models with a rigid core having varying elastic parameters ---- 207-83

Panasenko, G. D. Crustal structure and traveltime curve of the northeastern part of the Baltic shield ---- 215-217

—— Earthquakes of the northeast part of the Baltic shield ---- 215-79

—— On the thickness of the Earth's crust on the Kola Peninsula ---- 211-192

Panasenko, G. D., and Meshkova, Z. S. On the direction of the action of tangential stresses in the focal zone of Hindu Kush earthquakes ---- 211-72

Panek, L. A. See Morgan, T. A.

Pannocchia, Guido. See Marcelli, Liliana.

Pantulu, P. V. See Bhagavantam, S.

Pap, A. M. See Gerling, E. K.

Papageorge, G. E. See Berg, J. W., Jr.

Paparov, Kh. Geophysical studies on thermal waters by the vertical electrical sounding method ---- 212-161

Papazachos, B. C. Angle of incidence and amplitude ratio of P and PP waves ---- 209-118

—— Dispersion of Rayleigh waves in the Gulf of Mexico and Caribbean Sea ---- 213-226

Pâquet, Paul. See Melchior, P. J.

Pariyskiy, B. S. See Mikhaylova, N. G.

Pariyskiy, N. N. On the effect of earth tides on the secular retardation of the Earth's rotation ---- 205-41

Pariyskiy, N. N., Dobrokhotov, Yu. S., Pertsev, B. P., Kramer, M. V., Belikov, B. D., and Barsenkov, S. N. Observations of tidal variations of gravity in Krasnaya Pakhra (near Moscow) ---- 205-62

Pariyskiy, N. N., Pertsev, B. P., Gridnev, D. G., Kramer, M. V., and Barsenkov, S. N. Tidal variations of gravity in Alma-Ata ---- 205-64

Park, F. R. See Massalski, T. B.

Parker, D. G. See Santirocco, R. A.

Parker, E. N. The scattering of charged particles of magnetic irregularities ---- 211-220

Parker, E. N., and Dessler, A. J. Discussion of paper by E. J. Stegelmann and C. H. von Kenschitzki, "On the interpretation of the sudden commencement of geomagnetic storms" ---- 215-258

Parker, P. L. The biogeochemistry of the stable isotopes of carbon in a marine bay ---- 215-229

Parkhomenko, E. I. Laboratory and field investigations of the piezoelectric effect in rocks containing nepheline ---- 212-333

Abstract

Parkhomenko, E. I., and Bondarenko, A. T. Investigation of the electrical resistivity of rocks at pressures up to 40,000 kg per cm^2 and temperatures up to 400° --- 214-116

Parkhomenko, I. S. Model study of the change in shape of wave traces during transmission through a layer --- 211-78

Parkinson, W. D. Conductivity anomalies in Australia and the ocean effect --- 214-53

Parlag, A. M. See Mazyukevich, N. P.

Parthasarathy, R., and Hessler, V. P. Periodic covariation of radiowave absorption, earth currents, and other associated phenomena in the auroral zone --- 213-58

Parviaynen, A. E. See Sychev, P. M.

Paschall, R. H. The San Andreas fault near San Juan Bautista --- 204-166

Pasechnik, I. P. See Kogan, S. D.

Pashkin, Ye. V. Determination of the rectangular coordinates of base stations by the radiogeodetic method --- 207-139

Pasteels, Paul, and Deutsch, Sarah. Age measurements of Antarctic rocks (Queen Maud Land) --- 206-19

Pastel's, P. See Deich, S.

Patenaude, R. W. Results of regional aeromagnetic surveys of eastern Upper Michigan, central Lower Michigan, and southeastern Illinois --- 212-287

Paterson, N. R. Geological mapping by magnetometer surveys --- 214-240

Patnode, H. W. See Trump, R. P.

Patsevich, S. L. On the problem of determining the porosity of the rocks of the lower division of the productive beds (KS, PK, KaS) of the Zyrya field --- 210-209

—— On the problem of the nature of the sediments and the oil-gas possibilities of the section of the Kirinakin formation of the Zyrya field and the Turkyany area --- 204-136

Patten, E. P., Jr., and Bennett, G. D. Application of electrical and radioactive well logging to ground-water hydrology --- 212-175

Patterson, C. C., and Duffield, B. The isotopic composition of lead in Easter Island rhyolite --- 207-221

Patterson, C. C., and Tatsumoto, M. The significance of lead isotopes in detrital feldspar with respect to chemical differentiation within the Earth's mantle --- 209-262

See also Chow, T. J., Ledent, Dolly, and Tatsumoto, Mitsunobu.

Paul, P. A. Depth rules for some geometric bodies for interpretation of aeromagnetic anomalies --- 214-243

Paulikas, G. A. See Freden, S. C.

Pauly, Hans. See Callisen, Karen.

Pavlenkova, N. I. Analytical expression of the matching method for determining effective velocities --- 210-334

See also Sollogub, V. B.

Pavlinov, V. N. On certain manifestations of neotectonic movements in China --- 213-77

Pavlogradskiy, V. A. See Volarovich, M. P.

Pavlov, V. D. Regulating the parameters of seismic apparatus using reactive resistors and the use of two-channel recording --- 215-116

Pavlova, G. I. On the problem of stress-field variation resulting from earthquakes --- 206-77

See also Keylis-Borok, V. I., and Kukhtikova, T. I.

Pavlovskaya, N. A. See Ragimov, Sh. S.

Payo Subiza, Gonzalo. Note on E. Carrasco's graphic method in relation to its application to near earthquakes of deep focus --- 208-78

Pearn, W. C., Angino, E. E., and Stewart, Duncan. New isotopic age measurements from the McMurdo Sound Area, Antarctica --- 204-25

Pearson, F. J., Jr. See Tamers, M. A.

Abstract
Pěč, Karel. Attenuation of SH waves before cut-off frequency ----- 214-96
—— Continental waves in central Europe ----- 209-127
See also Novotný, Oldřich.
Pěčová, Jana, Petr, Vaćlav, and Praus, Oldřich. Determination of the electrical conductivity by magnetotelluric measurements ----- 214-60
Pěčová, Jana, and Šubrt, Jaroslav. The electrotelluric observatory at Budkov ----- 209-98
Pekeris, C. L., Jarosch, H., and Alterman, Z. Dynamical theory of the bodily tide of the Earth ----- 205-40
Pellinen, L. P. See Zhongolovitch, I. D.
Pelymskiy, G. A. On the possible role of natural galvanic currents in the localization of hypogene uranium-bearing bodies ----- 205-89
Penta, Francesco. On the hydrothermal-geologic characteristics of the island of Ischia (Naples) ----- 204-358
—— Studies of earthquake engineering and rock mechanics ----- 212-126
Penta, Francesco; Ventriglia, Ugo; Cugusi, Francesca; and Cavallo, Raimondo. The meeting of the International Association of Volcanology, "IAV" ----- 212-354
Pepin, R. O., Reynolds, J. H., and Turner, G. Shock emplaced argon in a stony meteorite. 2. A comparison with natural argon in its diffusion ----- 210-80
See also De Carli, P. S.
Perel'man, I. I. A method of determining effective velocities from reflection traveltime curves without transforming them into a straight line ----- 206-305
Perkins, T. K., and Bartlett, L. E. Surface energies of rocks measured during cleavage ----- 207-341
Peronaci, Francesco. See Di Filippo, Domenico.
Perrier, Guy. Seismic waves registered in the Forez Hills ----- 207-331
Perrin, R. M. S., Willis, E. H., and Hodge, C. A. H. Dating of humus podzols by residual radiocarbon dating ----- 211-15
Pertsev, B. P. Some experience in determining the scale coefficient of the recordings in observations of tidal variations of gravity ----- 205-69
See also Dobrokhotov, Yu. S., and Pariyskiy, N. N.
Pešina, Bohumil. Apparatus for directional analyses of geophysical isolines ----- 209-200
Pestrikov, A. S. Attempt to use the neutron-gamma method to determine the gas-oil interface in the fields of the Volgograd region ----- 206-283
—— Joint interpretation of logs of the neutron-gamma method and electrometry in nonhomogeneous carbonate reservoirs ----- 207-117
Peterman, Z. E., and Hedge, C. E. Age of basement rocks from the Williston basin of North Dakota and adjacent areas ----- 209-5
Peterschmitt, Élie, and Visintini, Guido de. On the seismic records associated with the Vajont dam catastrophe of October 9, 1963 ----- 211-73
See also Fuchs, Karl.
Peterson, M. N. A., Bien, G. S., and Berner, R. A. Radiocarbon studies of recent dolomite from Deep Spring Lake, California ----- 207-11
Petkevich, G. I. On some interrelationships between the density, porosity, and elastic properties of rocks in the Cis-Carpathian geologic section ----- 209-172
—— On the seismogeologic characteristics of the inner zone of the Carpathian foreland depression ----- 209-334
Petkevich, G.I., and Verbitskiy, T. Z. Investigation of elastic wave velocities in rocks saturated by liquids ----- 213-131
Petr, Vaćlav. See Faldus, Karel, and Pěčová, Jana.
Petrafeso, F. A. See Andreasen, G. E.

Abstract
Petrov, L. V. Calculations of arrays and improvement of their characteristics by the compensation method ---------- 211-288
—— Combined grouping of pick-ups with optimum overlapping of bases ---------- 205-317
Petrov, P. St. On the distribution of thermal waters in the Balkanides ---------- 213-219
—— The geothermal conditions and actual thermal waters of south Bulgaria ---------- 211-171
Petrov, V. P. See Ryabinin, Yu. N.
Petrushevskiy, B. A. On the problem of the Pacific Ocean mobile girdle ---------- 212-197
Pettengill, G. H. Radar measurements of Venus ---------- 210-118
Pettengill, G. H., and Henry, J. C. Radar measurements of the lunar surface ---------- 209-91
See also Middlehurst, B. M.
Petty, A. J. See Bromery, R. W., and Popenoe, Peter.
Pevzner, B. N. See Kolesnikov, Yu. A.
Pfeiffer, Ludwig. See Pilot, Joachim.
Pfluke, J. H., and Howell, B. F., Jr. Seismic model studies of first motions produced by an actual fault ---------- 209-146
Philpotts, A. R., and Miller, J. A. A pre-Cambrian glass from St. Alexis-des-Monts, Quebec ---------- 204-13
Phinney, R. A. Structure of the Earth's crust from spectral behavior of long-period body waves ---------- 213-225
Picard, M. D. Paleomagnetic correlation of units within Chugwater (Triassic) Formation, west-central Wyoming ---------- 209-305
Picciotto, E. E., and Coppez, A. Bibliography of absolute age measurements in Antarctica (Addendum August 1963) ---------- 214-8
Picciotto, E. E., Crozaz, G., and DeBreuck, W. Rate of accumulation of snow at the South Pole as determined by radioactive measurements ---------- 215-314
See also Crozaz, G.
Pícha, Jan. Comparison of the methods of harmonic analysis on the basis of the observational data of the Březové Hory station and several remarks on the control of the calculations ---------- 205-75
See also Pick, Miloš.
Pichtalov, St., and Dobrev, T. B. The utilization of geophysical methods to determine the tectonic structure of the Gotsedelschevskata Valley ---------- 210-220
Pick, Miloš. Calculation of the topographic correction to gravity in the near vicinity of a point with the help of models ---------- 207-184
—— Problem of application of computers for calculating the topographic correction for gravity ---------- 214-140
—— Transformation of one triaxial ellipsoid to another one by projecting it along a normal ---------- 213-166
Pick, Miloš, Pícha, Jan, and Vyskočil, Vincenc. Topographic corrections of gravity for the territory of ČSSR ---------- 207-183
See also Avignon, Y.
Pickard, G. L. Descriptive physical oceanography ---------- 214-341
Pickett, G. R. Acoustic character logs and their applications in formation evaluation ---------- 212-328
Picou, C. H. See Baranov, Vladimir.
Piddington, J. H. Recurrent geomagnetic storms, solar M-regions and the solar wind ---------- 211-239
—— Theories of the geomagnetic storm main phase ---------- 207-262
Pieper, G. F., Zmuda, A. J., and Bostrom, C. O. Solar protons and the magnetic storm of 13 July 1961 ---------- 210-301
Pierce, A. P. See Cannon, R. S., Jr.
Pierce, G. R. See Mohajer, G. A.

Abstract
Pierce, W. G. Reef Creek detachment fault, northwestern Wyoming -------- 205-39
Pilant, W. L., and Knopoff, Leon. Observations of multiple seismic events -------- 209-117
Pilant, W. L., Knopoff, Leon, and Schwab, F. Transmission and reflection of surface waves at a corner. 3. Rayleigh waves (experimental) -------- 207-75
Pilot, Joachim, and Pfeiffer, Ludwig. First potassium-argon datings from the Meissen Massif in the Elbe Valley zone -------- 212-25
Pinson, W. H., Jr. See Backus, M. M., Fairbairn, H. W., Faure, G., Hurley, P. M., and Schnetzler, C. C.
Pirogov, V. G. On the problem of the accuracy of gravimetric surveys -------- 206-165
Pirson, S. J., Boatman, E. M., and Nettle, R. L. Prediction of relative permeability characteristics of intergranular reservoir rocks from electrical resistivity measurements -------- 206-115
Pisani, M. Establishment of a gravimetric calibration line in Greece and ties with the European Calibration Line -------- 206-182
Pisani, M., and Zampieri, L. Gravimetric measurement for filling in of the peninsula for the gravimetric map of Italy -------- 206-183
Pishchalov, S. S. See Dobrev, T. B.
Pissarenko, V. F. See Moltshan, G. M.
Pitkin, J. A., Neuschel, S. K., and Bates, R. G. Aeroradioactivity surveys and geologic mapping -------- 214-274
See also Andreasen, G. E.
Pittman, R. R. See Loper, G. B.
Piyp, B. I. See Averyev, V. V.
Plafker, George. See Grantz, Arthur.
Plakhotnik, V. G. A Neogene volcano of Hawaiian type in Sikhote-Alin -------- 205-355
Planalp, Roger. Logging application and techniques in the Arkoma Basin -------- 205-109
Platonov, M. L. See Mishin, V. M.
Plaumann, Siegfried. Continuous gravity measurements in the Red Sea with an Askania sea gravimeter of the Graf $G_{ss}2$ type -------- 206-184
—— Gravity measurements on the frozen Steinhuder Meer -------- 211-160
Plessard, Claude. See Fontaine, Maxime.
Plet, F. C. Q-indices of magnetic activity at Resolute Bay, Baker Lake, and Yellowknife Magnetic Observatories for selected days of the International Geophysical Year -------- 204-262
Plokhotnikov, A. N. Use of acoustic logging and interpretation of its results -------- 213-313
Plotnikov, P. I. See Ab, E. A.
Plyashkevich, L. N. Some data on the composition and structure of the Elga iron meteorite -------- 210-63
Plyusnin, M. I. On the effect of parasitic capacitance in the circuits of an induction logging sonde -------- 206-119
See also Shcherbakova, T. V.
Pobul, E. A. The use of geophysical methods in the investigation of meteorite craters in the Estonian SSR -------- 212-81
Pochoda, P., and Schwarzschild, M. Variation of the gravitational constant and the evolution of the Sun -------- 212-77
Pochtarev, V. I. Regional secular geomagnetic variations in the USSR -------- 206-213
—— Structure of the field of secular geomagnetic variations -------- 204-259
—— The distribution of magnetic densities within the Earth -------- 205-213
Pochtarev, V. I., and Gus'kova, Ye. G. The magnetic properties of meteorites -------- 206-29
Podzharyy, V. M. See Mizyuk, L. Ya.
Pogrebnoy, E. N. See Bunin, K. P.

Abstract

Poisson, Charles. Malgache earthquakes in 1960 ---------- 213-70

Poklonov, M. S. See Galuzo, Yu. V.

Pokrovskiy, G. I. On the calculation of the parameters of a meteorite from the crater formed by it ---------- 212-82

Pola, Ivan. Some recognized facts in the interpretation of gravimetric measurements in the region of Turzovka ---------- 212-226

See also Bartoněk, Ivo.

Poletayev, B. D. Map of $\delta^2 g/\delta z^2$ for the Pechora coal basin and adjacent areas ---------- 212-227

—— Prospects of gravimetric surveying in the Pechoro coal basin -- 211-164

Polevaya, N. I. A geochronological scale from age determinations on glauconites ---------- 206-3

Polevoy, V. S. The possibility of using geophysical methods for studying the physico-mechanical properties of grounds in natural conditions ---------- 209-179

Politikov, M. I. See Genkin, B. S.

Pollack, H. N. An experimental study of source motion synthesis from first arrivals ---------- 204-120

Pollard, D. D. See Shor, G. G., Jr.

Pollett, J. D. Report of the Geological Department for the period 1st April, 1961 to 31st March, 1962 ---------- 205-285

Polshkov, M. K. On distortions of seismic vibrations in the seismic recording channel ---------- 213-312

—— On the investigation of frequency-phase distortions in a seismic amplifier with high- and low-frequency filters ---------- 213-309

Polyachenko, A. L. Solution of the boundary problem of the theory of impulse neutron logging ---------- 207-307

Polyachenko, A. L., and Kantor, S. A. The asymptotic distribution of neutrons with time in impulse neutron logging ---------- 207-308

Polyak, V. G. On the character of the geotemperature field in the vicinity of Avachinskiy Volcano ---------- 209-354

Polyakov, A. B., Tavrin, I. F., and Aue, L. F. High-precision gravimetric survey methods ---------- 205-173

Polyakova, O. P. See Tomson, I. N.

Polykovskiy, V. S., Royzenman, F. M., Maksarava, T. S., and Fokeyev, V. M. On a procedure for determining pressure from inclusions in quartz ---------- 208-167

Polysk, R. Ya. See Vitenko, V. S.

Pomerantseva, I. V. On the velocity characteristics, structure, and possible composition of the crystalline layer of the Earth's crust- 213-224

Pomerol, Charles. See Cailleux, André.

Poncelet, E. F. The mechanism of fracture propagation ---------- 215-353

Pondrom, W. L. See Hughes, D. S.

Ponomarev, V. N., and Glukhikh, I. I. The problem of determining the iron content of magnetite ores according to their magnetic susceptibility ---------- 214-228

Poole, W. H., Kelley, D. G., and Neale, E. R. W. Age and correlation problems in the Appalachian region of Canada ---------- 215-14

Pope, J. H. An explanation for the apparent polarization of some geomagnetic micropulsations (pearls) ---------- 208-247

Popenoe, Peter, Boynton, G. R., and Zandle, G. L. Aeromagnetic map of the East Lee quadrangle, Berkshire County, Massachusetts ---------- 214-249

—— Aeromagnetic map of the Hancock quadrangle, Berkshire County, Massachusetts, and Rensselaer County, New York ---------- 214-250

—— Aeromagnetic map of the North Adams quadrangle, Berkshire and Franklin Counties, Massachusetts, and Bennington County, Vermont ---------- 214-251

—— Aeromagnetic map of the Peru quadrangle, Berkshire and Hampshire Counties, Massachusetts ---------- 214-252

Abstract

Popenoe, Peter, Petty, A. J., and Tyson, N. S. Aeromagnetic map of western Pennsylvania and parts of eastern Ohio, northern West Virginia, and western Maryland 210-320
Popescu, Miron. Seismic-reflection prospecting in the Blaj-Sibiu region 208-335
— Seismic-reflection prospecting in the region of Treisate (Cioc) 209-333
Popov, G. I. Tsunami in the Pacific Ocean in May 1960 207-64
— Tsunami on the coasts of Chile and the conditions of their formation 210-157
Popov, N. B. See Alekseyev, F. A.
Popov, N. I. Natural radioactivity of ocean water 213-299
Popov, V. K. Interpretation of the results of geophysical logging investigations in the Yeisk-Berezan gas region of the Krasnodar Territory 207-120
Popov, V. K., and Zhokhova, R. G. Dependence of gas-well yields in the Leningradsk and Staro-Minsk gas-condensate fields on reservoir properties determined by geophysical logging data 207-121
See also Zhuravlev, V. P.
Popov, V. V. Ash determination of anthracites from SP anomalies 211-107
— Problem of the relaxation of thermal stresses in the upper layers of the Earth 213-172
See also Goryachev, A. V.
Popov, Ye. I. Temperature compensation of the elastic systems of gravimeters by means of a liquid 213-207
Popov, Yu. N. Some results of electrical survey operations on the Azov Sea 211-101
See also Garris, M. A.
Popova, A. V. See Vlasov, A. Ya.
Porotova, G. A., and Sipakova, M. S. On the geologic interpretation of deep magnetic anomalies of the Kola Peninsula 206-257
See also Tsiryl'nikova, I. Ya.
Porter, J. G. The statistics of comet orbits 208-21
Porter, L. D. See Knopoff, Leon.
Posgay, Károly. Sketch map of magnetically active bodies in Hungary and its interpretation 204-286
Postma, G. W. See Van Melle, F. A.
Potap'yev, S. V. Registration of body head waves from the surface of the folded basement of the West Siberian Lowland in conditions where it is deep 212-327
See also Puzyrev, N. N.
Potts, E. L. J. The "in situ" measurement of rock stress based on deformation measurements 211-327
Pounder, E. R., and Langleben, M. P. Arctic sea ice of various ages, II. Elastic properties 211-88
See also Langleben, M. P.
Povondra, Pavel. See Bouška, Vladimír.
Powell, J. L. See Fairbairn, H. W.
Powers, H. A., and Wilcox, R. E. Volcanic ash from Mount Mazama (Crater Lake) and from Glacier Park 212-349
Pozin, L. Z. Borehole investigation in gas fields by the differential thermal method 207-210
Pratt, W. P. See Jones, W. R.
Praus, Oldřich. On the relation between VLF emission and other geophysical phenomena as observed at Mirnyy Station, Antarctica 207-250
See also Faldus, Karel, and Pěčová, Jana.
Preece, I. See Agger, H. E.
Preobrazhenskiy, V. B. Recording apparatus with magnetic memory for recording distant earthquakes 204-108

Abstract
Press, Frank, and Biehler, Shawn. Inferences on crustal velocities and densities from P-wave delays and gravity anomalies ---- 214-137
See also Healy, J. H., and Kovach, R. L.
Price, A. T. The noncyclic variation during quiet days ---------- 206-219
Price, A. T., and Stone, D. J. Price on the noncyclic variation--- 211-228
Price, A. T., and Wilkins, G. A. New methods for the analysis of geomagnetic fields and their application to the Sq field of 1932-33 ---------- 207-245
Price, N. J. A study of the time-strain behaviour of coal-measure rocks ---------- 215-350
—— The influence of geological factors on the strength of coal measure rocks ---------- 205-343
Price, P. B. See Fleischer, R. L.
Priem, H. N. A., Boelrijk, N. A. I. M., and Verschure, R. H. Report no. 1 from the Laboratory for Isotope Geology. Radiometric age determinations by the Rb-Sr method on whole rock samples and mineral concentrates from the coarsely porphyritic biotite granite in the Sierra do Marão, north Portugal (61 Mar 4)- 209-14
Prikhoda, A. G., and Birkgan, I. B. On the procedure for determining altitude by gravimeter-altimeters ---------- 206-162
Prikner, Karel. Shortening of periods of electromagnetic pulsations and two periods in main phase of geomagnetic storm ------- 207-264
Prishibalko, A. I. See Nemtsov, L. D.
Pritchard, D. H. See Callow, W. J.
Privalova, L. A. See Vints, B. D.
Prodehl, C. Interpretation of refraction observations in the Bavarian Alps foreland (quarry explostions at Eschenlohe, 1958-61) with regard to the depth of the basement ---------- 215-345
Pros, Zdeněk. Apparatus for precise measurement of the elastic parameters of rocks ---------- 209-158
Pros, Zdeněk, Vaněk, Jiří, and Klíma, Karel. The velocity of elastic waves in diabase and greywacke under pressures up to 4 kilobars ---------- 208-128
See also Klíma, Karel, and Vaněk, Jiří.
Proshin, V. P. Damping of the natural oscillations of the pendulum sensor of a Cardan-mounted NIIZM magnetometer ---------- 206-250
Proskuryakova, T. A. See Prosvirnin, V. M.
Prosvirnin, V. M., Proskuryakova, T. A., Rykunov, L. N., and Savarenskiy, Ye. F. The influence of the relief of Scandinavia on the propagation of microseisms ---------- 215-309
Protod'yakonov, M. M. Fundamental problems of investigations of physico-mechanical properties of rocks ---------- 214-313
—— Generalized equation of the envelopes to limiting Mohr's stress circles ---------- 214-316
—— International symposium on the strength of rocks in Prague ---- 214-336
—— Sixth annual international symposium on mining investigations-- 214-335
Protod'yakonov, M. M., and Teder, R. I. Determination of the coefficient of toughness of solid rocks by the crushing method ----- 214-324
See also Il'nitskaya, Ye. I.
Provodnikov, L. Ya. Graticules for the determination of the elements of position and the density of various bodies from gravity anomalies without error due to choice of normal field ---------- 215-197
Przewłocki, Kazimierz. See Czubek, Jan.
Przybyszewski, Eugeniusz. Levels of the vertical component Z in Poland and their relationship to levels of foreign observatories in 1955-1962 ---------- 205-261
Pshenichnyy, G. N. See Garris, M. A.
Pshennikov, K. V. The problem of aftershocks ---------- 212-122
Puchkov, S. V. The behavior of buildings situated on different grounds upon passage of seismic waves ---------- 207-62

Abstract

Pudovkin, M. I. See Loginov, G. A.
Pugach, V. B. See Markhinin, Ye. K.
Purcaru, G. See Radu, C.
Pushkarev, N. K. See Tregub, F. S.
Pushkov, N. V. See Dolginov, S. Sh.
Putikov, O. F. On the determination of the correction for emanation in the gamma logging of boreholes 204-323
Puzyrev, N. N. Theory of interpretation of isolated seismic observations 210-332
Puzyrev, N. N., Krylov, S. V., Potap'yev, S. V., and Treskova, Yu. A. Seismic refraction soundings for regional geologic investigations 207-318
Pyatnitskiy, V. K. On the method of tangents 204-280

Q

Quarterly Journal of the Royal Astronomical Society. New methods in seismology 212-128
Quaternary Research Group of Kiso Valley, and Kigoshi, Kunihiko. Radiocarbon date of the Kisogawa volcanic mudflows and its significance on the Würmian chronology of Japan 214-7
Quitta, H. See Kohl, G.
Qureshi, I. H. See Ross, D. S.
Qureshy, M. N. Author's reply [Isostasy in India] 215-206
—— Comments on papers by L. C. Pakiser, "Structure of the crust and upper mantle in the western United States," and W. H. Jackson, S.W. Stewart, and L. C. Pakiser, "Crustal structure in eastern Colorado from seismic refraction measurements" 211-146
—— Gravity, elevation, and isostasy in India 210-251

R

Rabb, D. D. See Boardman, C. R.
Rabe, E. Comparison of terrestrial and astronomical results for GM 205-140
Rabinovich, A. V., Golubchina, M. N., and Murtazina, T. M. Isotopic composition of the galena leads from some deposits in Central Asia 211-204
Rachkin, A. I. See Gorbenko, L. A.
Rackham, T. W. See Kopal, Zdeněk.
Radchenko, V. P. See Keylis-Borok, V. I.
Radlova, L. N. The color of the bright rays on the Moon 209-76
Radu, C., and Purcaru, G. Considerations upon intermediate earthquake-generating stress systems in Vrancea 209-106
Radu, S. See Iosif, T.
Rafter, T. A. Sulfur isotope measurements on New Zealand, Australian, and Pacific Islands specimens 211-213
Ragimov, Sh. S. Second group of Rayleigh waves 211-76
—— The study of crustal structure on the basis of macroseismic data 215-215
Ragimov, Sh. S., Dzhafarov, R. D., Bagirova, Z. A., Mamedov, I. F., Aga-Zade, S. S., Aliyeva, E. R., Aliyev, A. M., and Alimamedova, V. P. The Caspian earthquake of September 18, 1961 212-117
Ragimov, Sh. S., and Pavlovskaya, N. A. Determination of the direction to the epicenter according to Love and Rayleigh surface waves 204-58
See also Kuznetsov, V. P.
Raitt, R. W. The crustal rocks 208-328
Rakestraw, N. W. See Bien, G. S.

Abstract

Rakhimova, I. Sh. See Subbotin, S. I.

Rakhmanov, R. R. See Agamaliyev, G. M.

Rama. Note on isotopic changes induced by cosmic rays in the Earth's crust ---------- 212-249

Rama Raju, V. S. Note on the bottom profiles of the western part of the Indian Ocean ---------- 210-353

Ramberg, Hans. Experimental study of gravity tectonics by means of centrifuged models ---------- 213-178

—— Note on model studies of folding of moraines in piedmont glaciers ---------- 213-339

—— Strain distribution and geometry of golds ---------- 213-179

Ramdohr, Paul. Observations on the opaque ore assemblage of some meteorites, especially from New South Wales ---------- 208-39

Ramez, M. R. H., and Atewell, P. B. Shock deformation of rocks - 207-340

Ramsayer, Karl. On the admissible spacing of gravity points in the determination of geopotential heights in high mountains, medium mountains, and plains ---------- 206-142

—— Proposal for a gravity map for hilly land and "Mittelgebirge" without calculation of the topographic reduction ---------- 215-192

Ramseier, R. O. Some physical and mechanical properties of polar snow ---------- 205-346

Rao, B. R. See Rao, P. B.

Rao, B. S. R., Bhimasankaram, V. L. S., and Brahmam, N. K. Studies on the magnetic properties of basalts and charnockites at low fields ---------- 212-269

Rao, B. S. R., and Murty, G. S. Magnetic studies on manganese ores of Rayagadah ---------- 212-293

Rao, B. S. R., and Sivaji Raju, A. Theoretical studies on the tripotential prospecting method ---------- 210-212

Rao, K. K. Geothermometric measurements of sulfide minerals, Mosabhoni copper mine, Singbhum district, Bihar ---------- 209-249

Rao, K. N., and Rao, K. S. R. Quiet day magnetic variations near the magnetic equator ---------- 207-244

Rao, K. S. R. See Rao, K. N.

Rao, P. B., and Rao, B. R. Effect of magnetic activity on drift and anistropy of the E- and F-region irregularities ---------- 213-256

Rao, S. S. Mineralogy, radioactivity, and texture of the sands of the Vamsadhara River on the east coast of India ---------- 210-326

Rao, U. R. See Snyder, C. W.

Rapaire, J. L. See Thommeret, J.

Rastogi, R. G. Lunar tidal oscillations in the solar daily range of H at equatorial stations during IGY, IGC ---------- 209-281

—— Lunar tides in the equatorial electrojet and in the ionosphere over the magnetic equator ---------- 209-284

Rastogi, R. G., Trivedi, N. B., and Kaushika, N. D. Some relations between the sudden commencement in H and the equatorial electrojet ---------- 214-212

Ratnikova, L. I., and Rats-Khizgiya, M. I. The use of reflected body waves in seismic surveying ---------- 211-287

See also Berzon, I. S.

Rats-Khizgiya, M. I. See Berzon, I. S., and Ratnikova, L. I.

Raupach, F. von. See Fastabend, Hans.

Rautian, T. G. On determinations of the energy of earthquakes to distances of 3,000 km ---------- 215-90

See also Nersesov, I. L.

Ravich, M. A. See Deich, S.

Ravich, M. G. The absolute age of the Precambrian rocks of the central sector of East Antarctica ---------- 212-38

Ravich, M. G., and Krylov, A. Ya. Absolute age of rocks of the eastern part of the mountains of Queen Maud Land ---------- 212-40

Abstract
Ravich, M. G., and Krylov, A. Ya. Absolute age of rocks in the Mawson Station region---------- 212-39
See also Krylov, A. Ya.
Ray, D.K. See Hazra, P. C.
Ray, E. C. On the motion of charged particles in the geomagnetic field---------- 209-272
Raykher, L. D., Vasil'yev, Yu. A., Kharaz, I. I., and Sagalova, Ye. I. Secondary waves in grouping of explosions on large bases---------- 212-326
See also Vasil'yev, Yu. A.
Raymer, L. L., and Biggs, W. P. Matrix characteristics defined by porosity computations ---------- 206-270
Raymer, L. L., Jr. See Alger, R. P.
Rayudu, G. V. S. See Shedlovsky, J. P.
Razavy, M. See Chan, H. H.
Rea, D. G. Evidence for life on Mars---------- 207-35
Read, W. F. Kirkland — a questioned fall ---------- 204-30
—— Preliminary notes on a new meteorite found near Woodbine,Ill. - 206-21
Redfield, A. C. See Friedman, Irving.
Redkolis, V. A., and Rikhter, V. I. Seismic surveying of gently sloping platform structures under the conditions of the Kuibyshev Trans-Volga region ---------- 211-315
Reed, G. W. See Tilton, G. R.
Reed, J. C., Jr. Structure of Precambrian crystalline rocks in the northern part of Grand Teton National Park, Wyoming ------ 205-4
Rees, A. I. Measurements of the natural remanent magnetism and anisotropy of susceptibility of some Swedish glacial silts-------- 213-280
Rees, J. M. See King-Hele, D. G.
Reesor, J. E. See Gabrielse, H.
Reford, M. S. Magnetic anomalies over thin sheets ---------- 214-238
Reford, M. S., and Sumner, J. S. Aeromagnetics ---------- 214-237
Reh, Herbert. On some new results of the evaluation of physical age determinations---------- 207-2
Reid, G. C. A diffusive model for the initial phase of a solar proton event---------- 213-248
Reilly, T. A. See Matthews, D. H.
Reinhardt, H.-G. Some recent results of regional and reconnaissance seismic reflection measurements in Brandenburg and Mecklenburg ---------- 207-337
Reinharz, M. See Cahen, Lucien.
Reitzel, J. S. See Lister, C. R. B., and Nalwalk, A. J.
Reitzel, John. A region of uniform heat flow in the North Atlantic-- 204-196
Remy, J.-M. The volcanic eruption of 1960 at Lopevi (New Hebrides) ---------- 212-346
See also Allègre, Claude, and Dreux, Philippe.
Renne, H. S. How to detect and measure radiation ---------- 208-286
Rennert, Peter. See Macke, Wilhelm.
Rex, D. C. See Allen, P.
Rexin, E. E. Alaskan earthquake excites Nunn-Bush well --------- 214-65
Reynolds, H. R. Rock mechanics---------- 205-341
Reynolds, J. H. Xenon in terrestrial rocks---------- 204-235
Reynolds, J. H., and Turner, Geoffrey. Rare gases in chondrite Renazzo ---------- 214-40
See also De Carli, P. S., and Frederiksson, Kurt.
Reynolds, P. H. See Ostic, R. G.
Reynolds, R. C., Jr. See Lessing, Peter.
Rezvanov,R. A. See Alekseyev, F. A., and Denisik, S. A.
Ricardo, L. See Garduño, A.
Rice, D. A. See Innes, M. J. S.

Abstract

Rice, J. T. See Deresiewicz, H.

Richard, J. J. Catalogue of the active volcanoes of the world including solfatara fields, Part XIII. Kermadec, Tonga and Samoa- 211-344

Richards, A. F. Catalogue of the active volcanoes of the world including solfatara fields, Part XIV. Archipelago de Colon, Isla San Felix and Islas Juan Fernandez ---- 211-345

Richards, H. G., and Craig, J. R. Pleistocene sedimentation and fauna of the Argentine shelf, II. Pleistocene mollusks from the continental shelf off Argentina ---- 206-13

Richards, T. C. On "Deep gravity interpretation by stripping" by Sigmund Hammer ---- 208-184

Richardson, K. A. See Cherry, R. D.

Richey, J. E. See Harry, W. T.

Richter, C. F. An instrumental scale for earthquake magnitude --- 204-63

—— Discussion of paper by V. I. Keylis-Borok and L. N. Malinovskaya, "One regularity in the occurrence of strong earthquakes"- 213-86

—— Foreshocks and aftershocks ---- 204-86

See also Gutenberg, Beno.

Richter, D. H., Ault, W. U., Eaton, J. P., and Moore, J. G. The 1961 eruption of Kilauea Volcano, Hawaii ---- 214-344

Richter, D. H., and Herreid, Gordon. Magnetic anomalies in Alaska ---- 214-247

Ricke, W. See Nielsen, Heims.

Riddihough, R. P. Magnetic survey off the north coast of Ireland -- 215-302

Riecker, R. E., and Seifert, K. E. Olivine shear strength at high pressure and room temperature ---- 213-333

—— Shear deformation of upper-mantle mineral analogs: tests to 50 kilobars at 27°C ---- 215-221

Rieger, Frank. See Macke, Wilhelm.

Rikhter, V. I. See Redkolis, V. A.

Rikitake, Tsuneji. Outline of the anomaly of geomagnetic variations in Japan ---- 214-50

—— Studies of the thermal state of the Earth. The 14th paper: A theory of non-steady mantle convection ---- 204-191

See also Nagata, Takesi.

Rimmer, W. G. See Dobrin, M. B.

Rimsaite, J. See Robinson, S. C.

Rinehart, Verrill. See Berg, J. W., Jr.

Rinehart, W. A., and Berg, J. W., Jr. Near-shore marine gravity range, Newport, Oregon ---- 204-187

Ring, J. See Grainger, J. F.

Ringwood, A. E., and Green, D. H. Experimental investigations bearing on the nature of the Mohorovičić discontinuity ---- 209-260

Ringwood, A. E., and Seabrook, Merren. High-pressure transition of $MgGeO_3$ from pyroxene to corundum structure ---- 211-197

See also Clark, S. P., Jr., and Green, D. H.

Rinner, K. Influence of the trend on the results of harmonic analysis ---- 205-73

—— Report on the horizontal pendulum registrations in Berchtesgaden ---- 205-45

Riss, Yu. A. From the experience of the first small-scale geophysical surveys using air transport in areas of difficult access in western Siberia ---- 204-182

Ritchie, Ian. See Coolidge, J. E.

Rittenberg, S. C. See Kaplan, I. R.

Ritter, Eberhard. See Lengning, Klaus.

Rivosh, L. A. On the geologic interpretation of the geophysical anomalies of the Tigil' region of western Kamchatka ---- 206-186

—— On the structure of the Kamchatka Peninsula and of the bottom of adjacent oceanic areas (according to geophysical data) ---- 208-156

Abstract

Rivosh, L. A. Some geophysical data on the subsurface geology of the Central Kamchatka depression ---------- 204-290
Riznichenko, Yu. V. On the possibilities of calculating maximum earthquakes ---------- 215-85
—— On the relationship of the energy of maximum earthquakes to seismic activity ---------- 215-84
Riznichenko, Yu. V., and Kosminskaya, I. P. On the nature of the layering of the Earth's crust and upper mantle ---------- 207-215
Riznichenko, Yu. V., and Shamina, O. G. Investigation of the shadow zone by modeling of the crust and upper mantle of the Earth ---------- 215-109
See also Medvedev, S. V., and Nersesov, I. L.
Roberts, Elliott. Our quaking Earth ---------- 209-112
Roberts, P. H. See Chamalaun, T.
Roberts, R. J. See Mabey, D. R.
Roberts, W. A. See Fulmer, C. V.
Robertson, E. C. Viscoelasticity ---------- 211-323
See also Diment, W. H.
Robertson, E. I., and Dawson, G. B. Geothermal heat flow through the soil at Wairakei ---------- 211-178
Robertson, Glenn. Intrabasement reflections in southwestern Alberta ---------- 205-330
Robertson, W. A. Construction of non-magnetic oven ---------- 215-269
Robie, R. A. Equilibrium of talc with enstatite and quartz ---------- 212-109
Robins, P. A., and Swart, E. R. Southern Rhodesian radiocarbon measurements I ---------- 214-11
Robinson, E. A. Mathematical development of discrete filters for the detection of nuclear explosions ---------- 204-123
Robinson, E. A., and Treitel, S. Principles of digital filtering ---------- 212-313
See also Claerbout, J. F.
Robinson, J. C. Photographic observations of Mars at New Mexico State University in 1960-61 ---------- 215-64
Robinson, R. D. See Ives, P. C.
Robinson, S. C., Loveridge, W. D., Rimsaite, J., and Van Peteghem, J. Factors involved in discordant ages of euxenite from a Grenville pegmatite ---------- 205-6
Roblot, M.-M., Chaigneau, Marcel, and Majzoub, Moustapha. Determination of the ratio of the stable carbon isotopes in Precambrian phthanites ---------- 209-265
Robson, D. A. The Acklington dyke—A proton magnetometer survey ---------- 214-260
Robson, G. R. An earthquake catalog for the eastern Caribbean, 1530-1960 ---------- 210-138
Rocard, Yves. Formation of the seismic signal at the time of an underground explosion ---------- 210-206
See also Allègre, Claude.
Rocci, Georges. Absolute ages, history, and structure of the western part of the African shield ---------- 211-131
Rocco, G. G. See Broecker, W. S.
Roche, Alexandre. Elaboration of paleomagnetic stratigraphy of volcanic formations ---------- 212-275
Roche, Alexandre, and Lauer, J.-P. The direction of magnetization of volcanic formations of the Kaiserstuhl and the evolution of the geomagnetic field in the Miocene ---------- 210-313
Roden, R. B. Geomagnetic studies ---------- 212-252
—— The effect of an ocean on magnetic diurnal variations ---------- 213-254
Rodríguez, A. See Steinhart, J. S.
Roemer, Elizabeth. Comets: Discovery, orbits, astrometric observations ---------- 208-21

Abstract

Roethlisberger, Hans. Reflection and transmission coefficients at the interface ice-solid ---------- 215-134

Rogers, J.J.W., and Adams, J. A. S. Lognormality of thorium in the Conway granite ---------- 204-303

Rohlfs, D. C. See Davis, J. R.

Rokityanskiy, I. I. Middle-latitude Lpc during geomagnetic storms- 206-234

—— Shore effect in variations of the electromagnetic field of the Earth ---------- 214-49

Rokityanskiy, I. I., Sen'ko, P. K., Mansurov, S. M., Kalinin, Yu. K., and Fonarev, G. A. The coast effect in the variations of the Earth's electromagnetic field ---------- 214-57

Rolfe, C. See Damon, P. E.

Roller, J. C. Crustal structure in the vicinity of Las Vegas, Nevada, from seismic and gravity observations ---------- 209-253

Roller, J. C., and Healy, J. H. Seismic-refraction measurements of crustal structure between Santa Monica Bay and Lake Mead -- 204-335

See also Stuart, D. J.

Rollet, Michel. See Mercier, Jacques.

Rolsten, R. F. See Schmitt, R. A.

Romanescu, Dragomir. Magnetic prospecting in Leuca Valley (Bihor Mountains) ---------- 208-282

Romanov, F. I., and Kozlov, I. G. Stratigraphic boreholes of the USSR. The Dzhusinsk stratigraphic boreholes 4 and 5-A (Aktyubinsk region) ---------- 211-112

Romanov, F. I., and Zotova, A. I. Research drill holes in the U.S.S.R. South-Kaliningrad (Nivenskaya) research drill hole (Kaliningrad Region) ---------- 212-173

Romanov, V. V. See Izrael', Yu. A.

Romanova, T. F. On the problem of determining the clay content of the gas and oil reservoirs of western Uzbekistan according to radiometric data ---------- 206-285

See also Ellanskiy, M. M.

Romanshev, A. N. See Kuz'mina, N. V.

Romick, G. J., Deehr, C. S., and Belon, A. E. Fireball meteor occurrence ---------- 215-39

Romig, M. F. See Lamar, D. L.

Rona, Elizabeth. Geochronology of marine and fluvial sediments -- 212-4

Ronca, L. B. See Zeller, E. J.

Ronov, A. B. Volumetric studies of the sediments and movements of the crust of the Earth ---------- 211-130

Ropchan, D. M. See Merrill, R. H.

Roques, Maurice. See Bassot, J.-P.

Rosales, J. J. See Merino y Coronado, José.

Rose, H. J., Jr., Cuttitta, Frank, Carron, M. K., and Brown, Robena. Semimicro X-ray fluorescence analysis of tektites using 50-milligram samples ---------- 209-47

Rose, J. C. See Woollard, G. P.

Rosenbaum, J. H. A note on the computation of Rayleigh wave dispersion curves for layered elastic media ---------- 213-119

—— The response of an elastic plate submerged in a liquid half-space to explosive sound ---------- 212-141

Rosenberg, D. L., and Wehner, G. K. Darkening of powdered basalt by simulated solar-wind bombardment ---------- 214-46

See also Wehner, G. K.

Rosenthal, Shoshana. See Hawkins, G. S.

Rosholt, J. N., Jr., Emiliani, Cesare, Geiss, Johannes, Koczy, F.F., and Wangersky, P. J. "Absolute dating of deep-sea cores by the Pa-231/Th-230 method" and accumulation rates — a reply ------ 207-16

Abstract

Rosholt, J. N., Jr., Garner, E. L., and Shields, W. R. Fractionation of uranium isotopes and daughter products in weathered granite and uranium-bearing sandstone, Wind River Basin region, Wyoming ---------- 213-241

Rosholt, J. N., Jr., Harshman, E. N., Shields, W. R., and Garner, E. L. Isotopic fractionation of uranium related to roll features in sandstone, Shirley Basin, Wyoming ---------- 213-239

See also Dooley, J. R., Jr.

Ross, C. P., and Nelson, W. H. Regional seismicity and brief history of Montana earthquakes ---------- 210-124

Ross, D. S., and Qureshi, I. H. Boundary value problems in two-dimensional elasticity by conducting paper analogue ---------- 205-342

Ross, W. E., Onhauser, A. A., and Onhauser, M. H. Record of observations at Agincourt Magnetic Observatory 1959-1960 ---------- 204-263

Rost, Rudolf. Surfaces of and inclusions in moldavites ---------- 213-36

Rotanova, N. M. Conductivity and size of the nonconducting layer in the case of a cylindrical model of the Earth in application to D_{st} variations ---------- 214-62

—— Determination of the Earth's conductivity from data on D_{st} variations ---------- 211-55

—— The definition of conductivity and the values of non-conductive layer of the Earth by the data of D_{st} variations ---------- 214-56

Rothé, J.-P. See Fuchs, Karl.

Rottenberg, J. A. See Middlehurst, B. M.

Roubault, Marcel, Leutwein, Friedrich, and Sonet, Jacques. Evidence of four "apparent ages" in the granitic massifs and foliated crystalline formations of the Pyrenees ---------- 212-23

Rourke, G. F. Magnetic quiet day relationships ---------- 212-259

Rouser, Geroge. See Nagy, Bartholomew.

Rowe, M. W., Anderson, E. C., and Van Dilla, M. A. Radioactivity of the Bogou siderite ---------- 209-31

Rowe, M. W., and Manuel, O. K. γ-radioactivity in the Fayetteville meteorite ---------- 211-30

Rowe, M. W., Van Dilla, M. A., and Anderson, E. C. On the radioactivity of iron meteorites ---------- 208-32

—— On the radioactivity of stone meteorites ---------- 208-31

See also Anderson, E. C.

Rowland, G. L. The Leonard collection of meteorites ---------- 204-31

Roxburgh, I. W. Solar rotation and the perihelion advance of the planets ---------- 215-68

Roy, A. B. Disturbances in an infinite slab due to torsional forces applied on a cylindrical cavity ---------- 207-84

Roy, J. L. Palaeomagnetism of Prince Edward Island ---------- 208-263

—— The measurement of the magnetic properties of rock specimens ---------- 208-256

Roy, Rustum. See Dachille, Frank.

Royzenman, F. M. See Polykovskiy, V. S.

Rozenkrants, A. A., Semenova, T. P., and Kovaleva, V. V. On the problem of the absolute age of the young volcanics of the area northeast of Lake Balkhash ---------- 210-22

Rozova, Ye. A. Concerning earthquakes occurring in the territory of China in April 1961 ---------- 213-74

Rubin, Meyer. See Ives, P. C., and Upson, J. E.

Rubin, Sylvan. See Westphal, W. H.

Rubinshteyn, M. M. Some problems of the further precising and refinement of the absolute geochronological scale ---------- 210-49

Rubinskiy, M. A. Dyadkin, I. G.

Rubinstein, M. F. Determination of the first n modes of a tall building from a reduced eigen value problem ---------- 215-103

Abstract

Rubinstein, M. F. Effect of axial deformation on the periods of a tall building 209-114

Ruby, S. L. See Shirane, G.

Rudakov, A. G. Experimental investigations of a group of sources on the basis of the frequency theory of filtration of velocities 210-337

—— Some problems of procedure of the study of wave-interference and separation of reflected waves from their background. 1. Study of the wave field (according to results of test-procedural operations in the Surkhan-Dar'ya depression) 210-338

Rudich, K. N. On the so-called Zashiverskiy Volcano 215-367

Rudnev, O. V. Portable apparatus for electrical logging on single strand cable 207-129

Rudnitskiy, V. P. Some features of wave patterns near the shot point 210-335

—— Traveltime curve of refracted waves for the case of a two-layered medium with inclined boundary 215-325

Ruff, L. C. Comparison of geological, geophysical, and geochemical prospecting methods at the Malachite Mine, Jefferson County, Colorado 207-142

Rulev, B. G. See Kuz'mina, N. V.

Rummerfield, B. F., and Morrisey, N. S. How to evaluate exploration prospects 212-178

Runcorn, S. K. Palaeomagnetic evidence for continental drift and its geophysical cause 205-141

—— Satellite gravity measurements and convection in the mantle 207-159

Ruprechtová, Libuše. See Kárník, Vít.

Rusakov, N. G., and Onishchenko, Yu. A. Works of the Institute of Mining Affairs of the Academy of Science of the Ukrainian SSR concerning the investigation of strength and deformation properties of rocks applied to the solution of the problem of rock pressure 214-330

Rushing, H. C. See Chakraburtty, A. K.

Ruskol, Ye. L. The origin of the Moon 209-61

Rusnak, G. A. "Absolute dating of deep-sea cores by the Pa-231/Th-230 method" and accumulation rates — A discussion 207-15

Rusnak, G. A., Bowman, A. L., and Östlund, H. G. Miami natural radiocarbon measurements III 214-26

Ruson, J. See McQuillin, R.

Russell, R. D. Some recent researches on lead isotope abundances 210-275

See also Farquhar, R. M., Ostic, R. G., and Ulrych, T. J.

Rustanovich, D. N. A study of destructive effects of the Baikal earthquake of August 29, 1959 206-67

—— On the problem of the mechanism of the Ashkhabad earthquake of 1948 according to data of geophysical investigations 207-44

Rutten, M. G. Paleomagnetism and Tethys 212-195

Rutten, M. G., and Veldkamp, J. Paleomagnetic research in the Netherlands 212-276

Ruttenberg, Stanley. IQSY instruction manuals 209-279

Ryabinin, Yu. N., Petrov, V. P., Markov, V. K., Livshits, L. D., and Delitsin, I. S. Further information on the conditions of formation of the dense modifications of silica under high pressures and temperatures 206-197

Ryabov, A. V., and Yakovlev, A. T. Attempt to carry on seismic surveying operations in the conditions of the shallow waters of the northwestern Caspian 207-339

Ryaboy, V. Z. See Alekseyev, A. S.

Ryall, Alan. Improvement of array seismic recordings by digital processing 208-310

Abstract
Ryall, Alan, and Stuart, D. J. Traveltimes and amplitudes from nuclear explosions, Nevada Test Site to Ordway, Colorado ----- 204-207
See also Hamilton, R. M.
Ryan, J. A. Notes on the Martian yellow clouds ----- 215-66
—— Some aspects of lunar soil behavior ----- 210-170
Ryan, Robert. See Buschbach, T. C.
Ryazanova, Ye. V. General equation of the traveltime curve of multiply reflected waves ----- 205-316
Rybchinsky, R. E. See Gringauz, K. I.
Rybin, A. I. Causes of crustal movement. Deep gravity tectogenesis ----- 215-171
Ryka, Wacław. On correct interpretation of absolute age ----- 210-15
—— On the structure and stratigraphy of the crysatlline basement in northeast Poland ----- 212-28
Rykov, A. V. Effect of feedback on the parameters of a pendulum - 211-77
See also Kirnos, D. P., and Kolesnikov, Yu. A.
Rykunov, L. N. See Prosvirnin, V. M.
Rymaszewska, Maria. See Złotowski, Ignacy.
Ryss, Yu. S. See Sveshnikov, G. B.

S

Saari, J. M. The surface temperature of the antisolar point of the Moon ----- 215-56
Saari, J. M., and Shorthill, R. W. Isotherms of crater regions of the illuminated and eclipsed Moon ----- 206-43
Sabaneyev, P. F. Some results deduced from simulation of lunar craters ----- 209-79
Sabels, B. E. Age studies on basaltic lava flows using natural alpha activity and thermoluminescence ----- 211-4
Sachs, Maureen. See Taylor, S. R.
Sachs, P. L. See Van Andel, T. H.
Sacks, I. S. See Steinhart, J. S.
Safronov, V. S. See Levin, B. Yu.
Sagalova, Ye. A. On the processing of Carpathian earthquakes from 1908-1953 ----- 210-144
Sagalova, Ye. I. See Raykher, L. D., and Vasil'yev, Yu. A.
Sagisaka, K. On the energy of earthquakes ----- 204-65
Sagitov, M. U. See Grushinakiy, N. P., and Ivanenko, D. D.
Saha, B. P. The seismic channel P waves $_{\pi}g$ or $\overline{P}$ and their propagation along the crust of the Indian sub-continents ----- 207-56
Saint-Amand, Pierre. Preface ----- 208-58
—— The great earthquakes of May 1960 in Chile ----- 206-66
Saito, Jin. Geological study on mineral springs ----- 205-357
Saito, Masanori. See Takeuchi, Hitoshi.
Saito, Masao. See Takashima, Mitsuo.
Saito, T. Statistical analysis of the pendulum measurements ----- 205-180
Sakamoto, Takao, and Nasu, Noriyuki. General aspect of the cooperative studies at the entrance of Tokyo Bay (Cooperative survey at the entrance of Tokyo Bay in 1959 - Pt. 1) ----- 210-355
Sakharnikov, N. A. The field of a point source in the presence of inclined boundaries having a common line of intersection at the Earth's surface ----- 207-106
Sakuma, A. Present state of the new absolute determination of gravity at the International Bureau of Weights and Measures ----- 206-172
Sakurai, Mamoru, See Tokairin, Tatsuo.
Salaita, G. N. See Caldwell, R. L.
Saldukas, Ignas. See Alldredge, L. R.

Abstract

Salisbury, J. W., Glaser, P. E., Stein, B. A., and Vonnegut, B. Adhesive behavior of silicate powders in ultrahigh vacuum ------ 207-29

Salisbury, J. W., Glaser, P. E., and Wechsler, A. E. The implications of water as a lunar resource ------ 210-110

See also Dodd, R. T., Jr.

Salmi, Martti. Radiocarbon determinations from the bog profile of Lapaneva, Kihniö, western Finland ------ 208-15

Salmon Herrera, Miguel. Importance of the horizons with discordant throw seismologically detected within the Tertiary of northeast Mexico ------ 215-333

Salomonovich, A. Ye. Thermal radio emission of the Moon and certain characteristics of its surface layer ------ 209-87

See also Koshchenko, V. N.

Salustowicz, Antoni. The stress field about an excavation in a physically non-linear elastic rock mass ------ 208-340

Salvioni, Guido. The magnetic measurements carried out by the Instituto Geografico Militare 1932-1963 ------ 208-278

Salyano, Eduardo. See Merino y Coronado, José.

Šamšula, Jiří, Serba, Ivo, and Böhm, Zdeněk. Two gravimetric analog computers ------ 209-231

Samosyuk, G. P. See Veshev, A. V.

Sanchez R., Joaquin. See Galli O., Carlos.

Sandell, E. B. See Nishimura, Masakichi.

Sander G. W., Overton, A., and Bataille, R. D. Seismic and magnetic investigation of the Deep Bay crater ------ 209-330

Sander George. See Drake, C. L.

Sandford, K.S. See Hamilton, E. I.

Sandner, Werner. The planet Mercury ------ 211-49

Sandqvist, Aage. See MacDougall, John.

Sandréa, A. P. See Jérémine, Elisabeth.

Sanford, A. R. Seismic activity near Socorro ------ 207-48

Sanker Narayan, P. V. Strings of magnetic anomalies with exponentially decreasing amplitudes observed in Kansas and Wisconsin, U.S.A. ------ 210-319

Sano, Shun'ichi, and Takagi, Shin'ichiro. Radioactivity and electric loggings at Ouchi district, Miyagi Prefecture ------ 204-326

Sano, Yukizo. See Hakura, Yukio.

Santirocco, R. A., and Parker, D. G. The polarization and power spectrums of Pc micropulsations in Bermuda ------ 204-248

Santo, T. A. A review of the investigations into Earth's crustal structure from the observation of seismic surface waves, Pt. I. Oceanic basins ------ 207-213

—— A review of the investigations into Earth's crustal structure from the dispersion of seismic surface waves Pt. II, Continental crust ------ 211-188

—— A review of the investigations into Earth's crustal structure from the dispersion of seismic surface waves—Pt. 3, Upper mantle structure ------ 214-176

—— Dispersion of surface waves along various paths to Uppsala, Sweden. Part 1. Continental paths ------ 208-94

—— Dispersion of surface waves along various paths to Uppsala, Sweden. Part 2. Arctic and Atlantic Oceans ------ 208-95

—— Division of the Pacific area into seven regions in each of which Rayleigh waves have the same group velocities ------ 210-263

—— Energy sources of microseisms in Sweden ------ 209-318

Sapuzhak, Yu. S. Some results of experimental investigations with multielectrode setups ------ 208-141

Särchinger, Hellmuth. On a search for natural stone by drilling and geophysical methods in northwestern Saxony ------ 206-127

Abstract

Sardarov, S. S. Retention of radiogenic argon in glauconites ------ 206-4

Sargaskayev, T. B. Geophysical investigations in the Chu--Sary-Su depression and their main results ------ 213-158

Sarker, A. K. On SH type of motion due to body forces and due to stress-discontinuity in a semi-infinite viscoelastic medium ------ 207-79

Sarkisov, A. L., and Neyman, Ye. A. The scheme of a semielectrode screening sonde for a three-strand cable with surface control of the current of the screen electrodes ------ 205-104

Sarma, V. V. J. An extension to Moore's method of interpretation of earth resistivity measurements ------ 207-97

Sarna, R. P. See Agrawal, D. P., and Kusumgar, S.

Sarybatyrov, S. O. Shape and characteristic features of the craters of the meteorite shower according to aerial photographic survey data ------ 209-37

Sasaki, A. Sulphur isotope studies of the Muskox intrusion ------ 215-239

Sasaki, Masaji. See Horikawa, Yoshio.

Sass, J. H. Heat-flow values from eastern Australia ------ 215-212

—— Heat-flow values from the Precambrian shield of Western Australia ------ 207-208

See also Howard, L. E.

Sater, J. E. The Arctic Basin ------ 207-136

Sato, Ginko, and Takaku, Kōshun. Propagation of electromagnetic waves over n kind mixed boundaries ------ 208-142

Sato, Koji. See Tokairin, Tatsuo.

Sato, Konosuke. Principles in exploring a geothermal field ------ 205-202

Sato, Ryosuke. Diffraction of SH-waves at an obtuse-angled corner ------ 209-164

See also Hirasawa, Tomowo.

Sato, Takahiro. See Nasu, Noriyuki.

Sato, Teruo. Structures of sudden commencements of geomagnetic storms and giant pulsations in high latitudes ------ 205-256

—— Sudden commencements of geomagnetic storms in high latitudes ------ 205-254

—— The incidence of charged particles into the upper atmosphere and relations to sudden commencements of geomagnetic storms and to giant pulsations in high latitudes ------ 213-267

Sato, Yasuo, Takeuchi, Hitoshi, Nishimura, Eiichi, and Nakagawa, Ichiro. Free oscillation of the Earth observed by gravimeters installed in Kyoto, Japan ------ 210-173

Sato, Yasuo, and Usami, Tatsuo. Method of determining the degree of free oscillation of a radially heterogeneous elastic sphere ------ 204-95

—— Phase angle of waves propagating on a spherical surface with special reference to the polar phase shift and the initial phase ------ 206-79

See also Usami, Tatsuo.

Sato, Yoshio, Usami, Tatsuo, and Landisman, Mark. Spectrum, phase and group velocities of the theoretical seismograms and the idea of the equivalent surface source of disturbance ------ 207-76

Sato, Yoshio, Usami, Tatsuo, Landisman, Mark, and Ewing, Maurice. Basic study on the oscillation of a sphere. Part V: Propagation of torsional disturbances on a radially heterogeneous sphere. Case of a homogeneous mantle with a liquid core ------ 208-125

Satpayev, K. I., Kalinin, S. R., and Fayn, E. Ye. Preliminary results of determinations of the absolute age of the Dzhezkazgan ores by the rheniumosmium method ------ 210-25

Sattlegger, Johann. A contribution to time-delta-time velocity determination ------ 212-316

—— Series for three-dimenstional migration in reflection seismic interpretation ------ 212-315

Abstract

Savadskiy, O. A. Principles of the quantitative characteristics and classification of anomalous magnetic fields 207-283

Savadskiy, O. A., Bravarets, Yu. G., and Cherbyanov, B. Ye. Magnetic mineralometry and its possibilities in prospecting for iron ore deposits and geologic mapping 212-268

Savage, J. C., and Hasegawa, H. S. Some properties of tensile fractures inferred from elastic wave radiation 211-87

Savage, J. C., and Mansinha, L. Radiation from a tensile fracture 206-93

See also Kanasewich, E. R.

Savarenskiy, Ye. F. B. B. Golitsyn—founder of domestic seismology 215-124

—— Dependence of the energy flux of Love waves on period and depth 213-104

Savarenskiy, Ye. F., Fedorov, S. A., and Gogichayshvili, B. V. Determination of the true motion of the ground and its spectrum from a seismogram 212-123

See also Glasko, V. B., Iosif, T., Medvedev, S. V., Prosvirnin, V. M., and Tabulevich, V. N.

Savchenko, A. A. See Tulin, V. A.

Savit, C. H., Knox, W. A., Blue, D. M., and Paitson, L. Reflection and velocity profiles at the Outer Ridge, Puerto Rico 208-333

Savosin, S. I. See Kaipov, R. L.

Savrasov, D. I., and Ilupin, I. P. The use of magnetic surveying to map different types of kimberlite in pipes of compound structure 207-292

Savre, W. C., and Burke, J. A. Determination of true porosity and mineral composition in complex lithologies with the use of the sonic, neutron, and density surveys 206-271

Sawatzky, P. Magnetometer development 215-275

Sawkins, F. J. Lead-zinc ore deposition in the light of fluid inclusion studies, Providencia Mine, Zacatecas, Mexico 214-169

Saxov, S. E., and Abrahamsen, Niels. Some rock densities in Bornholm 212-233

Scearce, C. S. See Heppner, J. P., and Ness, N. F.

Schachner, D. See Friedrich, G.

Schaeffer, O. A. See Bassett, W. A., and Davis, Raymond.

Schairer, J. F. See Kushiro, Ikuo; O'Hara, M. J., Tilley, C. E., and Yoder, H. S., Jr.

Scharf, F. L. See Bernstein, W.

Scharon, LeRoy. See Hays, W. W.

Scheepers, G. L. M. On the derivation of magnetic secular variation from field observations 206-245

Scheffer, Viktor On some regional geophysical problems of the Carpathian basin 204-209

Scheiber, L. C. See Chapman, D. R.

Scheidegger, A. E. Comments on paper by Ralph O. Kehle, "The determination of tectonic stresses through analysis of hydraulic well fracturing" 211-128

—— Discussion of paper by A. J. de Witte, "On the statistics of fault plane solutions of earthquakes" 205-35

See also Fara, H. D., and Thrasher, J. E.

Schenck, F. L. Delineating low-velocity lenses 205-314

Schilling, G. F. On exospheric drag as the cause of the supposed secular accelerations of Phobos 211-51

Schindewolf, O. H. Neocatastrophism? 213-297

Schlee, J. S. See Emery, K. O.

Schlesinger, Ernest, Chang, C.-P., and Schubel, Eckart. Wave behavior at an irregular infinite interface 212-138

Abstract

Schlich, Roland. Micropulsations of the periods between 0.5 and 6 s observed in the regions of high and middle latitudes -------- 208-252
—— On the frequency variations of magnetic micropulsations of periods between 0.5 and 3 sec associated with variations in intensity of the average field (Port-aux-Français, Kerguelen Islands) -------- 207-246
—— On the micropulsations of periods between 1.5 and 6 sec observed in regions of very high latitudes (Adélie Land) -------- 207-247
Schmid, H. See Ascher, E.
Schmidt, Edgar. A case of anisotropy of seismic velocity -------- 214-288
Schmidt, Herbert. See Lenners, Dietrich.
Schmidt, R. A. A survey of data on microscopic extraterrestrial particles -------- 209-41
—— Microscopic extraterrestrial particles from the Antarctic Peninsula traverse, 1961-1962 -------- 208-43
Schmidt-Thomé, Paul. Rock mechanics—a research branch of tectonics and technology -------- 208-339
Schmitt, R. A., and Rolsten, R. F. A new technique for measuring the residue of hypervelocity projectiles in craters -------- 204-40
Schmitt, R. A., and Smith, R. H. Implications of similarity in rare-earth fractionation of Nakhlitic meteorites and terrestrial basalts -------- 204-34
Schmitt, R. A., Smith, R. H., and Olehy, D. A. Cadmium abundances in meteoritic and terrestrial matter -------- 208-33
—— Rare-earth yttrium and scandium abundances in meteoritic and terrestrial matter--II -------- 208-34
Schmucker, Ulrich. Anomalies of geomagnetic variations in the southwestern United States -------- 214-52
Schneekloth, Heinrich. See Geyh, M. A.
Schneider, G. See Berckhemer, Hans.
Schneider, W. A., and Backus, M. M. Ocean-bottom seismic measurements off the California coast -------- 209-152
Schnetzler, C. C., and Pinson, W. H., Jr. A report on some recent major element analyses of tektites -------- 213-28
—— The chemical composition of tektites -------- 210-95
—— Variation of strontium isotopes in tektites -------- 213-38
Schoen, Beatrice. See Friedman, Irving.
Schriever, William. Reflection seismograph prospecting—How it started -------- 215-321
Schroeder, G. L. Radon-222 in mine atmospheres -------- 214-272
Schroll, C. L. Gravity and magnetic profile: San Juan Bautista to Yosemite -------- 204-186
Schubel, Eckart. See Schlesinger, Ernest.
Schuch, Max. Self-potential observations on peat deposits with different kinds of electrodes -------- 205-93
Schuiling, R. D. Hydration energy—A possible contribution to crustal heat. A comment -------- 214-166
—— Serpentinization as possible cause of high heat-flow values in and near the ocean ridges -------- 210-253
Schüller, A., and Ottemann, J. Comparative geochemistry and petrography of meteoritic and volcanic glasses -------- 206-38
Schultz, L. See Hintenberger, H.
Schulze, Reinhard. The new Askania clinograph with remote control and calibration -------- 205-52
Schürmann, H. M. E. Rejuvenation of Pre-Cambrian rocks under epeirogenetical conditions during old Paleozoic times in Africa -- 212-21
Schütze, W. See Hahn-Weinheimer, P.
Schwab, F. See Pilant, W. L.
Schwab, Fred. See Töksöz, M. N.

Abstract

Schwaetzer, Tomi. "Offset shooting." Study of faults and structures by well surveys and velocity logs ---------- 210-329
Schwartz, C. M. See Sclar, C. B.
Schwarz, E. J. Geology and paleomagnetism of the valley of the Rio Aragón Subordan north and east of Oza, Spanish Pyrenees, Province of Huesca, Chapter VI. Paleomagnetism ---------- 211-251
 See also Siemes, Heinrich.
Schwarzschild, M. See Pochoda, P.
Schytt, V. See Giaever, J.
Sciacca, T. P., and Lipschutz, M. E. Electron microscopy of meteoritic and artificially shocked graphite ---------- 215-35
Sclar, C. B., Carrison, L. C., and Cocks, G. G. Stishovite: thermal dependence of the crystal habit ---------- 211-44
Sclar, C. B., Carrison, L. C., and Schwartz, C. M. High-pressure reaction of clinoenstatite to forsterite plus stishovite ---------- 207-219
—— Optical crystallography of coesite ---------- 206-196
Sclar, C. B., Young, A. P., Carrison, L. C., and Schwartz, C. M. Synthesis and optical crystallography of stishovite, a very high pressure polymorph of silica ---------- 206-195
Scott, J. J. A three-dimensional photoelastic study of stress fields around room and pillar mine openings ---------- 211-320
Scott, R. C. Records of postearthquake chemical quality of ground water ---------- 210-135
Seabrook, Merren. See Ringwood, A. E.
Seager, J. S. Pre-mining lateral pressures ---------- 215-352
Searle, E. J. Volcanic risk in the Auckland metropolitan district -- 211-352
Sears, P. M. Recovery of the Bendegó meteorite ---------- 204-27
Secretan, L. See Alexander, W. M.
Seek, J. B. See Ness, N. F.
Segawa, Jiro. See Tomoda, Yoshibumi.
Segesman, F. See Doll, H. G.
Seibt, Walter, Ludwig, Rainer, and Ewald, Heinz. Accurate relative measurements of the Sr-87/Sr-86 isotope ratio by means of a double multiplier system ---------- 209-269
Seifert, K. E. See Riecker, R. E.
Seitz, Konrad. Age determination by the RaD method with gaseous lead compounds ---------- 205-2
Semenenko, N. P. Metallogenetic cycles and geochronology of the Precambrian ---------- 210-17
—— Structure and history of the formation of the Precambrian folded zone of the East European platform ---------- 210-26
Semenenko, N. P., Ladyzhenskiy, N. R., Kotlovskaya, F. I., and Vetshteyn, V. Ye. Absolute age of the geologic formations of the Carpathians ---------- 210-27, 213-7
Semenov, A. S. On the work of the staff of geophysical methods of exploration ---------- 212-186
Semenov, G. S. See Grumbkov, A. P.
Semenov, P. G. See Vvedenskaya, N. A.
Semenova, T. P. On the absolute age of the ancient metamorphic formations of northern Kazakhstan according to data of the argon method ---------- 210-21
 See also Rozenkrants, A. S.
Semenovich, V. V. See Vol'vovskiy, B. S.
Senftle, F. E., Thorpe, A. N., and Lewis, R. R. Magnetic properties of nickel-iron spherules in tektites from Isabela, Philippine Islands ---------- 207-27
 See also Thorpe, A. N.
Sengbush, R. L. See Foster, M. R., and White, J. E.
Senior, T. B. A. Interpretation of lunar radar data ---------- 212-103

Abstract

Senior, T. B. A., Siegel, K. M., and Giraud, A. Some physical constants of the lunar surface as indicated by its radar scattering and thermal emission properties ---------- 209-93
Sen'ko, P. K. Coastal effect in magnetic variations ---------- 212-263
—— Fourth Continental Expedition in 1959 and observations at Pionerskaya Station in 1957 and 1958—Magnetic observations --- 214-208
See also Rokityansky, I. I.
Sen'ko-Bulatnyy, I. H. See Bulashevich, Yu. P.
Seo, J. H. See Lee, D. H.
Serafimova, Ye. K. See Kirsanov, I. T.
Serba, Ivo. See Šamšula, Jiří.
Serbulenko, M. G. A method of investigating features of a potential- 207-193
—— Construction of some precise linear operators for the separation of potential fields ---------- 212-213
Serbulenko, M. G., and Solov'yev, O. A. On the problem of the localization of the features of potential fields according to observed anomalies and of the accuracy of analytical extrapolation into the lower half space ---------- 209-227
Serdengecti, S. See Boozer, G. D.
Sergeyev, A. V. A possible cause of excitations of PP pulsations -- 214-206
Seriff, A. J. See Van Melle, F. A.
Serikov, Yu. I. Natural radioactivity of the Mesozoic sediments of the Terek-Kuma Plain ---------- 205-295
—— Radioactivity of argillaceous rocks ---------- 205-296
—— The effect of the mineralogical composition of the clay fraction on the relationship of the natural radioactivity of sedimentary rocks to their clay content ---------- 204-301
Serikov, Yu. I. The role of potassium in the radioactivity of the sedimentary rocks of the Terek-Kuma Plain ---------- 205-297
Serkerov, S. A. On the calculation of corrections for moisture content and shrinkage in the treatment of the data of density determinations on argillaceous rocks made on samples in an absolutely dry condition ---------- 206-163
Service Hydrographique de la Marine and Compagnie Générale de Géophysique. Tidal gravity corrections for 1964 ---------- 207-178
Setser, J. L., and Ehmann, W. D. Zirconium and hafnium abundances in meteorites, tektites and terrestrial materials -------- 213-16
Sevost'yanov, M. M. See Galuzo, Yu. V.
Seward, F. A., Jr. An Electran electrode configuration as applied to electrical resistivity exploration ---------- 207-98
Seya, Kiyoshi. On the new method of analysis in gravity prospecting ---------- 214-149
Shablinskiy, G. N. The reflection method in investigations of the deep structure of the alkalic massifs on the Kola Peninsula ----- 206-340
Shakhmaliyeva, Sh. A. See Kuznetsov, V. P.
Shalayev, S. V. Linear programming in the determination of the attitude of geologic bodies ---------- 206-164
Shamina, O. G. See Riznichenko, Yu. V.
Shane, L. See Coolidge, J. E.
Shanin, L. L. See Afanas'yev, G. D.
Shapiro, D. A. See Dakhnov, V. N.
Shapiro, Ralph, and Ward, Fred. Possibility of a 26- or 27-month periodicity in the equatorial geomagnetic field ---------- 209-271
Shapley, A. H., and Lincoln, J. V. International Geophysical Calendar for the International Years of the Quiet Sun, 1964 and 1965- 205-124
Shapoval, V. I. Physical properties of the serpentinites from the central Bug area ---------- 209-171
Sharay, N. Ya. See Ivantishin, M. N., Tolstoy, M. I., and Yaroshuhuk, E. A.

Abstract

Sharkov, Yu. V. Special problems of ore exploration carried out under different natural conditions ---------------------------- 205-130
Sharma, V. K. See Kusumgar, S.
Sharmin, N. F. See Ginzburg, A. I.
Sharonov, V. V. Microrelief of the lunar surface and the probable ways of its formation -- 209-74
Sharp, R. A. See Ellis, J. G.
Sharpe, D. R. See Goldberg, J. E.
Shats, M. M. See Sobotovich, E. V.
Shaub, Yu. B. Determination of the function of distribution of specific electrical conductivity of a horizontally layered medium by induction aeroelectrical surveying --------------------------- 212-162
—— Evaluation of the possibilities of an aircraft variant of the induction method -- 206-97
Shaw, H. R. Obsidian-H_2O viscosities at 1,000 and 2,000 bars in the temperature range 700° to 900°C ----------------------------- 206-355
Shchegolev, D. E. See Breido, I. I.
Shchepak, V. M. On the regularities of distribution of radium in ground water of the Carpathian foreland depression ----------- 211-274
Shchepetnov, R. V. See Troitskaya, V. A.
Shcherbak, M. P., Alekseyeva, K. N., Gol'denfel'd, I. V., and Yeliseyeva, G. D. Age correlations of the Archean granitic rocks of the Bug and Podolsk group ------------------------- 210-32
Shcherbak, M. P., Yeliseyeva, G. D., Demidenko, S. G., and Zaydis, B. B. Absolute age of the dike granites and enclosing metamorphic and igneous rocks of the northwest part of the Ukrainian crystalline shield -------------------------------- 210-33
Shcherbakov, D. I. Routine problems in the field of geochronology - 210-18
—— Scale of absolute geological time ------------------------- 206-2
Shcherbakova, B. Ye. Attempt to record body waves and test of sounding procedures in the Zeya-Bureya intermontane basin in the Far Eastern Region --- 211-316
—— On one of the types of body waves recorded in seismic investigations by the correlation refraction method ------------------ 206-300
Shcherbakova, T. V., and Plyusnin, M. I. Automatic recording of relative induced potentials in boreholes ----------------------- 207-130
Shcherbina, V. V. Chemical reactions of the Earth's crust ------- 205-209
Shcherbinin, V. A., Fedorovich, G. P., Dzyurak, M. D., and Orekhovskaya, Ye. P. Use of geophysical logging methods in detecting seepage of gas from producing horizons into overlying formations -- 206-284
Shcherbinin, V. A., Fedorovich, G. P., Dzyurak, M. D., and Yanush, Ye. F. Distinguishing reservoirs in carbonate formations and estimating their gas content according to geophysical logging data in the Cis-Carpathian fields -------------------- 209-190
Shechkov, B. N. See Glasko, V. B.
Shedlovsky, J. P., and Rayudu, G. V. S. Radionuclide productions in thick iron targets bombarded with 1- and 3-Gev protons ----- 212-62
Shemyakin, Ye. I. See Kuz'mina, N. V.
Shen, S. P., Korff, S. A., and Neuburg, H. A. C. Tritium content of Antarctic snow -- 204-232
Shen, Yu-Ch'ang. Certain neotectonic phenomena in the Hanshui River basin --- 213-196
Shenderov, V. Z. See Kal'yanov, V. A.
Shepard, F. P. Submarine canyons --------------------------- 208-352
—— Thirty-five thousand years of sea level --------------------- 208-19
Shepard, F. P., Curray, J. R., Inman, D. L., Murray, E. A., Winterer, E. L., and Dill, R. F. Submarine geology by diving saucer -- 215-359

Abstract

Sheptunov, V. P. See Dimakov, A. I.
Sherburne, R. W. See Stepp, J. C.
Sheremet'yev, E. V. See Kotyuk, A. F.
Shergina, Yu. P., and Kaminskaya, A. B. On the problem of the isotopic composition of boron in nature ---------- 204-223
Shestakov, B. I. See Kaipov, R. L.
Shestyakov, B. I. See Kaipov, R. L.
Shevchenko, V. K. Traces of a meteorite fall ---------- 215-40
Shevchenko, V. R. On the problem of the calculation of velocity inhomogeneities according to reflection traveltime curves ---------- 208-329
Shevchenko, V. V. A star map of the circum-polar region of the Northern Hemisphere of the Moon ---------- 208-55
Shevnin, A. D. The magnetic field of the ring current ---------- 207-230
Sheymovich, V. S. See Aprelkov, S. Ye.
Sheynmann, Yu. M. The time required for the conversion of continental crust into oceanic (on the basis of North Atlantic data) ---------- 208-221
Shibata, Ken, and Miller, J. A. Potassium-argon age of the Sori granodiorite, Ashio Mountain block ---------- 204-24
Shields, W. R. See Rosholt, J. N., Jr.
Shilin, B. V. Some problems of appraisal of the quality of an aerogeophysical survey ---------- 210-227
Shil'nikov, V. I. See Bardin, V. I.
Shilov, V. N. See Fedorchenko, V. I., and Kirsanov, I. T.
Shima, M. Boron in meteorites ---------- 212-68
Shima, Makoto. Fluorine content in meteorites ---------- 208-38
—— Geochemical study of boron isotopes ---------- 204-222
—— Study of the sulfur isotope of synthetic melnikovite ---------- 214-180
Shima, Masako. The distribution of germanium and tin in meteorites ---------- 211-24
Shima, Michiyasu. On the refraction of a cylindrical pulse in an infinite elastic medium with a single thin layer ---------- 213-123, 214-99
Shimada, Mitsuhiko. Chemical composition of the Earth's mantle viewed as the system: MgO-SiO_2-$MgSiO_3$-Mg_2SiO_4 ---------- 213-235, 214-179
Shimada, Tadao. See Horikawa, Yoshio.
Shimazu, Yasuo. Energy analysis of geological phenomena—A program for a thermodynamical study of terrestrial evolution ---------- 206-153
Shimazu, Yasuo, and Iriyama, Jun. Thermodynamical study of tectogenesis ---------- 206-156
Shimazu, Yasuo, and Yoshiteru, Kono. Unsteady thermal convection within the upper mantle and tectogenesis (1) ---------- 208-179
Shimelevich, Yu. S. See Alekseyev, F. A., and Kaipov, R. L.
Shimokata, Kouzo, and Ishihara, Hiraku. Thorium series element content of hot spring waters in Japan, X. On hot springs in Hokkaido ---------- 209-322
Shimozuru, Daisuke. Poisson's ratio of rocks at high temperatures—seismological application ---------- 213-236
—— The low velocity zone and temperature distribution in the upper mantle of the Earth ---------- 208-235
Shimshoni, M. See Arnold, E. P.
Shimshoni, Michael. See Jeffreys, Harold.
Shin, D. M. Report of magnetic prospecting on the Dan-Yang iron mine ---------- 213-288
Shipulin, F. K., and Khetchikov, L. N. Geographic-geologic characteristics of the place of fall of the meteorite shower ---------- 209-33
Shirane, G., Cox, D. E., Takei, W. J., and Ruby, S. L. A study of the magnetic properties of the $FeTiO_3$-αFe_2O_3 system by neutron diffraction and Mössbauer effect ---------- 214-224
Shirgaokar, A. J., Yasuhara, M., and Maeda, Hiroshi. Worldwide geomagnetic effects of the July 9, 1962, Johnston Island nuclear explosion ---------- 205-250

Abstract
Shirke, J. S. A recording proton precession magnetometer ------- 207-267
Shirikov, V. P. See Volodarskiy, R. F.
Shirokova, Ye. I. On the stresses acting at the focuses of earthquakes in the northwestern part of the Asiatic-Mediterranean seismic belt ------- 215-93
Shivris, O. N. See Kaydanovskiy, N. L.
Shkarofsky, I. P. See Osborne, F. J. F.
Shkoda-Ul'yanov, V. S. See Mazyukevich, N. P.
Shkol'nikov, A. S. See Alekseyev, F. A.
Shkulepova, L. G. See Yegorov, A. P.
Shlezinger, A. Ye. See Garetskiy, R. G.
Shlyakhtina, A. P. A map of the distribution of the strength of the T geomagnetic field in Antarctica ------- 205-225
Shlygin, A. Ye. See Ivanov, A. I.
Shneer, V. S. Secular variation of geomagnetic elements in the Mirnyy region ------- 212-264
Shock, Lorenz. Roll-along and drop-along seismic techniques ---- 204-329
Shoemaker, E. M. Impact mechanics at Meteor Crater, Arizona -- 208-21
Shoemaker, E. M., and Hackman, R. J. Stratigraphic basis for a lunar time scale ------- 209-67
Sholpo, I. Ye. A time-dependent effect of magnetization of rocks -- 214-230
Shor, G. G., Jr. Refraction and reflection techniques and procedure ------- 208-324
Shor, G. G., Jr., and Pollard, D. D. Mohole site selection studies north of Maui ------- 211-307
Shorthill, R. W. Measurements of lunar temperature variations during an eclipse and throughout a lunation ------- 212-100
See also Saari, J. M.
Shpetnyy, A. P. On global phases of tectogenesis and Triassic magmatism in northeastern USSR ------- 210-236
Shport, L. P. See Sollogub, V. B.
Shreyner, L. A. See Baydyuk, B. V.
Shropshire, Joe. Wave train logging from acoustic logs ---------- 212-329
Shteynberg, A. S. See Shteynberg, G. S.
Shteynberg, G. S., and Shteynberg, A. S. On possible causes producing volcanic tremor ------- 212-342
Shteynberg, G. S., and Zubin, M. I. On the depth of the magma reservoir under Avachinskiy Volcano ------- 209-353
See also Zubin, M. I.
Shteynberg, V. V. See Goryachev, A. V.
Shteynbrekher, D. P. See Kozhevnikov, D. A.
Shubalkin, V. V. Determination of the thickness of coal beds by logging methods in the Kuznets basin ------- 212-171
Shugart, T. R. Particle trajectories displayed on linear time scale- 210-186
Shukolyukov, Yu. A., Tolstikhin, I. N., and Varshavskaya, E. S. Abundance of the radioactive isotope K-40 in the oldest rocks of the Earth ------- 212-242
See also Mirkina, S. L.
Shulin, I. A. See Mishin, V. M.
Shumov, V. P. See Yershov, Ye. M.
Shumskiy, P. A. Kinematics of a stationary glacier ------- 207-173
—— Pressure and density fields of glaciers ------- 207-172
Shurbet, D. H. The high-frequency S phase and structure of the upper mantle ------- 211-194
Shurman, G. A., and Dakhkil'gov, T. D. Determination of the porosity of sandy layers of the Lower Cretaceous formations of the Kuma Region from the resistivity of the infiltrated zone -------- 211-104
Shursin, G. N. See Volovik, V. D.
Shustova, L. Ye. Density of the rocks of the northeastern part of the Baltic crystalline shield ------- 211-150

Abstract

Shustova, L. Ye. See Tsiryl'nikova, I. Ya.
Sidorov, S. S. See Kirsanov, I. T.
Siebert, Manfred. Geomagnetic pulsations ---------- 213-264
—— Geomagnetic pulsations with latitude-dependent periods and their relation to the structure of the magnetosphere ---------- 211-230
Siegel, F. R. Additional data on the "Raco" meteorite ---------- 212-49
Siegel, K. M. See Fensler, W. E., and Senior, T. B. A.
Siemek, Tadeusz. See Teisseyre, Roman.
Siemes, Heinrich, and Schwarz, Ewald. On the determination of uranium and thorium in sedimentary rocks of the Carboniferous - 213-293
Sievers C., Hellmuth A., Villagas C., Guillermo, and Barros, Guillermo. The seismic sea wave of 22 May 1960 along the Chilean coast ---------- 208-59
Sigalov, J. J., and Long, Austin. Smithsonian Institution radiocarbon measurements ---------- 214-22
Sigayev, Ye. A. Investigation of the strength of rocks of the Kuznets Basin by the ultrasonic method ---------- 214-328
Sigl, Rudolf. Geodetic astronomy and artificial Earth satellites ---- 208-171
—— Some remarks on the work of the Special Study Group No. 22 in the years 1961-63 ---------- 215-169
Signer, Peter, and Suess, H. E. Rare gases in the Sun, in the atmosphere and in meteorites ---------- 210-84
See also Eberhardt, Peter.
Sigov, Yu. S., and Tverskoy, B. A. Structure of the boundary layer between a magnetic field and a plasma stream ---------- 206-224
Sigvaldason, G. E. Influence of geothermal activity on the chemistry of three glacier rivers in southern Iceland ---------- 214-348
Sikka, D. B. Possible ways of producing radiometric anomalies --- 206-265
Silin, Yu. See Deich, S.
Silin, Yu. I. See Abrashov, A. S., and Krylov, A. Ya.
Silver, L. T. The relation between radioactivity and discordance in zircons ---------- 204-1
—— The use of cogenetic uranium-lead isotope systems in zircons in geochronology ---------- 211-9
Silver, L. T., and Deutsch, Sarah. Uranium-lead isotopic variations in zircons ---------- 207-10
Silverman, D., Lash, C. C., and Hadley, C. F. MURAC, a multiple reflection analog computer ---------- 206-295
Sima, Hiromu. On the surface wave dispersion from small explosions ---------- 213-135
Simeon, G., and Sposito, A. Anomalies in geomagnetic variations in Italy ---------- 214-55
Simmons, Gene. Gravity survey and geological interpretation, northern New York ---------- 209-235
—— Velocity of compressional waves in various minerals at pressures to 10 kilobars ---------- 209-149
—— Velocity of shear waves in rocks to 10 kilobars ---------- 209-150
Šimon, Zdeněk. See Chudoba, Vratislav.
Simonenko, T. N. The use of aeromagnetic survey results in elucidating the structure of the basement surface of the West Siberian Lowland ---------- 205-290
Simonenko, T. N., and Tolstikhina, M. M. On the problem of the junction of the Urals and the Russian platform ---------- 215-181
Simonow, G. Geomagnetic time ---------- 208-243
Simons, E. L., and Alexander, H. L., Jr. Age of the Shasta ground sloth from Aden Crater, New Mexico ---------- 212-12
Simons, P. Y. See Vand, Vladimir.
Sims, P. K., and Austin, G. S. Geologic interpretation of magnetic map of McLeod County, Minnesota ---------- 211-261

Abstract
Sinani, I. B. High-sensitivity accelerometers ---------- 204-107
Sindre, A. See Sørnes, A.
Singh, B. D. Application of sonics to strata control research(Pt.1)- 206-92
—— Application of sonics to strata control research (Pt. 2) ---------- 206-346
Singsaas, P. Electromagnetic exploration of zink-lead-pyrite ore body. A case history ---------- 210-219
Sinha, S. C. See Chaterji, G. C.
Sinitsyn, A. P. See Medvedev, S. V.
Sinton, W. M. Eclipse temperatures of the lunar crater Tycho ---- 209-85
Sipakova, M. S. See Porotova, G. A.
Sippel, R. F., and Glover, E. D. Fission damage in calcite and the the dating of carbonates ---------- 211-11
Sirin, A. N., and Farberov, A. I. The eruption of Ploskiy Tolbachik Volcano in 1961-62 ---------- 205-351
Sirioni, G. See Colombo, U.
Sirotin, M. I. See Tsirul'skiy, A. V.
Sitdikov, B. S., and Boronin, V. P. New data on the geology of the basement and interpretation of the geophysical anomalies of the western part of the Tatar ASSR---------- 207-134
Sivaji Raju, A. See Rao, B. S. R.
Skalský, Lumír. Tilt observattion before rockburst ---------- 207-344
Skibitskaya, N. A. See Vendel'shteyn, B. Yu.
Skikevych, O. K. On the question of automatic signaling at seismic stations---------- 210-180
Skillman, T. L. See Heppner, J. P.
Skinner, B. J., and Fahey, J. J. Observations on the inversion of stishovite to silica glass---------- 204-38
Skokov, K. D. See Makarevich, V. N.
Skopichenko, M. F. Attempt to use logging for correlating the Kuban' geologic section---------- 212-172
Skorik, L. A. Graphs of the recurrence of periods for earthquakes of differenct intensity ---------- 207-52
Skrynnikov, R. G. See Loginov, G. A.
Skullerud, K. E. See Nydal, Reidar.
Slack, H. A. See McEuen, R. B.
Slawson, W. F., Kanasewich, E. R., Ostic, R. G., and Farquhar, R. M. Age of the North American crust ---------- 207-12
See also Kanasewich, E. R.
Slee, O. B. Scintillations of radio sources and geomagnetic activity ---------- 207-258
Sloan, R. W. See Caldwell, R. L.
Sloush, M. M. See Yegorov, A. P.
Smales, A. A., Hughes, T. C., Mapper, D., McInnes, C. A. J., and Webster, R. K. The determination of rubidium and caesium in stony meteorites by neutron activation analysis and mass spectrometry---------- 209-27
Smalley, V. G. See Dodd, R. T., Jr.
Smedes, H. W. See Davis, W. E.
Smekhova, Ye. M., ed. Combined investigations of fractured reservoirs and attempt to calculate the petroleum reserves in them - 208-149
Smiley, C. H. Radio-carbon dates and the Mayan correlation problem ---------- 204-14
Smilkstyn, A. O. Use of data of aeroradiometric surveys in exploration for nonradioactive mineral resources and for geological mapping ---------- 204-308
Smirnov, L. P. An introduction to the geological structure of Europe and Asia ---------- 214-134
Smirnova, A. A. See Yaroshchuk, E. A.
Smirnova, N. A. See Moltshan, G. M.

Abstract

Smirnova, N. S. Calculation of wave fields in the vicinity of particular points, part 1 ------ 210-192
Smith, A. R. See Wollenberg, H. A.
Smith, C. W. See Bromery, R. W.
Smith, D. E. A determination of the odd harmonics in the geo-potential function ------ 204-175
Smith, D. T. See Wheildon, J.
Smith, E. J., Sonett, C. P., and Dungey, J. W. Satelite observations of the geomagnetic field during magnetic storms ------ 213-272
Smith, G. A. The manned lunar base ------ 210-107
Smith, H. W. Some observations and characteristics of type Pc 1 geomagnetic micropulsations ------ 211-52
See also George, C. F., Jr.
Smith, N. J. Geophysical activity in 1962 ------ 206-126
Smith, P. E. L. Radiocarbon dating of a late Paleolithic culture from Egypt ------ 215-18
Smith, R. H. See Schmitt, R. A.
Smith, R. L. See Carpenter, D. L., and Friedman, Irving.
Smith, S. M. See Menard, H. W.
Smith, T. J. See Steinhart, J. S.
Smitheringale, W. G., and Jensen, M. L. Sulfur isotopic composition of the Triassic igneous rocks of eastern United States ------ 207-222
Smol'nikov, B. M. Attempt to use underground electrical surveying in karst investigations ------ 213-144
—— Curvilinear profiling in the investigation of karst caverns by electrical surveying methods ------ 210-215
—— On the problem of depth of investigation in surveying by curvilinear electrical profiling ------ 213-143
Smyshlyayev, S. I., and Yudin, I. A. On the chemico-mineralogic composition of the Tamarugal iron meteorite ------ 212-52
See also Yudin, I. A.
Snelling, N. J. Age determination unit (Report) ------ 208-10
See also Jacobson, R. R. E.
Snodgrass, F. E. See Miller, G. R.
Snyder, C. W., Neugebauer, Marcia, and Rao, U. R. The solar wind velocity and its correlation with cosmic-ray variations and with solar and geomagnetic activity ------ 206-216
Sobakar', G. T. See Lebedev, T. S.
Sobolev, V. S. Physiochemical conditions of mineral formation in the Earth's crust and mantle ------ 212-236
Sobolev, V. S., Khlestov, V. V., and Kepezhinskas, K. B. On the use of the orientation of quartz to estimate temperatures of mineral formation ------ 211-183
Sobotovich, E. V., Grashchenko, S. M., Aleksandruk, V. M., and Shats, M. M. Determination of the age of ancient rocks by the lead-isochrone and isotope-spectral strontium methods ------ 208-3
Sobotovich, E. V., Grashchenko, S. M., and Lovtsyus, A. V. The age of the rocks of the Tarom quarry on the Dnepr according to data of the lead isochron method ------ 210-51
See also Starik, I. Ye.
Sociedad Geografica de Lima. Appraisal of the supposed disproportionate swelling of the dome of the crater of "Misti" ------ 213-348
Society of Chemical Industry. The physics and chemistry of high pressures, a symposium, London 1962 ------ 204-145
Sogabe, Masatoshi, and Suzuki, Taisuke. On the radioactivity of the Paleogene sedimentary rocks in the Ube coal field, Yamaguchi Prefecture ------ 204-316
Sohigian, M. D. See Lynn, V. L.
Sokhranov, N. N. Dismountable apparatus for automatic logging ------ 211-108

Abstract

Sokolov, A. F. On the working out of traveltime curves of refracted waves (in the first arrivals) in reflection surveying --------- 211-297
See also Koryagin, V. V.
Sokolova, Z. A. See Cherdyntsev, V. V.
Solaini, Luigi, and Inghilleri, Giuseppe. Some considerations on the measurements and calculations relating to the European calibration line -- 206-171
Solaini, Luigi; Inghilleri, Giuseppe, and Togliatti, G. Results of some adjustments of pendulum and gravimeter data on the European calibration line -- 205-185
See also Cotecchia, Vincenzo.
Sollogub, V. B. Geologic structure of the Cis-Carpathian depression according to seismic data ------------------------------ 205-332
Sollogub, V. B., Chekunov, A. V., Kalyuzhnaya, L. T., and Khilinskiy, L. A. On the deep structure of the Korosten pluton according to seismic data------------------------------------ 209-335
Sollogub, V. B., Chekunov, A. V., Kalyuzhnaya, L. T., Khilinskiy, L. A., and Kharechko, G. Ye. Internal structure of the crystalline basement in the southwest part of the Korosten batholith according to seismic data------------------------------------ 214-303
Sollogub, V. B., Chekunov, A. V., Pavlenkova, N. I., Khilinskiy, L. A., Garkalenko, I. A., Shport, L. P., Nikiforuk, B. S., and Borodulin, M. A. Deep structure of the Crimean lowland and Sivash area according to geophysical data -------------------- 211-313
See also Subbotin, S. I.
Solntseva, N. T., and Fomina, Z. I. Field test of fiber microbarometers --- 211-156
Solomon, M. See Taylor, S. R.
Solov'yev, D. S. See Krylov, A. Ya.
Solov'yev, G. A. Interpretation of magnetic anomalies in the case of continuous variation of the magnetic permeability of the rocks- 212-285
—— The significance of investigations of nonhomogeneous magnetization of rocks --- 210-307
Solov'yev, G. A., Kadyrov, I. N., and Lyakhov, L. L. On vertical gravity gradient anomalies------------------------------------ 206-166
Solov'yev, O. A., and Mikov, B. D. A method of mean square approximation of a potential field------------------------------ 207-285
Solov'yev, O. A., Mikov, B. D., and Gaydukov, N. Ye. On the problem of the use of Fourier integral transformation in the interpretation of magnetic anomalies --------------------------- 204-276
See also Serbulenko, M. G.
Solov'yev, O. N. See Gaynanov, A. G.
Solov'yev, S. L. Seminar of the directors of the seismic stations of the Far East -- 215-123
Solov'yev, V. A. See Kosygin, Yu. A.
Solov'yev, V. N. See Kolesnikov, Yu. A.
Solov'yeva, I. A. See Gurariy, G. Z.
Solov'yeva, N. N. See Garris, M. A.
Solukvadze, G. M. A method of continuous tracing of t_0 in the reflection method -- 211-290
Sonet, Jacques. See Roubault, Marcel.
Sonett, C. P. The distant geomagnetic field. 5. Long-period oscillations -- 206-217
See also Smith, E. J.
Soper, N. J. See Brown, P. E.
Sopher, S. R. Paleomagnetic study of the Sudbury irruptive------- 205-271
Sørnes, A., and Sindre, A. Local travel times of P and S teleseisms at Bergen -- 214-87
Sorokhtin, O. G., Avsyuk, Yu. N., and Koptev, V. I. Determination of the thickness of the ice cap in East Antarctica ----------- 212-331

Abstract

Sorskiy, A. A. See Medvedev, S. V.
Sowle, D. H. See Barthel, J. R.
Soyfer, V. N. See Izrael', Yu. A.
Spang, Josef, and Kahler, Fritz. Concept of rock pressure ------- 209-340
Spears, D. A. The radioactivity of the Mansfield Marine Band, Yorkshire ------- 212-300
Spence, W. J. See Stepp, J. C.
Spikhina, L. M. See Demidenko, Yu. B.
Spinicci, G. L. Aspects and problems of the refraction survey in the dune area of the Libyan Desert ------- 211-308
Spiridonov, V. P. See Kaipov, R. L.
Sposito, A. See Simeon, G.
Srebrodol'skiy, D. M. See Alekseyev, F. A.
Srivastava, S. P. Application of the magnetotelluric method to anisotropic and inhomogeneous bodies ------- 204-49
Srivastava, S. P., and Jacobs, J. A. Determination of the resistivity distribution at Meanook, Alberta, Canada, by the magnetotelluric method ------- 214-59
Stacey, F. D. Seismo-magnetic effect and the possibility of forecasting earthquakes ------- 209-128
Stadukhin, V. D. Determination of the magnetic susceptibility of rocks and ores by measurement of the intensity of the magnetic field in boreholes with artificial magnetization for the purpose of locating and evaluating iron deposits ------- 212-284
Stalcup, M. C. See Metcalf, W. G.
Stanyukovich, K. P., and Bronshteyn, V. A. Formation of lunar craters and bright rays as a result of meteorite impacts ------- 209-78
  See also Bronshteyn, V. A.
Starik, I. Ye., Lisitsyn, A. P., and Kuznetsov, Yu. V. On the mechanism of removal of radium from sea water and its accumulation in the bottom sediments of seas and oceans ------- 204-299
Starik, I. Ye., Sobotovich, E. V., and Karapetyan, G. A. On the age of the metamorphic formations of central Armenia ------- 210-37
Staritskiy, Yu. G. See Masaytis, V. L.
Starostenko, V. I. Graticule for calculation of V_{zxxx} and V_{xzzz} for two-dimensional bodies of arbitrary cross-section ------- 212-215
—— On the use of the gravity potential in gravimetric investigations ------- 209-226
—— Relationship between the higher vertical derivatives of the gravitational potential and the horizontal gravity gradient ------- 213-202
—— Relationship of the vertical gradient of potential function to its horizontal gradients ------- 210-229
  See also Krasovskiy, S. S.
Starov, V. I. See Ivanov, A. I.
Štastná, Anna. Geomagnetic activity after passage of two different configurations of sunspot groups through central meridian of Sun- 214-202
Stauder, William. A comparison of multiple solutions of focal mechanisms ------- 213-82
  See also Cox, A. V.
Steenland, N. C., and Gibbons, W. D. The upward continuation of an aeromagnetic anomaly in Washington ------- 208-269
Stefant, Robert. Application of an induction magnetometer to the detection of resonance frequencies of the Earth-ionospheric cavity ------- 204-251
Stegelmann, E. J., and Kenschitzki, C. H. von. On the interpretation of the sudden commencement of geomagnetic storms ------- 207-261
Stehli, F. G., and Helsley, C. E. Paleontologic technique for defining ancient pole positions ------- 206-241
Stehlík, Eduard. See Válek, Rostislav.
Steiger, R. H. See Davis, G. L., and Hart, S. R.

Abstract

Stein, Albert. See Fuchs, Karl, and Müller, Stephan.
Stein, B. A. See Salisbury, J. W.
Steinbrecher, Dieter. On the possibilities of determining the porosity of the Zechstein main carbonate by means of neutron-physical methods -- 206-277
Steiner, Franz. On some methods of "secondary" gravimetric evaluation-- 207-179
Steiner, J. See Evans, C. R.
Steinhart, J. S., Smith, T. J., Sacks, I. S., Sumner, R., Suzuki, Ziro, Rodríguez, A., Lomnitz, Cinna, Tuve, M. A., and Aldrich, L. T. The Earth's crust—Seismic studies ------------- 207-211
Steinmetz, L. Results of observations of gravimetric tides carried out at Bangui, Bamako, Tananarive-------------------------- 205-61
See also Lecolazet, Robert.
Stelzner, Johannes. See Vaněk, Jirí.
Stepanov, I. S. On the problem of the nature of recent tectonic movements on the west flank of the central Urals -------------- 209-210
Stepanov, P. P. On the use of topographic-isostatic reductions --- 205-168
Stepanov, V. I. See Vinogradov, V. I.
Stepanov, Yu. V. On the representability of drilling and logging in determinations of the thickness and structure of coal beds in the Intinsk deposit --- 208-145
Stephens, D. R. The hydrostatic compression of eight rocks ------ 213-330
Steplenko, Yu. A. On the study of the lithologic composition of the Middle Jurassic of the Terek-Kuma depression (on the basis of geophysical logging data) ------------------------------------ 210-208
Stepp, J. C., Spence, W. J., Harding, S. T., Sherburne, R. W., and Algermissen, S. T. A study of P_n velocities, amplitudes and travel time residuals for a portion of the Western United States-- 212-149
Stermitz, Frank. Effects of the Hebgen Lake earthquake on surface water -- 210-131
Stern, David. The vector potential and motion of charged particles in axisymmetric magnetic fields ---------------------------- 213-252
Stern, T. W. See Lanphere, M. A., White, A. M., and Zartman, R. E.
Stevens, A. E. Earthquake mechanism determination by S-wave data -- 210-154
See also Hodgson, J. H.
Stevens, C. M. See Chakraburtty, A. K.
Stevens, R. D. Cooperative study of lead isotopes in Hudson Bay bottom sediments -- 215-236
Stewart, Duncan. See Pearn, W. C.
Stewart, H. B., Jr. The global sea ---------------------------- 214-342
Stewart, S. W., Hofmann, R. B., and Diment, W. H. Some aftershocks of the Hebgen Lake, Montana, earthquake of August 17, 1959 -- 210-123
See also Jackson, W. H.
Stiller, Heinz, and Frölich, Friedrich. Studies on rock-forming magnetic minerals -- 209-299
See also Frölich, Friedrich.
Stillman, S. L. See Dow, Willard.
Stinchcomb, T. G. Time and longitudinal drift integrals for particle motions in the Earth's magnetic and gravitational fields -------- 211-224
Stipp, J. J. See Noakes, J. E.
Stishov, S. M. On the internal constitution of the Earth ---------- 204-219
Stoenner, R. W. See Bassett, W. A., and Davis, Raymond.
Stolyarova, S. S. See Teys, R. V.
Stone, D. J. See Price, A. T.
Stoneley, R. S. The propagation of surface waves in an elastic medium with orthorhombic symmetry -------------------------- 209-153

Abstract

Stoneley, R. S. The propagation of tsunamis ---------- 207-63

Stott, P. M. See Irving, E.

Stovas, M. V. On the stressed condition of the crustal layer in the zone between 30° and 40° ---------- 207-154

—— Recent young tectonic uplift of the shores of the White and Barents Seas ---------- 211-135

—— Some problems of tectogenesis ---------- 207-153

—— V. V. Belousov's critical remarks concerning the role of the 35th parallel in the tectonic life of the Earth ---------- 211-138

Strakhov, V. N. Problem of obtaining the best numerical method for the transformation of potential fields, Pt. 1 ---------- 214-142

—— Problem of the construction of the best numerical methods for the transformation of potential fields, Pt. 2 ---------- 214-143

—— Problem of the construction of the best numerical methods for the transformation of potential fields, Pt. 3 ---------- 214-144

—— Reduction of the problem of the analytical continuation in a horizontal layer to the solution of convolution type integral equation of the first kind with rapidly decreasing kernels ---------- 214-100

Strelkov, G. P. See Volovik, V. D.

Strella, E. P. P., Martínez Guerrero, J., and de Arenal, R. Geochemistry and radioactivity of waters of Lourdes, metropolis of Santa María del Río, San Luis Potosí ---------- 215-313

Strezhneva, K. M., and Troitskiy, V. S. The phase dependence of radio emission of the Moon on 3.2 cm ---------- 209-89

Strizhov, V. P. See Artemov, Yu. M.

Strobach, Klaus. Origin and nature of microseisms as the resultant vibration of numerous seismic oscillators ---------- 215-307

Strobach, Klaus. See Fuchs, Karl.

Strom, R. G., and Palm, Ann. Possible origin for the lunar walled plain Ptolemaeus ---------- 204-48

Stromquist, A. A. See White, A. M.

Stroyev, P. A. See Frolov, A. I., and Gladun, V. A.

Strunskiy, M. G. See Domanitskiy, Ye. A.

Stuart, D. J., Roller, J. C., Jackson, W. H., and Mangan, G. B. Seismic propagation paths, regional traveltimes, and crustal structure in the western United States ---------- 210-262

See also Ryall, Alan.

Stuart, W. F., Usher, M. J., and Hall, S. H. Rubidium self-oscillating magnetometer for earth's field measurements ---------- 210-305

Stupak, N. K. An analytical method of separating anomalies ---------- 213-204

—— Distribution of rocks in the Kursk Magnetic Anomaly according to density and magnetic susceptibility ---------- 212-266

—— On the pulsations of the Earth ---------- 207-155

Stupak, N. K., and Tyapkin, K. F. Logarithmic master chart of $T_a = \sqrt{H_a^2 + Z_a^2}$ for the determination of the depth of a layer of magnetized rocks ---------- 206-249

See also Holizdra, H. Ya.

Stupnikova, N. I., Tugarinov, A. I., Zykov, S. I., and Karpushina, V. V. On the age of the Precambrian framework of the Aldan shield ---------- 210-47

Subashiyeva, O. S. See Kuznetsov, V. P.

Subbaramu, M. C. See Vohra, K. G.

Subbotin, S. I., and Rakhimova, I. Sh. Physical and geophysical problems of the theory of tectonic movements ---------- 208-180

Subbotin, S. I., Sollogub, V. B., and Chekunov, A. V. Crustal structure of the main geostructural elements of the territory of the Ukraine ---------- 206-341

Subiza, G. P., and Båth, Markus. Core phases and the inner core boundary ---------- 214-86

Abstract
Subrt, Jaroslav. See Pěčová, Jana.
Suchkov, V. I. See Yershov, Ye. M.
Suess, H. E. Abundances of the noble gases in the atmosphere and in meteorites ---- 204-36
—— Dating of deep sea water from the Pacific and Indian Oceans ---- 213-14
—— Properties of chondrules-I ---- 208-36
—— Remarks concerning the chemical composition of the atmosphere of Venus ---- 211-50
Suess, H. E., Wänke, H., and Wlotzka, F. On the origin of gas-rich meteorites ---- 212-64
See also Bien, G. S., and Signer, Peter.
Sugai, Kanji. See Furukawa, Toshitaro.
Suggate, R. P., and Elphick, J. O. Coal ranks and geothermal gradients in high-volatile bituminous coalfields ---- 213-222
Sugiura, Masahisa, and Wilson, C. R. Oscillation of the geomagnetic field lines and associated magnetic perturbations at conjugate points ---- 210-284
Sugiyama, Tomonori, and Ujiié, Akira. Radiometric survey with car-mounted instrument in the northern part of Kinki district ---- 204-314
Sugiyama, Tomonori; Ujiié, Akira; and Tanaka, Shin'ichi. Carborne radiometric survey in the Donan district of Hokkaido ---- 214-277
Suhubi, E. S. Longitudinal vibrations of a circular cylinder coupled with a thermal field ---- 212-140
Sukharev, G. M. On the problem of the utilization of the thermal waters of the oil and gas fields of the Caucasus ---- 215-211
Sukharev, G. M., and Taranukha, Yu. K. Problem of the geothermal character of the section of the Tertiary sediments of Azerbaijan ---- 210-257
See also Vlasova, S. P.
Sulerzhitskiy, L. D. See Cherdyntsev, V. V.
Sulidi-Kondrat'yev, Ye. D. See Kozlov, V. V.
Sulin, V. V. Use of the gamma-activation method in investigations of rock samples ---- 208-303
See also Berzin, A. K.
Sullivan, Walter. Assault on the Unknown—The International Geophysical Year ---- 207-137
Sultanov, D. D. See Kogan, S. D.
Sumitomo, Norihiko. See Ichinohe, Tokio.
Sumner, J. S. See Reford, M. S.
Sumner, R. See Steinhart, J. S.
Sun, M. S. Comments on the paper by Dean R. Chapman and Howard K. Larson "On the lunar origin of tektites" ---- 211-47
Sur, S. P. Note on stresses produced by a shearing force moving over the boundary of a semi-infinite transversely isotropic solid- 207-81
Surio. See Katili, J. A.
Surjo. Report on the volcanic activity in Indonesia for the year 1959 ---- 214-359
Suslov, V. F., and Nozdryukhin, V. K. Movement of Fedchenko Glacier in the firn zone ---- 207-168
Sutherland, R. B. Some dynamic and static properties of rock ---- 205-335
Sutton, E. W., and Albright, J. C. A method to locate water productive intervals in a producing oil well ---- 206-273
Sutton, G. H., and Latham, G. V. Analysis of feedback-controlled seismometer ---- 215-114
See also Talwani, Manik
Sutton, G. W. See Major, M. W.
Suwa, Akira. Volcano Miyaka-jima and the 1962 eruption ---- 214-353
Suyama, Junji, and Takagi, Shin'ichiro. Method of the earth-resistivity measurement using direct-current ---- 204-133

Abstract

Suyama, Junji. See Ono, Yoshihiko.
Suyehiro, Shigeji. Deep earthquakes in the Fiji region—On the nature of deep earthquakes ---- 214-72
— Does the ratio of horizontal amplitude to vertical amplitude depend on the magnitude in aftershocks or earthquake swarm? ---- 214-77
See also Asada, Toshi.
Suzuki, Ikuo. See Tokarin, Tatsuo.
Suzuki, Taisuke. See Sogabe, Masatoshi.
Sudzuki, Ziro. A statistical study of the occurrence of small earthquakes ---- 204-80
See also Asada, Toshi, and Steinhart, J. S.
Svatkov, N. M. Movement of ice in Shokalskiy Glacier (according to observations of the IGY Glaciological Expedition to Novaya Zemlya ---- 207-169
Sveshnikov, G. B., Ryss, Yu. S., and Auzin, A. K. The natural electrical field as a factor in the formation of a zone of secondary enrichment in sulfide deposits ---- 207-109
Svoboda, Karel. Some research results of the International Geophysical Year in Czechoslovakia ---- 205-125
Svoboda, Vlastimil, and Zeman, Jaroslav. Geothermal conditions of the Carpathian foredeep in northeast Moravia ---- 209-251
Swart, E. R. See Robins, P. A.
Swenson, F. A. Ground-water phenomena associated with the Hebgen Lake earthquake ---- 210-133
Swift, D. W., and Hessler, V. P. A comparison of telluric current and magnetic field observations in the Arctic Ocean ---- 211-53
Sychev, P. M., and Parviaynen, A. E. The dependence of elastic wave velocity on rock density on Sakhalin ---- 208-129
Sycz, Andrzej. A new type of seismograph working as mechanically controlled ionization transducer ---- 207-66
Sydykov, Zh. See Dal'yan, I. B.
Sykes, L. R. Seismicity of the South Pacific Ocean ---- 205-33
Symes, E. M. See Fleischer, R. L.
Sytinskiy, A. D. Map of the distribution of earthquake epicenters according to observations at Mirnyy Observatory ---- 212-120
— On the possibility of an effect of solar activity on the seismicity of the Earth ---- 215-83
— Recent tectonic movements as one of the manifestations of solar activity ---- 206-143
Szabó, Árpád, and Banyai, Ioan. Contributions to radiogeological studies in the Eastern Carpathians ---- 206-263
See also Treiber, I.
Szabo, Bela. World calibration standard, first order gravity net and absolute gravity system ---- 205-184
Szelényi, Győző. A procedure for the interpretation of seismic reflection measurements with the analog computer ---- 214-289
— An approximate procedure for the calculation of gravity anomalies for inhomogeneous masses of arbitrary shape with the digital computer ---- 215-190

T

Tabata, Tadashi, and Fujino, Kazuo. Studies on mechanical properties of sea ice-Pt. 7, measurement of flexural strength in situ- 213-338
Tabulevich, V. N. Estimation of focal depth of the Caspian earthquakes of October 15, 1960 and December 12, 1961 ---- 215-78
— Swell, opposing winds, and microseisms ---- 214-265
Tabulevich, V. N., and Savarenskiy, Ye. F. On the question of correlation between microseisms, the meteorological situation and sea roughness ---- 207-297

Abstract

Tabulevich, V. N. See Vvedenskaya, N. A.
Taeusch, D. R. See Hinton, F. L.
Tagay, Ye. D. See Lipovetskiy, I. A.
Taillé, Jean. The Earth and the Moon ---- 210-116
Taipov, M. A. Barometric leveling in areas with a dense network of altitude base points ---- 205-198
Tait, J. J. See Tinsley, B. A.
Tajima, Hirokazu. See Tomoda, Yoshibumi.
Takada, Michio. On the crustal deformation at Ide and newly constructed volume and area dilatation meters ---- 213-96, 214-82
Takada, Yuji. On the electrical survey at Tanokura land-slide region ---- 213-148
Takagi, Shin'ichiro. See Sano, Shun'ichi, and Suyama, Junji.
Takahasi, Ryutaro, and Aida, Isamu. Spectra of several tsunamis observed on the coast of Japan ---- 204-110
Takahashi, Takehito. Transmission of Love waves in a half-space with a surface layer whose thickness varies hyperbolically ---- 210-184
Takahashi, Taro, and Bassett, W. A. High-pressure polymorph of iron ---- 213-238
Takaku, Kōshun. See Sato, Ginko.
Takano, Kei. See Asada, Toshi.
Takashima, Mitsuo, and Saito, Masao. Geophysical prospecting at the Kamioka Mine ---- 213-147
Takei, Shigeo. See Kato, Yoshio.
Takei, W. J. See Shirane, G.
Takei, Yoshiyuki. See Nakai, Junji.
Takeuchi, Hitoshi. Formulae useful to estimate phase velocity change due to physical parameter changes at some depth within the ground ---- 213-106
Takeuchi, Hitoshi, Dorman, James, and Saito, M. Partial derivatives of surface wave phase velocity with respect to physical parameter changes within the Earth ---- 214-173
Takeuchi, Hitoshi, and Saito, Masanori. Electromagnetic induction within the Earth ---- 206-61
Takeuchi, Hitoshi, Saito, Masanori, and Kobayashi, Naota. A computer program to calculate sound wave dispersion characteristics in vertically heterogeneous liquid media ---- 208-166
—— On the Jeffrey's model of the Earth crust and mantle ---- 207-217
—— Theoretical dispersion curves of second mode mantle Rayleigh and Love waves for five Earth models ---- 209-166
See also Sato, Yasuo, and Tsuda, Hiroshi.
Tal'-Virskiy, B. B. History of the tectonic development of western Uzbekistan in the light of results of geophysical work ---- 209-212
See also Vol'vovskiy, B. S.
Talwani, Manik, and Heirtzler, J. R. Computation of magnetic anomalies caused by two-dimensional structures of arbitrary shape ---- 215-273
Talwani, Manik, and Sutton, G. H. Comment on "Seismic delays in the eastern Caribbean" by K. G. Barr, and G. R. Robson ---- 213-206
See also Ewing, Maurice.
Talwar, S. P. Hydromagnetic stability of the magnetospheric boundary ---- 213-251
Tal'yanskiy, I. I. See Glauberman, A. Ye., and Kobilyanskiy, V.B.
Tamaki, Ituo. A warning against the use of formula, log N=a+b(8-M) ---- 213-97
—— Seismicity in Japanese area and its bearing on geotectonics ---- 214-71
Tamao, Tsutomu. A hyrdomagnetic interpretation of geomagnetic ssc* ---- 215-257
—— Geomagnetic pulsations and the Earth's exosphere ---- 205-242

Abstract

Tamers, M. A. A reply to "Tritium retention in meteorites" by David Tilles 209-24

Tamers, M. A., Pearson, F. J., Jr., and Davis, E. M. University of Texas radiocarbon dates II 214-19

Tamrazyan, G. P. Principal difference between the heat regime in the depths of the European part of the USSR and that of the adjacent regions of the Asiatic part 215-210

Tamura, Yoshio. See Hirasawa, Kiyoshi, and Kaneko, Tetsuichi.

T'an, K.-T. Seismic conditions and the regionization of the western zone of Kansu province, Chinese Peoples Republic 206-72

T'an, Y.-C. See Ma, H.-Y.

Tanabashi, Ryo, Kobori, Takuji, Kaneta, Kiyoshi, and Minai, Ryoichiro. On statistical property of earthquake accelerograms 213-98

Tanaka, Akiyoshi. See Hirasawa, Kiyoshi.

Tanaka, Shin'ichi. See Sugiyama, Tomonori.

Tanaka, Teiji, and Morishita, Toshizo. Microtremor measurement in the disaster area of the Nagaoka earthquake of February 2, 1961 204-54

See also Nishimura, Eiichi.

Tanaka, Torao. See Kishimoto, Yoshimichi.

Tanaka, Yutaka. See Nishimura, Eiichi.

Tanasevich, N. I. See Vendel'shteyn, B. Yu.

Tandon, A. N., and Chaudhury, H. M. Seismic waves from high yield atmospheric explosions 206-94

Tandon, J. N. On the formation of solar M-region 214-196

—— Solar terrestrial relationships 206-232

Taneda, Sadakatu. Studies on volcanoes in Japan-Variation in chemical compositions and frequency distribution of lavas 214-351

Tanner, W. F. Discussion of "Earthquakes and faults" by F. F. Evison 209-107

—— Tectonic patterns in the Appalachian-Ouachita-Oklahoma Mountain complex 206-144

Tar, D. See Ascher, E.

Tarakanov, R. Z. Use of the equidistants of distant stations in the graphic determination of an earthquake focus 215-91

See also Fedotov, S. A.

Tarakanov, Yu. A. Statistical calculation of the accuracy of averaging the disturbed value of gravity over a finite period of time 205-167

Taranukha, Yu. K. See Sukharev, G. M., and Vlasova, S. P.

Tarasov, L. S., Gavrilov, Ye. Ya., and Lebedev, V. I. On the absolute age of the rocks of the Anabar Precambrian 209-21

Tarkhov, A. G., ed. Handbook of geophysics. Volume 3, Electrical surveying 210-210

See also Blokh, Ya. L., Bondarenko, V. M., Kovalenko, N. D., and Muromtseva, Z. G.

Tarkhov, Ye. N. The geomagnetic field at Leningrad as revealed by archeomagnetic data 211-255

Tarling, D. H. See McDougall, Ian.

Tarling, Ian. See McDougall, Ian.

Tasch, Paul. Identity of organized elements in carbonaceous chondrites 205-21

Tatevosyan, L. K. See Akopyan, Ts. G.

Tatsumoto, Mitsunobu, and Patterson, C. C. Age studies of zircon and feldspar concentrates from the Franconia sandstone 212-10

—— The concentration of common lead in sea water 210-276

See also Chow, T. J., Dooley, J. R., Jr., and Patterson, C. C.

Tauber, Henrik. Copenhagen radiocarbon dates VI 214-27

Tauer, Jaroslav. A hydromagnetic model of the solar eclipse effect on the diurnal variation of the geomagnetic field 215-256

Abstract

Tauer, Jaroslav. On methods used for determining the effect of a solar eclipse on the geomagnetic field 209-287

—— The effect of the solar eclipse of February 15th, 1961 on the horizontal component of the geomagnetic field 209-286

Tavrin, I. F. See Polyakov, A. B.

Taylor, C. B. Tritium content of Antarctic snow 211-203

Taylor, C. P. Geophysical exploration for iron ore in the Middleback Range area 213-291

Taylor, S. R. Chondritic earth model 211-186

—— Nickel-rich tektites from Australia 209-45

Taylor, S. R., and Sachs, Maureen. Geochemical evidence for the origin of australites 209-44

Taylor, S. R., and Solomon, M. The geochemistry of Darwin glass 211-45

Tazieff, Haroun. The Tinakula Volcano (western Pacific) 214-360

Tazieff, Haroun, and Tonani, Franco. Rapid and large fluctuations of the eruptive gaseous phase 211-358

See also Bordet, Pierre, and Gèze, Bernard.

Tazime, Kyozi. Ray-theoretical construction of dispersive Rayleigh waves (continued) 209-165

Tazime, Kyozi, and Okada, Hiroshi. Comparison of wave groups observed on short and long spans at the same locality 213-136

Teder, R. I. See Protod'yakonov, M. M.

Tegart, W. J. McG. Non-basal slip as a major deformation process in the creep of polycrystalline ice 213-335

Teisseyre, R. K. A dislocation model of the earthquake mechanism and the influence of discontinuity surfaces on seismic energy release 205-34

—— The method of the continuous dislocation field and its application to the fold theory 215-98

—— Theoretical curves for a three-layer system in the potential-drop-ratio method 206-96

Teisseyre, R.K., and Siemek, Tadeusz. A method of determining the direction of surface wave approach. Application of this method to the microseismic activity at the Phu Lien seismological station 205-291

See also Nguyen, K. M.

Ten, T.-V. Dynamic characteristics of seismic waves in the presence of a fault 213-126

T'eng, C.-W. Dynamic features of seismic waves propagating in model mediums with the right-angle faults 215-327

Tepley, L. R. Low-latitude observations of fine-structural hydromagnetic emissions 212-257

Tepley, L. R., and Amundsen, K. D. Notes on sub-ELF emissions observed during magnetic storms 215-259

Tepley, L. R., and Wentworth, R. C. Hydromagnetic emissions, X-ray bursts, and electron bunches. 1. Experimental results 207-259

See also Wentworth, R. C.

Ter Haar, Dirk, and Cameron, A. G. W. Historical review of theories of the origin of the solar system 208-22

Teramoto, Toshihiko. Simple tsunami-recorder 210-156

Terasmae, J., and Mott, R. J. Problems of dating abandoned shorelines in the Lake Huron basin 212-9

See also Mackay, J. R.

Terekhin, Ye. I. See Zagarmistr, A. M.

Terekhov, Yu. N. See Korchagin, V. I.

Terent'yeva, A. G. See Kravtsov, G. S.

Terets, G. Ya. See Ivantishin, M. N.

Teruggi, M. E. The "Raco" meteorite 212-48

Abstract

Tesi, F. See Norinelli, Armando.

Teyfel, V. G. Colour and spectral characteristics of the lunar surface ---- 209-75

Teys, R. V., Naidin, D. P., Zadorozhnyy, I. K., and Stolyarova, S. S. On the standard for determining paleotemperatures from the isotopic composition of the oxygen of organogenic calcite ---- 211-205

Thanos, Stamatios. A low-noise transistorized seismic amplifier-- 208-311

Tharp, Marie. See Heezen, B. C.

Thiel, E. C. See Craddock, Campbell.

Thieme, H. Telluric measurement with newly developed apparatus over an anticlinal structure in Mecklenburg ---- 206-62

Thode, H. G. Stable isotopes, a key to our understanding of natural processes ---- 215-227

See also Clarke, W. B.

Thomas, D. V. Evidence for a nearly diurnal term in the nutation of the Earth's axis ---- 209-135

Thomas, Herbert, Bowes, William, and Bravo S., Nelson. Field observations made between Puerto Montt and Maullin ---- 208-72

—— Geologic report on the effects of the earthquake of 22 May 1960 on the city of Llanquihue ---- 208-73

—— Geologic report on the effects of the earthquake of 22 May 1960 on the city of Puerto Varas ---- 208-71

Thomas, Herbert, Bowes, William, Bravo S., Nelson, and Moraga B., Aldo. Effects of the earthquakes of May 1960 and geologic relations in Rio Negro ---- 208-74

See also Dobrovolny, Ernest.

Thomas, H. H. See Lee, D. E.

Thomas, Mrs. Lowell, Jr. Night of terror ---- 215-76

Thomas, R. H. Studies on the ice cap of Galindez Island, Argentine Islands ---- 209-215

Thomas, R. P., and Morrison, R. H. Seismic datum construction in areas of rugged topography ---- 205-312

Thommeret, J., and Rapaire, J. L. Monaco radiocarbon measurements I ---- 214-24

Thompson, B. N. Quaternary volcanism of the Central Volcanic Region ---- 211-349

See also Kear, David.

Thompson, G. A. See Kuo, J. T.

Thompson, J. F. A technique for solving the low-velocity layer problem ---- 205-313

Thompson, Thomas, and Wiberg, P. Å. Some observations of variations of the natural background radiation ---- 207-301

Thompson, W. B. Magnetohydrodynamics ---- 211-227

Thorpe, A. N., and Senftle, F. E. Submicroscopic spherules and color of tektites ---- 213-40

See also Senftle, F. E.

Thrasher, J. E., and Scheidegger, A. E. On the connection between stress and displacements in faulted regions ---- 207-53

Thurber, D. L. Anomalous U-234/U-238 in nature ---- 211-218

—— Anomalous U-234/U-238 ratios in nature ---- 204-6

—— Natural variations in the ratio of U-234 to U-238 ---- 211-5

Thyssen-Bornemisza, Stephen. Determination of Bouguer density in shallow holes ---- 212-221

—— Gravitational exploration and the principle of equivalence ---- 210-242

—— The vertical gravity gradient in borehole exploration ---- 206-157

T'ien, C.-T. The relationship between the earthquake zones and the geological structures in southern China ---- 213-79

Tikhomirov, N. I. Intrusive complexes of Transbaikalia and the tectonic conditions of their formation ---- 215-304

Tikhomirov, V. V. On the relationship of the process of reconstitution of the crust to vertically-directed tectonic movements ---- 204-164

Abstract

Tikhonov, A. N., Lipskaya, N. V., and Yanovsky, B. M. Some results of the deep magnetotelluric investigations in the USSR --- 214-58

Tilles, David. Meteorite tritium and diffusion in α- and γ-iron ---- 211-33

—— Stable silicon isotope ratios in tektites --- 213-44

—— Tritium retention in meteorites --- 209-24

Tilles, David, DeFelice, J., and Fireman, E. L. Measurements of tritium in satellite and rocket material, 1960-1961 --- 206-203

See also Fireman, E. L.

Tilley, C. E., Yoder, H. S., Jr., and Schairer, J. F. Origin of igneous rocks—Melting relations of basalts --- 208-225

See also Yoder, H. S., Jr.

Tillotson, Ernest. The Alaska earthquake of March 28-30, 1964 --- 211-64

Tilton, G. R., and Reed, G. W. Radioactive heat production in eclogite and some ultramafic rocks --- 210-254

See also Davis, G. L., Gast, P. W., Hart, S. R., Hirt, B., and Ledent, Dolly.

Timchenko, N. K. A mechanical indicator of the strength of stone - 214-327

Tinsley, B. A., Tait, J. J., and Ellyett, C. D. A search for thermal radiation from meteor trails --- 210-86

Titov, N. D., and Brykov, V. D. Channel oscillographic rerecording on the SSM-57 seismic station --- 207-328

Tittle, C. W. Some problems in the theory of neutron logging ----- 208-293

Tixier, M. P. See Alger, R. P., and Doll, H. G.

Toba, Yoshiaki. On the origin of the lunar craters --- 213-54, 214-47

Tobyáš, Vladimír. Calculation of constants of broad-band electromagnetic accelerographs in case of non-negligible reaction of galvanometer --- 214-90

—— Calculation of constants of broad-band electromagnetic displacement seismographs in case of non-negligible reaction of galvanometer --- 207-69

—— The choice of galvanometers for electromagnetic seismographs --- 210-177

See also Holub, Karel.

Tobyášova, Marta. See Faldus, Karel.

Tocher, Don. Earthquake energy and rupture of the earth's surface --- 204-68

Todhunter, Isaac. A history of the mathematical theories of attraction and the figure of the Earth --- 212-187

Togliatti, G. See Solaini, Luigi.

Toivonen, A. V. P. See Hyyppä, E.

Tokairin, Tatsuo, Sakurai, Mamoru, Suzuki, Ikuo, Hattori, Yasuzo, Hosoya, Noboru, Sato, Koji, and Kanroji, Yasuo. On the flow of thermal water at Onogawa Hot Springs Area, Yamagata Prefecture --- 214-167

Tokarev, P. I. On a possibility of forecasting of Bezymianny Volcano eruptions according to seismic data --- 204-356

See also Markhinin, Ye. K.

Tokhtuyev, G. V., Borisenko, V. G., Kazak, V. M., and Mishurov, Ye. M. On the strength properties and resistance of rocks of the Krivoy Rog basin --- 214-333

Tokmakov, V. A. A method of calculating cylindrical magnet systems with permanent magnets --- 204-146

Tokmulin, M. Kh. Graphic determination of the damping constant D --- 215-118

See also Nersesov, I. L.

Toksöz, M. N. Microseisms and an attempted application to exploration --- 210-324

Toksöz, M. N., and Ben-Menahem, Ari. Excitation of seismic surface waves by atmospheric nuclear explosions --- 210-203

Abstract

Toksöz, M. N., and Schwab, Fred. Bonding of layers in two-dimensional seismic modeling ---- 212-142
See also Ben-Menahem, Ari.
Tolansky, S. Resemblance between macro-impact with a great meteorite and micro-impact with a drop or sphere ---- 211-43
Tolstikhin, I. N. See Klushin, I. G., and Shukolyukov, Yu. A.
Tolstikhina, M. M. See Simonenko, T. N.
Tolstoy, M. I. On interpretation of results of radiometric measurements in geological exploration ---- 204-307
Tolstoy, M. I., and Ostafiychuk, I. M. The general radioactivity and distribution of uranium in highland rocks of a region in Kazakhstan ---- 204-318
Tolstoy, M. I., Ostafiychuk, I. M., Sharay, N. Ye., and Zgurovskiy, V. M. On the use of data of mass determinations of magnetic susceptibility of bedrocks for purposes of petrologic-geochemical and metallogenetic investigations (exemplified by Central Kazakhstan) ---- 212-267
Tomaschek, Rudolf, and Groten, Erwin. The residual movements in the records of the horizontal tidal components ---- 208-107
Tomashevskaya, I. S. See Volarovich, M. P.
Tomblin, J. F. See Baker, P. E.
Tomoda, I. Y. See Asada, Toshi.
Tomoda, Yoshibumi, Jitsukawa, Akira, Tajima, Hirokazu, and Segawa, Jiro. Gravity measurements on islands (Pt. I) ---- 210-252
Tomoda, Yoshibumi, and Kanamori, Hiroo. Tokyo surface ship gravimeter α-1 ---- 210-245
Tomson, I. N., Ivanov, I. B., Konstantinov, R. M., Lobanova, G. M., and Polyakova, O. P. On the absolute age of the Mesozoic magmatic complexes and ore formations of eastern Transbaikalia ---- 208-17
Tomson, I. N., Konstantinov, R. M., Polyakova, O. P., Ivanov, I. B., and Yesikov, A. D. On the Late Mesozoic hydrothermal cycles in Eastern Transbaikalia in the light of potassium-argon and lead-isotope data ---- 215-26
Tongiorgi, Ezio, and Tongiorgi, M. Age of the Miocene-Pliocene limit in Italy ---- 210-14
See also Eberhardt, Peter.
Tongirogi, M. See Tongiorgi, Ezio.
Tonani, Franco. See Tazieff, Haroun.
Tooker, E.W. See Mabey, D. R.
Toperczer, Max. On the definition of seismicity ---- 204-88
Toritsyn, B. A. On the possibilities of determining the thickness of unconsolidated alluvium by the vertical electrical sounding method under permafrost conditions ---- 213-139
Träger, Lubomír. See Chudoba, Vratislav.
Trapeznikov, Yu. A. See Kropotkin, P. N.
Trautman, M. A. Isotopes, Inc. radiocarbon measurements IV ---- 214-31
Traynin, L. P. See Paliyev, G. I.
Tregub, F. S. Registration of the moment of the shot according to accurate time signals in deep seismic sounding operations ---- 205-324
Tregub, F.S., and Pushkarev, N. K. A variation in the construction of the tape-drawing mechanism of the OS-60 oscillograph for work by the correlation refraction and deep seismic sounding methods ---- 205-325
Treiber, I., and Szabó, Árpád. Contributions to knowledge of the radioactive properties of the subvolcanic rocks of the North Calimanii Mountains ---- 207-299
—— Remarks on the radioactive properties of massive eruptive rocks of the Gurghiul de Nord Mountains ---- 207-298
Treitel, S. See Robinson, E. A.

Abstract

Trembly, L. D. See Berg, J. W., Jr.

Tremlett, W. E. Stress chronology of the mid-Paleozoic orogeny of the British Isles 206-146

Treskov, A. A. Determination of the epicenter of a distant earthquake using rectilinear epicentrals 215-95

—— Use of the method of "straight-line epicentrals" for determining the epicenter of a distant earthquake 208-90

Treskova, Yu. A. See Puzyrev, N. N.

Treuman, Kh. M. Two pictures of the Kaali meteor craters 212-84

Trigubov, A. V. On the appearance of loops in traveltime curves of head waves 207-317

Trivedi, N. B. See Rastogi, R. G.

Troitskaya, V. A. Characteristics of the excitation of short-period fluctuations of the electromagnetic field of the Earth in the Antarctic 213-64

—— Rapid variations of the electromagnetic field of the Earth and processes in the upper atmosphere 211-233

Troitskaya, V. A., and Shchepetnov, R. V. The dependence of the intensity of short-period fluctuations of the Earth's electromagnetic field on cycles of solar activity 205-27

See also Jacobs, J. A.

Troitskiy, V. S. Radioemission of the Moon, its physical state, and the nature of its surface 209-86

—— Some results of investigation of the Moon by radiophysical methods 212-96

See also Strezhneva, K. M.

Trombka, J. I., and Metzger, A. E. Neutron methods for lunar and planetary surface compositional studies 207-33

Trubenko, V. F. See Kirsanov, I. T.

Trujillo, M. H. Qualitative analysis of the seismic velocities and of the electric logs of the Constituciones No. 105 and Limon No. 191 wells 207-133

Trump, R. P., and Patnode, H. W. Laboratory demonstrations of the failure of materials under uniform loads 205-340

Truswell, J. F. See Jacobson, R. R. E.

Truter, F. C. Report on the activities of the Geological Survey—Geophysics 214-117

Tryggvason, Eysteinn. Arrival times of P waves and upper mantle structure 210-268

Tsaregradskiy, V. A. On the problem of deformations of the Earth's crust 207-152

Ts'eng, P.-W. A rapid method for estimating torsion balance results in the field 206-189

Tsibul'chik, G. M. See Zhalkovskiy, N. D.

Tsimel'zon, I. O. Structure of the Lenkoran (Talysh) Region according to the data of geophysical investigations 211-119

Tsirul'skiy, A. V. Some properties of a complex logarithmic potential of a homogeneous region 211-147

Tsirul'skiy, A. V., and Sirotin, M. I. Problem of the analytical continuation of a logarithmic potential 215-193

Tsiryl'nikova, I. Ya., Shustova, L. Ye., and Porotova, G. A. On the deep structure of the Pechenga structural zone according to geophysical data 206-129

Tskhakaya, A. D. Study of Caucasian earthquakes 209-102, 213-72

Tsuboi, Chuji. A new formula connecting magnitude and number of earthquakes 204-83

—— Earthquake energy, volume of focal region, aftershock area, and strength of the Earth's crust 204-67

—— Energy of earthquakes of Japan and adjacent areas 204-82

Abstract
Tsuboi, Chuji, and Otsuka, Michio. Duration of energy radiation from an earthquake source volume --- 213-87
Tsuboi, Chuji, Wadati, Kiyoo, and Hagiwara, Takahiro. Prediction of earthquakes. Progress to date and plans for further development --- 205-37
Tsuda, Hiroshi, and Takeuchi, Hitoshi. Rigidity of the Earth's core and torsional oscillation of the Earth --- 208-238
Tsujiura, Masaru. Multi-channel triggered magnetic tape recording for routine seismic observation. Pt. 1. Eight-channel magnetic tape recording for short period seismic waves --- 204-100
 See also Aki, Keiiti.
Tsumura, H. Earth tidal observation with a water tube tiltmeter --- 205-50
Tsykin, Ye. N. Reconnaissance study of temperatures of the Institute of Geography of the U.S.S.R. Glacier in the Polar Urals --- 207-171
Tsyrendorzhiyev, Ts. Ts. Tectonic elements of the Baikal area according to geophysical data --- 208-203
Tucker, P. M. Earth crust measurements by seismograph in Oklahoma—A preliminary report --- 208-215
Tugarinov, A. I. See Bibikova, Ye. V., Stupnikova, N. I., and Zykov, S. I.
Tulin, V. A. A semiautomatic device for investigating contact thermometers --- 213-209
—— Some features of testing the running of quartz clocks in expeditions --- 213-210
Tulin, V. A., and Savchenko, A. A. Field temperature gage for the GAE gravimeter --- 213-208
Tuplin, T. A. See Crouch, E. A. C.
Turekian, K. K. The chromium and nickel distribution in basaltic rocks and eclogites --- 204-213
Turitsyn, K. S. On the statistical treatment of the magnetic parameters of crystalline rocks --- 207-270
Turner, Geoffrey. See De Carli, P. S., Frederiksson, Kurt, and Reynolds, J. H.
Tuttle, C. R. See Oldale, R. N.
Tuttle, O. F. See Luth, W. C., and Wyllie, P. J.
Tuve, M. A. See Steinhart, J. S.
Tuzova, T. V. See Chalov, P. I.
Tverskoy, B. A. Self-excitation of the main magnetic field during two-dimensional convection in a rotating gravitating sphere --- 204-239
 See also Sigov, Yu. S.
Tyapkin, K. F. On the possibility of using plane field formulas in the interpretation of gravity anomalies caused by geologic bodies of variable cross section --- 211-154
Tyapkin, K. F., Goluk, A. I., and Kharchenko, S. P. On the problem of interpreting gravity anomalies under conditions of block structure of the objects studied --- 208-191
 See also Stupak, N. K.
Tyson, N. S. See Popenoe, Peter.
Tyurmina, L. O. See Adam, N. V., Ben'kova, N. P., and Dolginov, S. Sh.

U

Uchupi, Elazar. Sediments on the continental margin off Eastern United States --- 205-347
Uchupi, Elazar, and Emery, K. O. The continental slope between San Francisco, California and Cedros Island, Mexico --- 207-345
Udintsev, G. B., and Zhivago, A. V. The geomorphology of the sea bottoms and contemporary problems of marine geomorphology --- 211-333
Udmadturidze, V. A. See Genkin, B. S.

Abstract

Ueda, Yoshio. See Kawano, Yoshinori.

Uffen, R. J. See Mereu, R. F.

Uhlmann, Manfred. Underground seismic investigations in the south Harz potassium salt region ---- 207-336

Ujiiē, Akira. See Horikawa, Yoshio, and Sugiyama, Tomonori.

Ulinich, F. R. See Zharkov, V. N.

Ulizlo, B. M. Geoelectrical nature of the Upper Jurassic formations of the outer zone of the Carpathian foreland depression ---- 210-221

—— Investigation of an unconformity in the Middle Menilitic formations of the Dolina area (Cis-Carpathia) according to geophysical data ---- 207-131

Ulrich, Johannes. On the morphology of the sea floor in the north Atlantic Ocean ---- 208-357

—— Seamounts in the world oceans ---- 213-344

Ulrych, T. J. Discordant lead-uranium ages due to continuous loss of lead ---- 207-3

—— The anomalous nature of Ivigtut lead ---- 215-16

Ulrych, T. J., and Russell, R. D. Gas source mass spectrometry of trace leads from Sudbury, Ontario ---- 212-2

Unik, J. P., Henderson, D. J., and Huizenga, J. R. Radioactive species produced by cosmic rays in the Bogou iron meteorites ---- 212-61

U. S. Coast and Geodetic Survey. Magnetograms and hourly values, San Juan, P. R., 1961 ---- 214-199

—— Preliminary Report—Prince William Sound, Alaskan earthquakes March-April 1964 ---- 214-64

—— Twelfth 6-monthly catalogue of data in IGY World Data Center A—Geomagnetism, Gravity, and Seismology ---- 214-123

United States House of Representatives Committee Hearings, Upper Mantle Project ---- 212-240

Unz, M. Superposition in resistivity prospecting ---- 212-153

Uotila, U. A. K. Coefficients of low degree spherical harmonics of gravity field as computed from surface gravity anomalies ---- 205-164

Upson, J. E., Leopold, E. B., and Rubin, Meyer. Postglacial change of sea level in New Haven Harbor, Connecticut ---- 210-4

Urazayev, I. M. Deep structure of the crystalline basement of Udmurtia and northeastern Tatary according to the data of interpretation of anomalies of the geomagnetic field ---- 212-292

Urey, H. C. A review of atomic abundances in chondrites and the origin of meteorites ---- 213-15

—— Age of the Moon, chemical composition, geological aspects, stress and cooling history ---- 212-99

—— Comments on Dr. Baldwin's paper "The nature of the lunar surface and major structural features" ---- 212-106

—— The origin of the Moon and its relationship to the origin of the solar system ---- 209-60

See also Anderson, E. C.

Urupov, A. K. Reduction of errors in study of the velocities for traveltime curves of reflected waves ---- 213-315

Urupov, A. K., and Byakov, Yu. A. On some ways of detecting multiple reflections ---- 215-324

Uryson, V. O. An electrical sounding interpretation method ---- 205-91

—— Traveltime curve of reflected waves for an arbitrary section ---- 205-319

Usami, Tatsuo. Solution of the equation of equilibrium of a homogeneous and isotropic elastic medium for orthogonal curvilinear coordinates of two dimensions—Cases of separable coordinates for Laplace's equation ---- 208-124

Usami, Tatsuo; Kano, Kyoichi; and Sato, Yasuo. Some remarks on the solutions of the equation of motion for a homogeneous and isotropic elastic medium, II. Relation between various solutions of rotational type ---- 211-86

Abstract

Usami, Tatsuo, and Sato, Yasuo. Torsional oscillation of homogeneous elastic spheroid ---------- 213-124
See also Sato, Yasuo.
Ushakov, G. D. See Luchitskiy, I. V., and Moiseyenko, U. I.
Ushakov, S. A. Physical properties of the rocks of east Antarctica and possible methods of geophysical exploration ---------- 212-184
Ushakov, S. A. Some structural features of George V and Oates Coasts according to geophysical data ---------- 212-230
Ushakov, S. A., and Lazarev, G. E. Concerning the isostatic equilibrium of Antarctica ---------- 212-200
See also Gladun, V. A., and Lazarev, G. Ye.
Ushakova, A. M. The use of γ-logging data in the lithological subdivision of the rocks of the Kremenchug iron ore belt ---------- 211-271
Usher, M. J. See Stuart, W. F.
USIS. The only laboratory of geochronology in Latin America is established in São Paulo ---------- 206-20
Uskov, P. S., Nassonov, V. A., and Budnitskiy, V. S. On the interpretation of the graphs of horizon surveys of the magnetic field -- 211-258
Uspenskiy, D. G. Prospecting for bauxite deposits in karst depressions using geophysical methods ---------- 204-141
Uspenskiy, I. N., and Ozurtsov, K. I. Concentration of sources in a transversally isotropic elastic medium ---------- 210-194
Utamann, René. Seismic energy profile, a new aid for the interpretation of seismic measurements ---------- 210-330
—— Semiautomatic correlation with vectorial seismic profiles ----- 207-327
Uusitalo, Sulo. See Olausson, Eric.
Uyeda, Seiya. Thermoremanent magnetism and reverse thermoremanent magnetism ---------- 214-219
Uyeda, Seiya, and Horai, K.-I. Terrestrial heat flow in Japan ---- 211-181

V

Vachette, Michelle. New measurements of the absolute ages of the Eburnean granites of the Ivory Coast ---------- 210-9
See also Bassot, J.-P., and Giraudon, Robert.
Vacquier, Victor. A machine method for computing the magnitude and direction of magnetization of a uniformly magnetized body from its shape and a magnetic survey ---------- 214-222
—— Magnetic evidence for horizontal displacements in the floor of the Pacific Ocean ---------- 205-145
Vacquier, Victor, and Von Herzen, R. P. Evidence for connection between heat flow and the mid-Atlantic ridge magnetic anomaly -- 209-248
Vajk, Raoul. Correction of gravity anomalies at sea for submarine topography ---------- 215-188
Vale, K. R. Reconnaissance gravity surveys, using helicopters, for oil search in Australia ---------- 209-228
Válek, Rostislav. Interpretation of the gravity anomaly V_z by means of models ---------- 209-218
—— The gravity effect of plate-like bodies ---------- 207-186
Válek, Rostislav, and Hrách, Stanislav. Gravity measurements in the north part of the Upper Moravian depression ---------- 207-200
Válek, Rostislav, and Stehlík, Eduard. The gravitational effect V_z of bodies which are limited by surfaces of second degree --- 209-217
See also Čuta, Jiří.
Valiyev, A. A. Lithology and paleomagnetism of the Cenozoic molasse of northern Fergana ---------- 207-280
Valle Paolo, Emilio. On the interaction between the particles of the ideal solid ---------- 210-188
Valle T., Enrique del. Principles that are utilized in the nuclear free-precession magnetometer ---------- 209-276

Abstract
Valle T., Enrique del. See García Rojas, Antonio.
Vallon, Michel. Contribution to the structurographic study of high latitude cold ice ---- 211-142
See also Chaillou, A.
van Abkoude, E. R. See Belichrodt, J. F.
Van Allen, J. A. Remarks on accompanying letter by K. I. Gringauz ---- 209-273
See also Frank, L. A.
Van Andel, T. H., and Sachs, P. L. Sedimentation in the Gulf of Paria during the Holocene transgression—A subsurface acoustic reflection study ---- 213-342
Van Dam, J. C. A simple method for the calculation of standard-graphs to be used in geoelectrical prospecting ---- 214-110
van der Merwe, N. J. See Mason, R. J.
Van Dilla, M. A. See Rowe, M. W.
Van Lopik, J. R., and Geyer, R. A. Gravity and magnetic anomalies of the Sierra Madera, Texas, "Dome" ---- 204-184
Van Lopik, J. R., and Westhusing, K. Exploration for lunar water deposits ---- 210-111
Van Melle, F. A., Faass, D. L., Holekamp, O. G., Kalisvaart, F., Postma, G. W., and Seriff, A. J. Recent developments in geophysical prospecting ---- 215-155
van Niekerk, C. B. The age of the Gempost Dyke from the Ventersspost Gold Mine ---- 209-11
Van Nostrand, R. G. See Dobrin, M. B.
Van Peteghem, J. See Robinson, S. C.
Van Schmus, W. R., Wetherill, G. W., and Bickford, M. E. Rb-Sr age determinations of the Nipissing diabase, north shore of Lake Huron, Ontario, Canada ---- 212-15
Van'yan, A. L. See Kosygin, Yu. A.
Van'yan, L. L. Build-up of an electromagnetic field in an anisotropic layer ---- 213-141
—— Electrical exploration by the transient field method ---- 212-164
—— Electromagnetic field of a harmonic dipole grounded at the surface of a multilayered anisotropic medium ---- 214-101
—— Values characteristic of the build-up of fields ---- 215-148
Van'yan, L. L., and Bobrovnikov, L. Z. Electric surveying by the method of the magnetic field transient ---- 209-175
Van'yan, L. L., and Kharin, Ye. P. Some regularities of geomagnetic bays in middle latitudes ---- 210-300
Van'yan, L. L., and Morozova, G. M. Graticules for interpretation of frequency sounding ---- 208-139
See also Zagarmistr, A. M.
Vand, Vladimir, Dachille, Frank, and Simons, P. Y. Qualitative dating of glasses—applied to tektite-like objects from the Ries Kessel meteoritic crater ---- 209-46
See also Johnson, G. G.
Vaněk, Jiří, and Stelzner, Johannes. Uniform determinations of earthquake magnitudes for middle European stations ---- 208-91
Vaněk, Jiří, Waniek, Ludvik, Pros, Zdeněk, and Klíma, Karel. Three-dimensional seismic models with continuously variable velocity ---- 212-144
See also Klíma, Karel, and Pros, Zdeněk.
Vaniyek, L. Piezophotographic method of measuring the amplitude of strong pressure waves ---- 214-95
Vardanyants, L. A. Isotachs (lines of equal rate of sedimentation) as the basis of a new type of tectonic investigation ---- 215-179
Vargo, J. L. See Boynton, G. R.
Varshavskaya, E. S. See Gerling, E. K., and Shukolyukov, Yu. A.

Abstract

Vartanova, N. S., and Vasilenko, V. B. Thermoluminescence of granitoids of eastern Transbaikalia ---------- 204-201

See also Vasilenko, V. B.

Vasady-Kovács, Ferenc. Geologic and geophysical investigations in the Velence Range ---------- 204-287

Vasilenko, V. B., and Vartanova, N. S. Age differentiation of granitic rocks by the thermoluminescence method ---------- 208-7

See also Vartanova, N. S.

Vasil'yev, Yu. A., Raykher, L. D., Sagalova, Ye. I., and Kharaz, I. I. The plane front method in the reflection method ---------- 213-308

See also Raykher, L. D.

Vasil'yev, Yu. M., D'yakonov, D. I., and Charygin, M. M. Main physical parameters at depth under the Caspian depression ---------- 213-220

See also Arabadzhi, M. S.

Vaughan-Jackson, Genevieve. Mountains of fire — An introduction to the science of volcanoes ---------- 204-359

Vazheyevskaya, A. A., and Ogorodov, N. V. Areal volcanism of the Central Range of Kamchatka ---------- 215-376

Vdovykin, G. P. Carbonaceous matter in meteorites in connection with their origin ---------- 212-58

—— The "organized elements" of carbonaceous chondrites ---------- 215-38

See also Vinogradov, A. P.

Vecchia, Orlando. Resistivity surveys for water in the limestones and in other hard rocks ---------- 211-100

Vees, R. See Muller, S.

Veldkamp, J. See Rutten, M. G.

Velichko, A. A., Devirts, A. L., Dobkina, E. I., Morozova, T.D., and Chachagova, O. A. First determinations of the absolute age of fossil soils in the loesses of the Russian Plain ---------- 211-18

Vendel'shteyn, B. Yu., Kulikova, N. G., and Skibitskaya, N. A. An attempt to distinguish oil-bearing reservoirs in the Lower and Middle Carboniferous carbonate formations of prospected oil fields of the Orenburg district ---------- 205-105

Vendel'shteyn, B. Yu., and Tanasevich, N. I. Determination of the effective thickness of the gas-bearing reservoirs of the Khadum horizon of the North Stavropol field ---------- 207-122

Vening Meinesz, F. A. Mantle-currents below the Mediterranean area ---------- 213-174

—— Thermal convection in the Earth's mantle ---------- 205-146

Ventriglia, Ugo, and Cundari, Aldo. Investigation of the variations of the directions of magnetization in volcanic rocks. Capo Bove lava flow, Rome ---------- 209-306

See also Cundari, Aldo, and Penta, Francesco.

Verbaandert, J. Standardization of horizontal pendulums by an expandable bellows studied by interferometry ---------- 205-174

Verbitskiy, T. Z. See Petkevich, G. I.

Vereshchagin, L. F. See Arkhipov, R. G.

Verfaillie, G. See Wambeke, L. Van.

Vergara M., René. Investigation of natural steam resources in the region of Tatio ---------- 208-208

Verhoogen, John. Oxidation of iron-titanium oxides in igneous rocks ---------- 209-297

Verma, R. K. Geothermal gradients and their significance-a review ---------- 210-255

Vernet, Jean. See Geffroy, Jacques.

Verniani, F. Some results of an investigation on the density of meteoritic bodies ---------- 214-42

Verschure, R. H. See Priem, H. N. A.

Veselov, K. Ye. On the effect of vertical accelerations on the readings of a sea gravimeter ---------- 206-168

Abstract

Veshev, A. V., Lyubtseva, Ye. F., and Samosyuk, G. P. Determination of the effective parameters of a medium in the field of a finite grounded cable ---------- 207-105

Vechniyakov, N. V. See Belotelov, V. L.

Vestine, E. H. Influence of the Earth's core upon the rate of the Earth's rotation ---------- 214-194

—— Note on low-level geomagnetic ring-current effects ---------- 204-245

—— Space geomagnetism, radiation belts, and auroral zones ---------- 214-191

See also Kahle, A. B.

Vetrovská, Božena. See Bucha, Václav.

Vetshteyn, V. Ye. See Ivantishin, M. N., Ladiyeva, V. D., and Semenenko, N. P.

Vey, T.-Y. High-sensitivity magnetometer for recording short-period variations of the magnetic field of the Earth in the frequency range from 0.1 to 10.0 cycles and some results of magnetotelluric sounding in the region of the Borok geophysical station ---------- 212-111

Veytsman, B. A. Analytical determination of effective velocity according to reflection traveltime curves ---------- 206-302

See also Kunin, N. Ya.

Veytsman, P. S., Gal'perin, Ye. I., Zayonchkovskiy, M. A., Zverev, S. M., Kosminskaya, I. P., and Mikhota, G. G. Deep seismic sounding in the transition zone from the Asiatic continent to the Pacific Ocean ---------- 215-220

Vezir-zade, F.A., and Bagarov, T. Yu. Some results of geothermal investigations of the Bibieybat field ---------- 204-199

Vidal, J. C. See Aynard, C.

Vijaya Raghava, M. S. See Balakrishna, S.

Vilks, G. See Marlowe, J. I.

Villagas C., Guillermo. See Sievers,C., H. A.

Villagómez Aguilera, Alberto. History of the La Venta field ---------- 208-154

Villée, Freddy, Duchesne, Jules, and Depereux, Joseph. Free radicals in the carbonaceous meteorites ---------- 210-91

Vincenţiu, I. See Filipescu, M. N.

Vincenz, S. A. A note on the radioactivity of Jamaican bauxite and Terra Rossa ---------- 211-268

Vine, F. J., and Matthews, D. H. Magnetic anomalies over oceanic ridges ---------- 204-272

Vinogradov, A. P., Devirts, A. L., Dobkina, E. I., and Markova, N. G. The determination of absolute age by means of carbon-14- 205-13

Vinogradov, A.P., Devirts, A. L., Markova, N. G., and Khotinskiy, N. A. Determination of the boundary between late glacial and postglacial time according to carbon-14 and data of spore-pollen analysis ---------- 206-17

Vinogradov, A. P., Florenskiy, K. P., and Volynets, V. F. Ammonia in meteorites and igneous rocks ---------- 206-24

Vinogradov, A. P., and Grinenko, L. N. On the effect of the surrounding rocks on the isotopic composition of the sulfur of ore sulfides ---------- 215-242

Vinogradov, A. P., and Vdovykin, G. P. Diamonds in stony meteorites ---------- 204-33

Vinogradov, A. P., Vdovykin, G. P., and Marov, I. N. Free radicals in the Mighei meteorite ---------- 213-20

Vinogradov, A. P., and Zadorozhnyy, I. K. Inert gases in the stony meteorites ---------- 215-36

Vinogradov, P. A. Telluric bays and disturbances ---------- 212-110

Vinogradov, V. I., and Stepanov, V. I. On the fractionation of sulfur isotopes in the zone of oxidation ---------- 215-241

Vints, B. D., and Privalova, L. A. Correction of the chart of normal geomagnetic field intensity T of the 1950 epoch for the USSR (east of the Yenisey River) ---------- 204-266

Abstract

Visarion, Marius. Geophysical research for ultrabasic rocks in the region of Jolotca (Ditrău) ---- 209-242
Vishnevskiy, A. N. See Krylov, A. Ya.
Vishnyakov, Ye. P. See Grodzenskiy, V. A.
Visintini, Guido de. Seismic reflection survey on the Belvedere Glacier (Monte Rosa) ---- 207-334, 210-341
See also Peterschmitt, Élie.
Vistelius, A. B. Paleogeographic reconstructions by absolute age determinations of sand particles ---- 215-22
—— Problems of mathematical geology ---- 208-164
Viswanathan, R. Pulse method of determining acoustic velocities in solids ---- 212-146
Vitenko, V. S., and Polysk, R. Ya. Stratigraphic boreholes of the USSR. The North-Lugansk stratigraphic borehole (Lugansk Region) ---- 211-114
Vitousek, M. J. The tsunami of 22 May 1960 in French Polynesia ---- 208-62
Vladimirov, O. K. Magnetic properties of Precambrian rocks in the Bunger Hills ---- 212-270
Vladimirov, V. V. See Bilen'kiy, B. F.
Vlasov, A. Ya., and Kovalenko, G. V. Some results of magnetic cleaning of samples of sedimentary rocks ---- 207-279
Vlasov, A. Ya., and Popova, A. V. On the position of the north magnetic pole at the end of the Paleozoic and in the Mesozoic according to data of paleomagnetic investigations in Primon'ya ---- 212-282
Vlasov, A. Ya., and Zvegintsev, A. G. Temperature of hysteresis of magnetization of magnetite ---- 214-229
Vlasova, S. P., Sukharev, G. M., and Taranukha, Yu. K. Geothermal features of the Meso-Cenozoic deposits of the eastern Cis-Caucasus ---- 209-252
Vogel, Andreas. Accuracy and convergence of an iterative procedure for the calculation of the effective induction magnetization of models ---- 210-315
—— Least squares in three-dimensional gravity and magnetic interpretation ---- 214-138
Vogel, J. C., and Waterbolk, H. T. Groningen radiocarbon dates V ---- 214-37
Vogel, Rudolf. On the indication of a sulphide shell in the meteorite parent body and its size relative to the nickel-iron core ---- 208-40
Vogl, J. L. See Bernstein, W.
Vohra, K. G., Subbaramu, M. C., and Mohan Rao, A. M. Measurement of radon in soil gas ---- 211-270
Vokes, F. M. See Moorbath, S.
Volarovich, M. P., Baloshov, D. B., Tomashevskaya, I. S., and Pavlogradskiy, V. A. Study of the effect of uniaxial compression on the velocity of elastic waves in specimens of rocks under high hydrostatic pressure ---- 214-92
Volarovich, M. P., Levykin, A. I., and Galdin, N. Ye. Study of longitudinal wave velocities in rock samples at pressures up to 20,000 kg per cm^2 ---- 215-141
See also Afanas'yev, G. D.
Volin, A. V. On the block structure of recent mountain areas ---- 207-157
Volobuyev, M. I., and Zykov, S. I. Age and geochemical features of the lead ore manifestations of the Yenesei Range ---- 212-34
Volodarskiy, R. F., Aronov, V. I., D'yakonov, Ye. G., and Shirikov, V. P. Application of an electronic computer for interpretation of gravity and magnetic fields ---- 209-233
Volodina, K. N., Limbakh, Yu. I., and Nakhamkin, S. A. Correlational properties of seismic vibrations ---- 210-340
Volovik, V. D., Strelkov, G. P., Cherkasov, A. S., and Shursin, G. N. The determination of the moisture content of sand by the attenuation of fast neutron flux ---- 213-306

Abstract

Vol'vovskiy, B. S., Vol'vovskiy, I. S., Ishutin, V. V., Semenovich, V. V., Tal'-Virskiy, B. B., and Chamo, S. S. Regional geophysical investigations in Central Asia and their future direction 211-193
Vol'vovskiy, I. S. See Alekseyev, A. S., and Vol'vovskiy, B. S.
Volynets, V. F. See Vinogradov, A. P.
Volz, F. E. Twilight phenomena caused by the eruption of Agung Volcano 211-340
Von Herzen, R. P., and Maxwell, A. E. Measurements of heat flow at the preliminary Mohole site off Mexico 209-247
See also Vacquier, Victor.
Vonnegut, B. See Salisbury, J. W.
Vorhis, R. C. Earthquake-induced water-level fluctuations from a well in Dawson County, Georgia 215-102
Vorobjev, B. M. Studies on strata movement and rock pressure on models 208-342
Vorob'yev, G. G. Attempt to use punched cards in the study of the tektite problem 210-73
See also Kadushin, A. A.
Voronovskiy, S. N. See Brandt, S. B.
Voshage, H., and Hess, D. C. Exposure age of some iron meteorites 212-72
Votakh, O. A., and Dmitriyev, N. D. Correlation of the Precambrian formations of the Igarka and Turukhansk areas on the basis of absolute age data 208-16
Vozoff, Keeva, and Ellis, R. M. Further analysis of "pearls" 207-248
Vrba, Jaroslav. Origin and occurrence of carbon dioxide and gaseous mineral waters, Variscian platform, central Europe 214-350
Vugman, M. Ya. A tuning-fork generator on transistors 211-304
Vvedenskaya, N. A. On utilization of instrumental data on strong earthquakes of Central Asia for seismic regionization 206-71
Vvedenskaya, N. A., Iodko, V. K., Kondorskaya, N. V., Landyreva, N. S., Misharina, L. A., Semenov, P. G., and Tabulevich, V. N. Bulletin of strong earthquakes in the U.S.S.R. in 1960 207-43
See also Medvedev, S. V.
Vylita, Břetislav. See Wallenfelsová, Marcela.
Vyskočil, Vincenc. Anomaly field of gravity in gravimetric prospecting 207-185
—— On the problem of determining the accuracy of interpolation in gravimetric maps 207-181
—— Topographic-isostatic corrections in the zones 18-1 in the territory of Czechoslovakia 209-240
Vyskočil, Vincenc, and Chudoba, Petr. Accuracy of the 1:200,000 gravity map 214-160
Vyskočil, Vincenc, and Kožíšková, Milada. Maps of isostatic correlations for territory of Czechoslovakia 214-128
See also Pick, Miloš.

W

Wada, Tatsuhiko, Kamo, Kosuke, and Ono, Hiroyasu. Note on volcanic explosion earthquakes of the volcano Sakurajima 213-354, 214-356
Wada, Tatsuhiko, and Ono, Hiroyasu. Spectral study of volcanic microtremors (1). Propagation of the micro-tremors of the 1st kind observed at Volcano Aso 207-355
See also Yoshikawa, Keizo.
Wadia, D. N. Geology of the Himalaya Mountains--some unsolved problems 212-199
Wagner, C.-U. See Kautzleben, Heinz.
Wagner, F.-C. See Kautzleben, Heinz.

Abstract

Wahl, Walter. Cosmical changes and metamorphism of stony meteorites due to heating effects ---------- 206-28
Wahrhaftig, C. A. See Andreasen, G. E.
Wait, J. R. Electromagnetic waves in stratified media ---------- 207-96
—— The electromagnetic fields of a horizontal dipole in the presence of a conducting half-space ---------- 204-126
Wakahama, Gorow. On the plastic deformation of ice—Pt. 5, Plastic deformation of polycrystalline ice ---------- 213-336
Walker, E. H. Comments on a paper by M. L. Coffman, "Charging grains of dust" ---------- 208-51
Walker, G. P. L. See Bödvarsson, Gunnar.
Walker, R. A., Menard, J. Z., and Bogert, B. P. Real-time, high resolution spectroscopy oof seismic background noise ---------- 211-266
Walker, R. D. See Burke, W. H.
Wallenfelsová, Marcela, and Vylita, Břetislav. Radioactive thermal waters in Jáchymov ---------- 213-294
Wallis, P. M. See Birss, R. R.
Walsh, J. B., and Brace, W. F. A fracture criterion for brittle anisotropic rock ---------- 214-307
Walsh, John. Alaska: a thorough postmortem on earthquake urged on behalf of both science, reconstruction ---------- 211-63
—— Alaska: first phase of post-quake reconstruction ending; long-term scientific program is under way ---------- 215-73
Walstrom, J. E. See Wells, J. C.
Walt, Martin. See Newkirk, L. L.
Walter, L. S., and Carron, M. K. Vapor pressure and vapor fractionation of silicate melts of tektite composition ---------- 213-37
See also O'Keefe, J. A.
Walters, G. K. Effect of oblique interplanetary magnetic field on shape and behavior of the magnetosphere ---------- 211-223
Walton, Alan, and Fried, R. E. The deposition of beryllium 7 and phosphorus 32 in precipitation at north temperate latitudes ---------- 211-200
Wambeke, L. Van, and Verfaillie, G. A beryllium-magnetite correlation in the Hørtekollen-Grubeås area, Buskerud, Norway, and its use for beryllium prospection ---------- 213-284
Wampler, J. M., and Kulp, J. L. An isotopic study of lead in sedimentary pyrite ---------- 215-237
Wang, C.-T. Experience in neotectonic and seismic zoning in China (separating neotectonic and seismic zones) ---------- 213-80
Wang, G. C., Helander, D. P., and Wieland, D. R. Laboratory resistivity evaluation of lime, gyp, and calcium lignite-calcium lignosulfonate muds ---------- 209-188
Wang, K. T. Gravity prospecting areas of conglomerate development ---------- 205-200
Wang, N.-L. Certain data on the neotectonics of the eastern portion of Kansu Province ---------- 213-193
Want, T.-M. See Liu, T.-S.
Wang, Y.-L. Certain data on neotectonic movements in China in Works of the First Conference on Neotectonics ---------- 213-188
Wangersky, P. J. See Rosholt, J. N.
Waniek, Ludvík. Basis of the piezophotographic method for measuring pressure-wave amplitudes ---------- 209-159
See also Vaněk, Jirí.
Wänke, H. See Hintenberger, H., and Suess, H. E.
Wanless, R. K. See Fahrig, W. F.
Wantland, Dart. Geophysical measurements of rock properties in situ ---------- 211-279
Ward, Fred. See Shapiro, Ralph.
Ward, M. A. On detecting changes in the Earth's radius ---------- 208-262

Abstract

Warner, Brian. A contribution and an addition to the official program ---- 213-49
See also Fielder, Gilbert.
Wasserburg, G. J. Diffusion phenomena in geochronology ---- 204-7
Wasserburg, G. J., Craig, H., Menard, H. W., Engel, A. E. J., and Engel, C. G. Age and composition of a Bounty Islands granite and age of a Seychelles Islands granite ---- 207-22
Wasserburg, G. J., MacDonald, G. J. F., Hoyle, Fred, and Fowler, W. A. Relative contributions of uranium, thorium, and potassium to heat production in the earth ---- 207-204
Wasserburg, G. J., Mazor, E., Zartman, R. E. Isotopic and chemical composition of some terrestrial natural gases ---- 210-273
See also Lamphere, M. A.
Watanabe, Hikaru. The occurrence of elastic shocks during destruction of rocks and its relation to the sequence of earthquakes ---- 213-99, 214-83
Watanabe, Tomiya. See Jacobs, J. A.
Watermann, Heinz. Gravimeter measurements in 1962 in the Spessart-Odenwald measurement area ---- 209-223
—— On the calculation of free-air anomalies ---- 209-224
—— The second-order gravimeter network in the area of operations of the Institute for Applied Geodesy (section 2 of the German Geodetic Research Institute) ---- 209-234
Waterbolk, H. T. See Vogel, J. C.
Waters, A. C. See Fiske, R. S.
Watkins, J. S. Basement depths from widely spaced aeromagnetic profiles in Kansas and Nebraska ---- 208-276
Watkins, N. D. Structural implications of palaeomagnetism in Miocene lavas in northeastern Oregon, southeastern Washington and west-central Idaho ---- 215-265
Watson, H. M. See King-Hele, D. G.
Watson, J. S. A marine seismic survey in East Pakistan using amphibious aircraft ---- 209-328
Watson, R. J. See Foster, M. R.
Weart, W. D. Particle motion near a nuclear detonation in halite - 204-125
Weaver, G. H. See Aitken, M. J.
Weaver, J. T. On the separation of local geomagnetic fields into external and internal parts ---- 210-289
Weber, C. On the magnetic anomaly of the Langres Plateau ---- 210-322
Weber, J. N. Carbon and oxygen isotope ratios as environmental indicators ---- 211-201
—— Carbon isotope ratios in dolostones—some implications concerning the genesis of secondary and "primary" dolostones ---- 215-231
—— Carbon-oxygen isotopic composition of Flagstaff carbonate rocks and its bearing on the history of Paleocene-Eocene Lake Flagstaff of central Utah ---- 215-230
—— Oxygen isotope fractionation between coexisting calcite and dolomite ---- 215-238
—— Variations of oxygen-18/oxygen-16 and carbon-13/carbon-12 in the calcium carbonate Pleistocene varved clays from Toronto, Canada ---- 212-244
Weber, J. N., and Deines, P. General information retrieval program for geological, geophysical, and geochemical data ---- 214-124
Weber, J. N., and LaRocque, A. Isotope ratios in marine mollusk shells after prolonged contact with flowing fresh water ---- 206-202
Weber, R. H., and Bassett, W. A. K-Ar ages of Tertiary volcanic and intrusive rocks in Socorro, Catron, and Grant Counties, New Mexico ---- 207-8
Webster, R. K. See Smales, A. A.
Wechsler, A. E. See Salisbury, J. W.

Abstract

Weck, Dieter. See Lehnert, Klaus.

Weertman, Johannes. Continuum distribution of dislocations on faults with finite friction ---- 215-129

Wehner, G. K., KenKnight, C. E., and Rosenberg, D. Modification of the lunar surface by the solar-wind bombardment ---- 207-31

See also Rosenberg, D. L.

Wei, S.-L. A method of topographic correction of gravity ---- 205-171

Weihaupt, J. G. Seismic and gravity studies at the South Pole ---- 204-341

Weiner, J. L. See Evans, C. R.

Weischet, Wolfgang. Further observations of geologic and geomorphic changes resulting from the catastrophic earthquake of May 1960, in Chile ---- 208-63

—— The distribution of the damage caused by the earthquake in Valdivia in relation to the form of the terrane ---- 208-64

Weisman, Irving. See Clay, C. S.

Welander, Pierre, and Odén, Svante. On an instrument for measurement of small horizontal pressure gradients in the sea ---- 208-105

Welin, Eric. The interpretation of discordant U/Pb age data from Central Sweden ---- 205-11

—— Uranium disseminations and vein fillings in iron ores of northern Uppland, Central Sweden ---- 212-30

Welin, Eric, and Blomqvist, Göran. Age measurements on radioactive minerals from Sweden ---- 212-29

Wellman, H. W. Delayed isostatic response and high sea-levels ---- 213-171

Wells, H. W. See Gould, L. M.

Wells, J. C., and Walstrom, J. E. A computer program for obtaining approximate porosity and water saturation from resistivity and velocity logs in consolidated sand or sandstone reservoirs ---- 209-184

Wells, P. V., and Jorgensen, C. D. Pleistocene wood rat middens and climatic change in Mohave desert: a record of juniper woodlands ---- 212-13

Wentworth, R. C. Enhancements of hydromagnetic emissions after geomagnetic storms ---- 212-258

—— Evidence for maximum production of hydromagnetic emissions above the afternoon hemisphere of the Earth—Pt. 1, Extrapolation to the base of the exosphere ---- 213-249

—— Evidence for maximum production of hydromagnetic emissions above the afternoon hemisphere of the Earth—Pt. 2, Analysis of statistical studies ---- 213-250

Wentworth, R. C., and Tepley, L. R. Hydromagnetic emissions, X-ray bursts, and electron bunches. 2. Theoretical interpretation ---- 207-260

See also Tepley, L. R.

Werner, Sture. Aeromagnetic mapping by the Geological Survey of Sweden. Methods and general considerations ---- 210-317

Werner, Z. See Czubek, Jan.

Wernthaler, Rudolf. Leveling and coastal movements ---- 208-170

Werre, R. W. See Diment, W. H.

Wescott, E. M., DeWitt, R. N., and Akasofu, S.-I. The Sq variation at geomagnetically conjugate areas ---- 206-218

Wescott, E. M., and Mather, K. B. An investigation of solar induced phenomena at magnetically conjugate points ---- 214-198

Westcott, M. R. The upper mantle ---- 212-239

Westhusing, K. See Van Lopik, J. R.

Westley, Harold. See White, A. M.

Westmann, R. A. Layered systems subjected to asymmetric surface shears ---- 214-310

Weston, D. E. On the frequency independence of the acoustic loss factor in earth materials ---- 209-156

Abstract

Westphal, W. H., and Rubin, Sylvan. Techniques of on-site inspection 210-205

Wetherill, G. W., Libby, W. F., and Barton, G. W. Search for natural curium 247 210-274

See also Van Schmus, W. R.

Wheildon, J., and Smith, D. T. Preliminary temperature measurements in Cornwall 213-217

Whipple, F. L. Earth, Moon, and Planets 213-56

—— On the structure of the cometary nculeus 208-21

Whitaker, E. A. Evaluation of the Soviet photographs of the Moon's far side 208-21

White, A. M., Stromquist, A. A., Stern, T. W., and Westley, Harold. Ordovician age for some rocks of the Carolina slate belt in North Carolina 205-3

White, J. E. Motion product seismograms 210-175

White, J. E., and Sengbush, R. L. Shear waves from explosive sources 206-296

Whitehead, J. D. See Heisler, L. H.

Whitham, Kenneth. An anomaly in geomagnetic variations at Mould Bay in the Arctic Archipelago of Canada 207-239

—— Anomalies in geomagnetic variations in the Arctic Archipelago of Canada 214-54

Whitham, Kenneth, and Andersen, F. The anomaly in geomagnetic variations at Alert in the Arctic Archipelago of Canada 208-253

See also Loomer, E. I.

Whitney, P. R., and Hurley, P. M. The problem of inherited radiogenic strontium in sedimentary age determinations 212-3

Whitten, G. F. Investigation of aeromagnetic anomalies—Hundreds Carina, Chandada and Ripon, western Eyre Peninsula 214-262

Wiberg, P. Å. See Thompson, Thomas.

Wickman, F. E., and El-Hinnawi, E. E. The time distribution of lava-fragment ejection from volcanoes 206-357

Wieland, D. R. See Wang, G. C.

Wiese, Horst. Geomagnetic deep tellurics, Pt. 3: The geomagnetic variations in central and southeastern Europe as an indicator of the direction of strike of large-scale underground electrical structures 208-56

See also Lengning, Klaus.

Wiik, H. B. See Mason, Brian.

Wilcox, R. E. See Powers, H. A.

Wilcox, S. W. See Baltosser, R. W.

Wildey, R. L. A computer program for the transformation of lunar observations from celestial to selenographic coordinates 215-54

See also Murray, B. C.

Wilkins, G. A. See Price, A. T.

Williams, C. E. F. Preliminary report on the Lopevi eruption,New Hebrides, July 1960 206-352

Williamson, J. V. See Merrill, R. H.

Willis, D. E. Comparison of seismic waves generated by different types of source 204-97

Willis, D. E., DeNoyer, John, and Wilson, J. T. Differentiation of earthquakes and underground nuclear explosions on the basis of amplitude characteristics 204-98

Willis, D. M. The sudden commencement and first phase of a geomagnetic storm 213-273

Willis, E. H. Radiocarbon dating 215-5

See also Godwin, H., and Perrin, R. M. S.

Willmore, P. L. A strategy for seismology 209-130

—— The seismic investigation of the Manicouagan-Mushalagan Lake area in the Province of Quebec 208-332

Abstract

Wilson, A. T. Origin of ice ages ---------------------------------- 209-214

Wilson, B. F. See Lebreton, Francisque, and Youmans, A. H.

Wilson, C. D. V. See Blundell, D. J.

Wilson, C. R. See Sugiura, Masahisa.

Wilson, J. C. See Youmans, A. H.

Wilson, J. T. See Willis, D. E.

Wilson, J. Tuzo. Continental drift ---------------------------- 205-152

Wilson, R. L. Magnetic properties and normal and reversed natural magnetization in the Mull lavas -------------------------- 213-279

—— The palaeomagnetism of some rhyolites from Northern Ireland - 208-264

Wilson, R. L., and Everitt, C. W. F. Thermal demagnetization of some Carboniferous lavas for paleomagnetic purposes --------- 208-265

Wilson, S. H. Physical and chemical investigation of Ketetahi Hot Springs -- 211-357

Wing, L. A. See Doyle, R. G.

Winkler, H. A. Notes on the seismic refraction tests on the Masinloc chromite deposit, Zambales, Philippines ---------------- 213-329

Winterer, E. L. See Shepard, F. P.

Wiseman, J. D. H. Rates of sedimentation of nickel, cobalt, copper, and iron on the equatorial mid-Atlantic floor, and its bearing on the nature of cosmic dust ------------------------------------ 213-24

Wisotsky, Serge. See Clay, C. S.

Witkind, I. J. Events on the night of August 17, 1959—the human story --- 210-120

—— Reactivated faults north of Hebgen Lake ------------------- 210-126

—— Structural damage in the Hebgen Lake-West Yellowstone area -- 210-121

Witkind, I. J. See Fraser, G. D.

Witkowski, Jozef. Provisional results of recordings of earth tides at the station in the latitude of the Polish Academy of Sciences at Borowiec --- 205-60

Wlotzka, F. See Hintenberger, H., and Suess, H. E.

Wold, R. J. See Behrendt, J. C.

Wolf, Helmut. On the calculation of recent changes in elevation within the framework of the European Levelling Network ------- 215-163

—— Physical geodesy --- 208-172

—— Proposal for the adjustment of a uniform European fundamental gravimeter network -- 215-205

—— Proposal for the adjustment of a uniform European Fundamental Gravity Net -- 213-211

Wolff, F. C. The Pollen meteorite—A new meteorite find in Norway --- 213-18

—— The Pollen meteorite, a Norwegian carbonaceous chondrite --- 205-16

Wollenberg, H. A., and Smith, A. R. Radioactivity and radiogenic heat in Sierra Nevada plutons ----------------------------- 214-267

Wolter, Heinrich. On the analysis of geomagnetic records with the help of portable recording stations for the solar eclipse of 1961 - 205-247

Wood, C. A. See Arthur, D. W. G.

Wood, F. M., Jr. See O'Keefe, J. A.

Wood, J. A. On the origin of chondrules and chondrites----------- 206-27

—— Physics and chemistry of meteorites ----------------------- 208-21

—— Properties of chondrules--II ------------------------------ 208-37

Woodward, H. P. Central Appalachian tectonics and the Deep Basin --- 209-205

Woollard, G. P., and Rose, J. C. International gravity measurements --- 214-155

See also Caldera, J. M., and Manghnani, M. H.

Worzel, J. L., and Harrison, J. C. Gravity at sea -------------- 208-195

See also Hayes, D. E.

Wray, W. See Nordyke, M. D.

Abstract

Wright, Charles, and Mella, Arnoldo. Modifications to the soil pattern of south-central Chile resulting from seismic and associated phenomena during the period May to August 1960 ----- 208-75

Wright, F. D., and Mirza, M. B. Stress distribution around a vertical crack in a mine roof beam ----- 204-345

Wright, F. E., Wright, F. H., and Wright, Helen. The lunar surface ----- 208-21

Wright, F. H. See Middlehurst, B. M.

Wright, F. W., Hodge, P. W., and Langway, C. C., Jr. Studies of particles for extraterrestrial origin. 1. Chemical analysis of 118 particles ----- 204-41

See also Hodge, P. W.

Wright, Helen. See Middlehurst, B. M.

Wu, C.-W. See Ma, H.-Y.

Wu, K.-C. Self-potential phenomena in the Pai-Yin-Chang copper area ----- 206-110

Wu, L.-P. Salient latitudinal geotectonics zones in China with notes on the related magneto- and gravity-anomalies ----- 215-182

Wurm, K. The physics of comets ----- 208-21

Wüstner, Lothar. Salt leaching and structure in the Zechstein of the Werra potash district according to data of seismic measurements- 212-330

—— Seismic results in the investigation of leaching phenomena in the Werra region ----- 207-322

Wyllie, M. R. J. The fundamentals of well log interpretation, 3d ed. ----- 209-182

Wyllie, M. R. J., Gardner, G. H. F., and Gregory, A. R. Addendum to "Studies of elastic wave attenuation in porous media" ----- 207-90

Wyllie, P. J. The Mohorovičić discontinuity and the orogenic cycle ----- 207-158

Wyllie, P. J., and Tuttle, O. F. Experimental investigation of silicate systems containing two volatile components—Pt. 3, The effects of SO_3, P_2O_5, HCl, and Li_2O, in addition to H_2O, on the melting temperatures of albite and granite ----- 214-171

Wyman, R. E. Nuclear magnetism log field test results ----- 208-275

Wynne-Edwards, H. R. Flow folding ----- 205-345

—— The Grenville province and its tectonic significance ----- 215-13

Wyrobek, S. M. Influence of dips in seismic refraction ----- 211-284

Y

Yacob, A. On recovery phase of geomagnetic storms and dissipation of ring currents ----- 206-233

Yagodkin, G. I. Investigation of rock strength on samples of small dimensions using coaxial plungers ----- 214-326

Yagodkin, G. I., and Kuntysh, M. F. The index of dynamic strength f_d as a criterion for estimating the specific work of shattering ----- 214-325

Yagovoy, P. N. See Alfimov, N. N.

Yakovlev, A. T. See Ryabov, A. V.

Yakubov, A. A., and Kerimov, R. M. On a procedure for determining the absolute permeability of oil-bearing rocks from their specific resistivity (exemplified by the Artema-Island field) ----- 211-103

—— On a procedure for determining the permeability of oil-containing rocks from specific resistivity data (exemplified by the lower PT unit of the Darvina field ----- 213-152

Yakubovich, A. L., Zaytsev, Ye. I., and Anosov, V. V. Multicomponent radiometric analysis of rock samples using the LSU-5K ("Laura") scintillation apparatus ----- 207-300

Abstract

Yakubson, K. I. Investigation of the activity of rocks induced under the action of fast neutrons ---- 204-325
See also Nedostup, G. A.
Yama-ai, Mitsuko. See Nagata, Takesi, and Ozima, Minoru.
Yamamoto, M. See Maeda, Hiroshi.
Yamasaki, Fumio; Hamada, Tatsuji; and Fujiyama, Chikako. RIKEN natural radiocarbon measurements I ---- 214-17
Yamazakim, Yoshio. See Kishinouye, Fuyuhiko.
Yang, C.-C. Questions of neotectonics in the northern foothills of the Ch'inling ---- 213-184
Yang, E.-H. The application of electrical prospecting in engineering-geology foundation surveying ---- 206-106
Yang, K'uan. Home-made mud resistivity sondes ---- 205-111
Yang, S.-L. Discussion of the "arbitrary point method" of interpretation of gravity anomalies from the standpoint of error ---- 206-188
Yang, W.-J. See Ma, H.-Y.
Yanov, E. N. Peri-geosynclinal depressions and intermontane basins of the Altai-Sayan folded region ---- 215-180
Yanovskaya, T. B. Calculation of velocity profiles of the upper mantle from traveltime curves of seismic waves as an inverse mathematical problem ---- 214-85
Yanovskaya, T. B., and Asbel, I. J. The determination of velocities in the upper mantle from the observations on P-waves ---- 210-167
Yanovskiy, A. K. On an algorithm for averaging vertical travel-time curves ---- 212-324
—— On the possibility of using information theory for the interpretation of "mute" radioactivity logs ---- 208-306
Yanovsky, B. M. See Tikhonov, A. N.
Yanshevskiy, Yu. P. See Grechukhin, V. V.
Yanush, Ye. F. See Shcherbinin, V. A.
Yarosh, A. Ya. Determination of depth to the surface of a disturbing mass according to magnetic and gravity observations ---- 211-148
—— Determination of the depth to the surface of disturbing masses from magnetic and gravitational observations ---- 207-191
—— Determination of the depth to the top of disturbing masses according to magnetic and gravity observations ---- 205-275
Yaroshchuk, E. A., Lechekhleb, V. R., Smirnova, A. A., and Sharay, N. Ya. Age relations and structural correlations of the granites along the Lower Bug ---- 210-30
Yarov-Yarovoy, M. S. The evolution of the Planetary system ---- 210-117
Yasakawa, Katsumi. On the phase transition between quartz and coesite ---- 209-258
Yashchenko, M. L., Barshavakaya, E. S., and Manyulova, M. M. The absolute age of the granites of the Abchad intrusion (north Baikal area) according to data on the Rb-Sr method ---- 210-55
Yashchenko, M. L., Gorokhov, I. M., and Lobach-Zhuchenko, S. B. The Rb-Sr age of the ancient rocks of southern Karelia ---- 205-12
Yashchenko, Z. G. Experience with the use of electrical prospecting in engineering-geologic surveys ---- 205-92
Yasuhara, M. See Shirgaokar, A. J.
Yavnel', A. A. Composition, structure and conditions of crystallization of iron meteorites ---- 210-67
—— Content of some microelements in the Sikhote-Alin meteorite -- 210-78
—— Mechanical properties of the Sikhote-Alin meteorite ---- 210-79
—— Some problems of the origin of meteorites ---- 212-45
—— The relationship of the different forms of iron in chondrites --- 210-66
Yeferina, G. P. See Kukhtikova, T. I.
Yefimov, I. A., and Danilov, Yu. S. On the absolute age of the formation and alteration of the rocks of the Precambrian eclogitic formation of the Kokchetav anticlinorium (northern Kazakhstan) - 210-23

Abstract

Yegorov, A. P., Kulakov, I. N., Sloush, M. M., and Shkulepova, L. G. Field tests of MBN-P microbarometer levels 212-222
Yegorov, A. P., and Lozinskaya, A. M. Comparative test of microbarometers of high accuracy 211-157
Yegorov, K. N. Methods of determination of the absolute value of gravity according to interference measurements of the paths of free fall 212-204
Yelagin, S. V. On the effect of the mass of large-scale hydrotechnical constructions on plumb-line deflection 215-161
Yeliseyeva, G. D. See Ivantishin, M. N., and Shcherbak, M. P.
Yepinat'yeva, A. M. A study of longitudinal seismic waves propagating in some actual layered mediums 206-86
Yeremeyev, V. F. See Molodenskiy, M. S., and Yurkina, M. I.
Yermakov, A. P. Geophone for work in shallow water bodies 206-330
Yermilova, N. I. See Alekseyev, A. S.
Yeroshenko, Ye. G. See Dolginov, S. Sh.
Yershov, I. A. See Goryachev, A. V.
Yershov, Ye. M., Suchkov, V. I., and Shumov, V. P. Experimental investigations of the electromagnetic fields of dipoles over mediums with horizontal and vertical contacts 211-92
Yesikov, A. D. See Tomson, I. N.
Yevdokimova, V. A., and Ellanskiy, M. M. Joint use of geophysical and hydrodynamic methods for determining the gas saturation coefficient of a reservoir in creating an underground gas storage in it 206-288
Yevseyev, S. V. Some observations regarding the determination of seismic elements by direct waves 211-75
—— Tables of traveltimes of seismic waves and structure of the Earth's crust in the Transcarpathian region 210-147
Yevsikova, L. G. See Bulakh, Ye. G.
Yevteyev, S. A. On the structure of the Antarctic ice cover 207-167
Yevteyev, S. A., and Lazukov, G. I. On the significance of glacio-isostasy in movements of the Earth's crust in areas of glaciation 211-133
Yevtushenko, Ye. I. See Balenko, V. G., and Matveyev, P. S.
Yoder, H. S., Jr., Tilley, C. E., and Schairer, J. F. Pyroxenes and associated minerals in the crust and mantle-pyroxene quadrilateral 208-226
See also O'Hara, M. J., and Tilley, C. E.
Yokoyama, Izumi. Gravity anomaly on the Aso caldera 213-355
—— Structure of caldera and gravity anomaly 204-355
Yokoyama, Yuji, and Labeyrie, Jacques. Determination of manganese-54 in iron meteorite 211-32
York, Derek. Anomalous galenas and the continuous diffusion of lead 210-277
Yoshida, Hisatoshi. Velocity of the longitudinal wave measured by the seismic refraction method in the fluvial deposits 205-84
Yoshida, Zyungo. Internal stress and viscous flow of snow covers on sloping ground surfaces—Pt. 1, Snow cover on wavy ground of mean inclination; Pt. 2, Wedge-shaped snow cover on a planar slope; Pt. 3, Snow cover on slopes with circular curvature 213-337
Yoshikawa, Keizo. Geophysical studies of Sakurajima Volcano 213-356, 214-357
Yoshikawa, Keizo, and Kikuchi, S. On anomalous fluctuation of ground-tilting by oceanic tidal load related with the volcanic activity 205-51
Yoshikawa, Keizo; Wada, Tatsuhiko; Kamo, Kosuke; and Ono, Hiroyasu. Some natures of volcanic earthquakes at Sakura-jima Volcano (Pt. 1) 207-356
Yoshikawa, Soji. Some problems on the determination of seismic characteristics of the earth-ground 213-100, 214-84

Abstract

Yoshimura, Y. See Kumagai, Naoiti.

Yoshiteru, Kono. See Shimazu, Yasuo.

Yoshizawa, Shizuyo. See Kanai, Kiyoshi.

Yoshizumi, Eizaburo, and Irie, Tsuneji. Resistivity curve over buried cylinder ---------- 213-146

Youash, Younathan. See Muehlberger, W. R.

Youmans, A. H., Wilson, J. C., Wilson, B. F., Lebreton, Francisque, and Oshry, H. I. A study of neutron logs for chlorine detection ---------- 206-267

See also Lebreton, Francisque.

Young, A. P. See Sclar, C. B.

Young, G. A. See Kontis, A. L.

Young, J. H. See Nishida, Atsuhiro.

Young, J. M. See Campbell, W. H.

Young, R. S. See Doyle, R. G.

Yu, C.-T. See Ma, H.-Y.

Yu, P.-L. Certain ideas on the particular features of young tectonic movements in the Kansu Corridor ---------- 213-189

Yuan, F.-L. Neotectonic movements in the region to the north of the Ch'inling mountains ---------- 213-185

Yuan, H. C. Some considerations concerning the use of magnetic methods in prospecting for weakly magnetic iron ore beds ------ 205-283

Yudin, I. A., and Edeleva, N. P. Some data on the structure of the plessite and the chemical composition of the Yardymlinskiy meteorite ---------- 212-53

Yudin, I. A., and Smyshlyayev, S. I. Mineragraphic and chemical investigation of the Kaali iron meteorite ---------- 212-50

See also Smyshlyayev, S. I.

Yudkevich, R. V. Use of geophysical logging methods in distinguishing and studying gas reservoirs in the fields of the Saratov region along the Volga ---------- 207-124

Yudovich, L. A. Magnetic activity at the geomagnetic poles during the IGY period ---------- 205-238

—— Spiral distributions of blackouts and magnetic activity in the Southern Hemisphere during the IGY period ---------- 211-234

Yuhara, Kozo. Some considerations on flow, heat and chemical composition of Italian hot springs ---------- 207-207

—— The thermal water production of hot springs and the precipitation ---------- 209-357

Yukutake, Takesi. See Isshiki, Naoki.

Yunikov, B. A., and Ovchinnikov, L. N. On the nature of the repair of radiation distortion of the structure of zircon and its geologic significance ---------- 215-311

Yun'kov, A. A. Classification of V_{zz} anomalies ---------- 211-149

—— Interpretation of Δg anomalies over three-dimensional bodies of arbitrary shape ---------- 208-190

—— Interpretation of V_{xz} anomalies over three-dimensional bodies - 213-203

—— Some features of the exploration for gravitating bodies in the vicinity of mine workings ---------- 205-172

Yünghül, Sulhi. Prospecting for chromite with gravimeter and magnetometer over rugged topography in east Turkey ---------- 205-197

Yurkevich, O. Ī. Epicentral zones of the Carpathian arc -------- 210-151

—— Notes on processing of data of Carpathian earthquakes 1955 --- 210-145

—— Results of processing of Carpathian earthquakes 1956 ---------- 210-146

Yurkina, M. I., Makarov, N. P., and Yeremeyev, V. F. On the present state of the theory of the determination of the figures of the physical surface of the Earth ---------- 208-175, 213-168

See also Molodenskiy, M. S.

Yurkova, L. A. See Kasparova, S. N., and Migunova, M. F.

Abstract

Z

Zabelli, A. On the interpretation of ore-bearing material by natural geoelectric polarizations provoked in the ground by metalliferous deposits ---- 210-214
Zabolotnov, A. S. Radioactivity of the rocks of the Augun Range (southeast Transbaikalia) ---- 204-304
Zaborovskiy, A. I. Electrical exploration in the Soviet Union ---- 204-134
Zachos, K. E. Discovery of a copper deposit in Chalkidiki Peninsula, northern Greece ---- 206-109
Zadorzhnyy, I. K. See Teys, R. V., and Vinogradov, A. P.
Zagarmistr, A. M., Van'yan, L. L., Korol'kov, Yu. S., and Terekhin, Ye. I. Electrical surveying operations by the transient field method ---- 206-103
Zagonov, A. V. On the effect of vertical accelerations on the reading of a gravimeter in the case of nonlinear damping ---- 213-205
Zähringer, J. Isotopes in tektites ---- 210-97
Zähringer, J., and Gentner, W. Radiogenic and atmospheric argon content of tektites ---- 204-43
Zakharchenko, S. N. See Matveyev, P. S.
Zakharchenko, V. F. Distribution of thermal neutrons—taking into account the deceleration—as applied to pulsed neutron measurement in geophysics ---- 213-305
Zakharov, V. Kh. Modeling of dipole electromagnetic profiling ---- 206-99
Zakharova, A. I. See Butovskaya, Ye. M.
Zakharova, N. I. See Omes', S. P.
Zakirova, F. S. Variations in the specific electrical conductivity of minerals and rocks with their age ---- 211-117
Zakoro, Zh. B. See Bunīn, K. P.
Zalesskiy, B. V. See Afanas'yev, B. V.
Zalutskiy, A. M. On the effect of the distant electrode on the readings of potential sondes of large size ---- 211-109
See also Afrikyank, A. M.
Zampieri, L. See Pisani, M.
Zamyatin, N. I. See Abdulkabirova, M. A.
Zandle, G. L. See Popenoe, Peter.
Zartman, R. E. Comparison of Rb-Sr ages on biotites from Llano, Texas ---- 204-10
Zartman, R. E., Norton, J. J., and Stern, T. W. Ancient granite gneiss in the Black Hills, South Dakota ---- 214-2
See also Wasserburg, G. J.
Zatopek, Alois. Long-period microseisms generated in eastern part of Atlantic frontal zone ---- 214-264
—— Progress report on the Upper Mantle Project in Czechoslovakia 1961-1963 ---- 209-261
—— The seismotectonic relations in the western Carpathians ---- 208-183
Zavel'skiy, F. S. Mass coefficients of γ-ray absorption in soils and errors in measurements by the γ-method ---- 211-272
Zavriyan, G. P. Method of investigating the deformation of rock massifs under stress in mine workings ---- 214-320
Zaydis, B. B. See Khrushchev, D. P., Ladiyeva, V. D., and Shcherbak, M. P.
Zayonchkovskiy, M. A. See Gal'perin, Ye. I., and Veytsman, P.S.
Zaytsev, Ye. I. See Yakubovich, A. L.
Zeevaert, Leonardo. Strong ground motions recorded during earthquakes of May the 11th and 19th, 1962 in Mexico City ---- 209-100
Zelenov, K. K. Soviet geologists in Indonesia ---- 206-353
—— The ocean water as a product of volcanism ---- 205-340
Zeller, Claude. See Bolfa, Joseph.

Abstract

Zeller, E. J., and Ronca, L. B. New developments in the thermoluminescence method of geologic age determination ---------- 211-3

— Reversible and irreversible thermal effects on the thermominescence of limestone ---------- 211-10

Zeman, Jaroslav. See Svoboda, Vlastimil.

Zemtsov, Ye. Ye. Reflecting power of the water-oil and water-gas interfaces of some oil fields of the Krasnodar region ---------- 207-323

Zenkevich, N. L. See Klenova, M. V.

Zenor, H. M. Modification of the induction log geometric factor due to propagation ---------- 209-183

Zeschke, Günter. Use of radiation surveys on non-radioactive deposits formed by descending solutions ---------- 204-300

Zetler, B. D. The effect of instrumental drift on the harmonic analysis of gravity at Washington, D. C. ---------- 205-74

Zeydan, Selim. Geophysical methods of well logging in the U.A.R., exemplified by the Bakr oil field ---------- 207-132

Zgurovskiy, V. M. See Tolstoy, M. I.

Zhadin, V. V. The measurement of the absorption of longitudinal and transverse waves in rock salt ---------- 207-94

Zhalkovskiy, N. D., and Tsibul'chik, G. M. On the attenuation of seismic waves from industrial explosions ---------- 204-122

Zharkov, V. N. A new method in the theory of free vibrations of the Earth ---------- 215-110

— Effects of pressure on diffusion coefficients in solids ---------- 206-199

— On the adiabatic temperature gradient in the Earth's mantle --- 209-245

— Viscosity of the interior of the Earth: Diffusion processes and diffusion viscosity of the Earth's mantle ---------- 206-200

Zharkov, V. N., and Ulinich, F. R. The possibility of the maintenance of a magnetic field on the Moon by hydromagnetic amplification ---------- 206-39

Zhezhnich, I. D. See Dyadkin, I. G.

Zhidkov, A. Ya., Mirkina, S. L., and Golbuchina, M. N. Preliminary data on the absolute age of the alkaline complex of the area north of Baikal ---------- 210-44

Zhiliayev, I. I. See Belotelov, V. L.

Zhirminskiy, A. M. The use of isotopes of radioactive elements in geology ---------- 210-327

Zhivago, A. V. Geomorphology of the bottom of the Southern Ocean - 210-358

See also Udintsev, G. B.

Zhokova, R. G. See Popov, V. K.

Zhongolovich, I. D. Earth satellites and geodesy ---------- 212-188

Zhongolovich, I. D., and Pellinen, L. P. Certain aspects of the solution of the fundamental problem of higher geodesy ---------- 205-136

Zhulin, I. A., Ioshpa, B. A., and Mogilevskiy, E. I. Solar magnetic fields ---------- 205-218

Zhuravlev, V. P., and Popov, V. K. On the calculation of the mutual masking effects of two layers in interpreting resistivity logging data ---------- 211-111

Zhuzgov, L. N. See Dolginov, S. Sh.

Zidarov, D. Note on the determination of the magnetization of certain bodies of simple shape and the paleomagnetic effect ---------- 210-310

— On the field of the inductively magnetized homogeneous weakly magnetic body with variable magnetic susceptibility ---------- 204-281

Zietz, Isidore. A magnetic anomaly of possible economic significance in southeastern Minnesota ---------- 211-260

See also Andreasen, G. E., and King, E. R.

Zil'bershteyn, M. B. See Belelovskiy, M. L.

Zil'bershteyn, S. I. The MBNP spring microbar level ---------- 211-158

Ziv, D. M. See Kaipov, R. L.

Złotowski, Ignacy, and Rymaszewska, Maria. Investigations on the radioactivity of Polish mineral waters, Pt. 2—Radioactivity of some spa waters ---------- 206-264

Abstract

Zmuda, A. J. Solar-terrestrial disturbances and solar protons --- 214-190
See also Pieper, G. F.

Znamenskiy, V. V., and Chiang, C.-C. On surveying the crystalline basement in the Volga-Ural region by the seismic method of controlled directional reception -------------------------------- 206-342

Zommer, I. E., and Gayanov, A. G. Gravimetric investigations in Antarctica in 1957 -- 212-231

Zotikov, I. A. Thermal regime of the ice cap of central Antarctica- 204-170

Zotkin, I. T. On the anomalous optical phenomena in the atmosphere related to the fall of the Tungus meteorite --------------- 206-32

Zotova, A. I. See Romanov, F. I.

Zounková, Milada. See Beránek, Břetislav.

Zuber, A. See Czubek, Jan.

Zubin, M. I., Federov, M. V., Chirkov, A. M., and Shteynberg, G. S. The crater of Avachinskaya Volcano and its state in the summer of 1961 --- 215-370
See also Shteynberg, G. S.

Zublin, C. W. Why electric log water wells? -------------------- 214-115

Zvegintsev, A. G. See Vlasov, A. Ya.

Zverev, G. N. See Dyadkin, I. G.

Zverev, S. M. See Neprochnov, Yu. P., and Veytsman, P. S.

Zykov, S. I., Tugarinov, A. I., Bel'kov, I. V., and Bibikova, Ye. V. Age of the oldest formations of the Kola Peninsula-------------- 212-31
See also Bibikova, Ye. V., Stupnikova, N. I., and Volobuyev, M. I.

SUBJECT INDEX

A

Acoustic logging, computer analysis: Gans 206-111; Matuszak 206-112
  core analysis, computer correlation: Jeffries 206-315
  density determination, gravity exploration: Sychev 208-129
  electrical logging, comparison: Trujillo 207-133
  kinematics of wave fronts: Gratsinskiy 214-292
  magnetic tape and computer applications: Oilweek 213-160
  mineral composition: Raymer 206-270; Savre 206-271
  oil emulsion mud: George 206-274
  porosity: Alger 208-290; Lebreton 206-269; Petkevich 209-172; Savre 206-271; Wells 209-184
  review: Garduno A 206-316; Plokhotnikov 213-313
  shear and compressional waves utilized: Pickett 212-328
  wave train logging: Shropshire 212-329
Afghanistan, gravity surveys, Karakorum and Hindu Kush: Marussi 214-61
  volcanic rocks, Quaternary: de Lapparent 212-350
Africa, age, galena: Eberhardt 207-17
  crust, structure: Dopp 213-102
  earth tides, observations: Steinmetz 205-61
  geophysical surveys, review: Dixey 209-196
  geotectonics, shield development: Rocci 211-131
  gravity surveys, airport network: Grossmann 215-204
  paleomagnetism, Permian-present: Nairn 211-252
    polar-wandering curve since Karroo time: Nairn 211-252
    Precambrian: Gough 212-281
  seismicity: Gorshkov 210-139
Age, anorthosite, Labrador: Emslie 211-13
  basalt, Arizona: Sabels 211-4
    Mohole off Guadalupe: Krueger 211-12
    Tanganyika: Gromme 207-275
    U.S.S.R., Yakutsk A.S.S.R.: Anodin, 210-45
  bog profiles, Finland: Salmi 208-15
  calcite, fission damage: Sippel 211-11
  Cambrian, dating of base: Glaessner 205-1
  carbonatite, Southern Rhodesia: Nicolaysen 208-11
    Tanganyika: Miller 206-14
  charnockite, Antarctica: Ravich 212-39
  crust, Greenland: Kanasewich 212-16
    North America: Slawson 207-12
  deglaciation, Northwest Territories: Mackay 209-8

Age—Continued
  diabase, Canadian Shield: Fahrig 208-9
    Northwest Territories: Burwash 207-14
  dolomite, lake deposits in California: Peterson 207-11
  Earth, lead isotopes: Ostic 206-9
    pitchblende and non-irradiated uranium, xenon-136 inventories: Kuroda 211-1
  eclogites, Norway: McDougall 215-21
  feldspar sands, United States: Ledent 209-4
  folding, U.S.S.R., Aral area: Garetskiy 209-19
  gabbro, Southern Rhodesia, Great Dyke: Faure 209-12
    U.S.S.R., Urals: Morkovkina 212-33
  galaxy, nucleosynthesis: Clayton 212-75, -76
  galena, Africa: Eberhardt 207-17
    Europe: Eberhardt 207-17
    Norway: Moorbath 206-16
  general listing, Antarctica: Krylov 210-36; Picciotto 214-8
    Canadian Appalachians: Poole 215-14
    Congo: Cahen 204-15
    Egypt: Schürmann 212-21
    England: Fitch 204-18
    Kenya: Snelling 208-10
    Madagascar: Bésairie 208-12
    Northern Rhodesia: Snelling 208-10
    Norway: Hernes 204-19
    Pliocene-Pleistocene K-Ar dating: Gentner 215-7
    Rumania: Semenenko 213-7
    Senegal: Bassot 204-16, 214-4
    Southern Rhodesia: Snelling 208-10
    Uganda: Snelling 208-10
    U.S.S.R.: Krylov 210-39; Ovchinnikov 210-41; Semenenko 210-27
  glaciation, U.S.S.R.: Gerasimov 205-14
  glass, Libya: Fleischer 208-14
  glauconite, England: Allen 212-22
    Rumania: Filipescu 213-1
    U.S.S.R., Ural Mountains: Garris 210-53
  glaucophane schists, California: Lee 209-7
  gneiss, Rumania: Filipescu 213-1
  granite, Alaska: Lanphere 215-12
    Antarctica: Ravich 212-39, -40
    Bounty Islands: Wasserburg 207-22
    Chile: Levi 206-11
    England: Brown 215-20
    Germany: Hahn-Weinheimer 205-9
    Italy: Eberhardt 206-15
    Ivory Coast: Vachette 210-9
    Madagascar: Besairie 212-17
    Nigeria: Jacobson 210-7
    Northern Rhodesia: Drysdall 215-17
    Nova Scotia: Fairbairn 210-6
    Poland: Ryka 210-15
    Portugal: Priem 209-14

Age—Continued
  granite—continued
    Seychelles Islands: Wasserburg 207-22
    Texas: Zartman 204-10
    U.S.S.R.: Abrashov 211-19; Afanas'yev 215-23; Firsov 213-10; Ivanov 210-54; Ivantishin 210-31; Shcherbak 210-32,-33; Sobotovich 210-51; Vasilenko 208-7; Yashchenko 205-12, 210-55; Yaroshchuk 210-30
  granodiorite, Arizona: Silver 207-10
    Japan: Shibata 204-24
  granophyre, Ontario: Van Schmus 212-15
  hornblende, Switzerland: Davis 208-4
  hornblende gneiss, Japan: Ohmoto 213-12
  human bones, California: Oakley 205-5
  hydrothermal mineralization, U.S.S.R., Transbaikal: Tomson 215-26
  igneous and metamorphic rocks, Antarctica: Craddock 210-58; Pasteels 206-19; Pearn 204-25
    Arizona: Catanzaro 209-6
    California: Lanphere 215-10
    Cameroun: Lasserre 210-8
    Europe: Faul 207-18
    France: Roubault 212-23
    Greenland: Armstrong 206-10
    India: Aswathanarayana 214-6
    Mauritania: Giraudon 212-19
    Montana: Catanzaro 209-6
    Morocco: Cahen 209-13
    Scotland: Long 210-13
    Seychelles Islands: Baker 204-22
    Spitsbergen: Hamilton 210-16
    U.S.S.R.: Borukayev 210-19; Gerling 210-35; Ivantishin 210-28; Krylov 209-20; Novikov 214-5; Tarason 209-21; Yefimov 210-23
  igneous rocks, Algeria: Lay 212-20
    Angola: Mendès 212-8
    Antarctica: Deich 213-13
    British Columbia: Mathews 212-14
    Canada: Gabrielse 215-15
    England: Meneisy 210-11
    Germany: Pilot 212-25
    Hawaii: McDougall 210-2
    Japan: Kawano 212-6
    New Mexico: Weber 207-8
    North Borneo: Kirk 211-21
    Ontario: Van Schmus 212-15
    Quebec: Fairbairn 207-13
    Sarawak: Kirk 211-21
    South Africa: van Niekerk 209-11
    Southern Rhodesia: Nicolaysen 208-11
    U.S.S.R.: Abdulkabirova 210-24; Firsov 210-56, 213-11; Gerling 215-25; Grinberg 210-46; Ivanov 210-20; Khamrabayev 210-40; Ladiyeva 210-29; Mirkina 204-23; Rozenkrants 210-22; Tomson 208-17; Zykov 212-31

Age—Continued
  lacustrine deposits, Cambodia: Carbonnel 207-21
  lead, Greenland: Kanasewich 212-16; Ulrych 215-16
  lead, minerals, Ontario: Ulrych 212-2
    U.S.S.R., Yenesei Range: Volobuyev 212-34
  mammals, New Mexico: Simons 212-12
  metallogenetic cycles, U.S.S.R.: Semenenko 210-17
  metamorphic rocks, Algeria: Lay 212-20
    Antarctica: Ravich 212-38
    French Guiana: Choubert 209-9
    Grenville province: Wynne-Edwards 215-13
    Minnesota: Catanzaro 212-11
    North Carolina: White 205-3
    Pennsylvania: Lapham 214-1
    Poland: Ryka 212-28
    South Dakota: Zartman 214-2
    Switzerland: Jäger 204-21
    U.S.S.R.: Davis 208-4; Gerling 215-24; Lennykh 210-43; Semenova 210-21; Starik 210-37
  meteorite craters, Ghana, Bosumtwi crater: Gentner 211-14
  meteorites, carbon-14 method: Kohman 211-39
    cosmic-ray exposure history: Goel 211-40
    exposure age of irons: Voshage 212-72
    lead-lead and uranium-lead ages: Fisher 211-38
    radiation damage to graphite: Bollmann 215-31
    thermal history: Levskiy 215-37
  micas, Switzerland: Jäger 211-16
    U.S.S.R.: Dunayev 210-52
  natural gas, U.S.S.R.; Karpinskiy arch: Gurevich 213-8
  oldest rocks in North America, Minnesota: Catanzaro 212-11
  ore deposits, U.S.S.R., Altai-Sayan mining district: Klyarovskiy 210-48
    U.S.S.R., Boshkir, A.S.S.R.: Garris, 210-42
      rhenium-osmium method: Satpayev 210-25
  orogeny, Alberta: Hart 208-5
    Australia: Binns 208-18
    Finland: Hart 208-5
    Ontario: Hart 208-5
  paleogeographic reconstructions, U.S.S.R.: Vistelius 215-22
  paleotemperature, oxygen isotope study of Caribbean cores: Emiliani 210-278
  pegmatites, Madagascar: Delbos 208-13
    Norway: Kulp 204-20
    Sweden: Welin 212-29
    Wyoming: Reed 205-4

Age—Continued
- pitchblende, France, Gordolasque tunnel: Geffroy 209-15
- Pleistocene marine sediments: Emiliani 208-355
- Precambrian rocks, Alberta: Evans 210-5
  - Arizona: Damon 204-12
  - Ceylon: Afanas'yev 210-57
  - India: Afanas'yev 210-57
  - Madagascar: Delbos 210-10
  - North Dakota: Peterman 209-5
  - U.S.S.R., Aldan shield: Stupnikova 210-47
    - Krivoy Rog series: Bibikova 210-34; Itsikson 215-27; Semenenko 210-26
    - Siberia: Votakh 208-16
  - United States: Lanphere 204-11
- prehistoric industries, France: Cailleux 215-19
- pseudotachylite, Quebec: Philpotts 204-13
- radiocarbon dates: Holmes 209-16
  - Africa: Robins 214-11
  - Antarctica: Noakes 214-23
  - Argentine continental shelf: Fray 206-12; Richards 206-13
  - California: Ellis 214-15
  - Canada: Dyck 214-21
  - Connecticut: Upson 210-4
  - Egypt: Ellis 214-15; Smith 215-18
  - England: Perrin 211-15
  - Finland: Hyyppä 214-16
  - France: Henri-Martin 212-24
  - Franz Joseph Land: Grosval'd 207-19
  - general listing: Callow 214-10; Crane 214-9; Damon 214-14; Delibrias 214-29; Deumer 214-20; Fergusson 214-35; Geyh 214-30: Godwin 214-18; Ives 214-12; Kigoshi 214-25; Kohl 214-34; Ogden 214-36; Olsson 214-33; Nydal 214-32; Rusnak 214-26; Sigalov 214-22; Tamers 214-19; Tauber 214-27; Trautman 214-31; Vogel 214-37
  - Germany: Göttlich 212-26
  - Guatamala: Smiley 204-14
  - India: Agrawal 212-36, 214-28; Kusumgar 207-20
  - Indian Ocean: Bien 211-22
  - Italy: Alessio 214-13
  - Japan: Quaternary Research Group of Kiso Valley 214-7; Yamasaki 214-17
  - Massachusetts: Kaye 210-3
  - Mexico: Noakes 214-23
  - Nevada: Wells 212-13
  - Niger: Faure 205-7
  - Northwest Territories: Ives 214-3; MacKay 209-8
  - Pacific Ocean: Bien 211-22
  - river mollusks: Broecker 209-3

Age—Continued
- Radiocarbon dates—continued
  - Sweden: Lundqvist 209-17; Nilsson, 213-6
  - Transvaal: Mason 213-5
  - U.S.S.R.: Alekseyev 212-32; Cherdyntsev 212-35; Gerasimov 205-14; Geynts 211-20; Velichko 211-18; Vinogradov 205-13, 206-17
  - United States, Clovis fluted points: Haynes 215-11
  - Viet Nam: Thommeret 214-24
  - water of Pacific and Indian Oceans: Suess 213-14
- Rhünda scull: Heberer 212-27
- sea level changes, last 35,000 years: Shepard 208-19
  - Washington: Easterbrook 208-8
- sedimentary rocks, Ontario: Davis 208-4
  - U.S.S.R.: Vistelius 215-22; Votakh 208-16
- sediments, Caribbean Sea: Rosholt 207-16; Rusnak 207-15
  - Japan: Kaizuka 206-18
- shale, New York: Whitney 212-3
  - Pennsylvania: Whitney 212-3
  - U.S.S.R., Crimea: Novikov 211-17
- slates, England: Dodson, 210-12
- soils, Germany: Fastabend 205-10
- solar system, radiogenic Xe-129: Kuroda 212-73, -74
- syenite, Tahiti: Krummenacher 212-37
  - U.S.S.R.: Zhidkov 210-44
- sylvinite, U.S.S.R., Romensk salt deposit: Khrushchev 209-18
- tektites, fission fragment tracks: Fleischer 208-14, 213-25
  - Ivory Coast: Gentner 211-14
- thermoluminescence methods, dating of pottery: Hall 215-9
- uranium minerals, England: Bowie 205-8
  - Kashmir: Bowie 205-8
  - Ontario: Robinson 205-6
  - Quebec: Robinson 205-6
  - Sweden: Welin 205-11, 212-30
- volcanic rocks, New Mexico: Bassett 207-7; Burke 207-9
  - Nevada: Armstrong 213-4
  - Tanganyika: Evernden 204-17
  - Utah: Armstrong 213-4
- water: U.S.S.R., Lake Issuk-Kul': Chalov 213-9
- wood, Cambodia: Carbonnel 207-21
- zircon, Arizona: Silver 207-10, 211-9
  - Franconia sandstone: Tatsumoto, 212-10
  - United States: Ledent 209-4

Age determinations, alpha tracks in mica: Die Umschau 213-2
- bentonites: Folinsbee 204-5
- beta-decay, variation according to Dirac's cosmology: Kanasewich 207-1

Age determinations—Continued

- bones, relative methods:Oakley 215-4
- carbon-14 method, benzene synthesis: Noakes 204-9
  - criticism: Willis 215-5
  - inherent problems:Gross 213-3
  - meteorites: Kohman 211-39
  - mollusk shells: Keith 212-7
  - organic components:Berger 212-8
  - preparation of water samples: Feltz 206-7
  - techniques:Kusumgar 207-5
  - wood in beach deposits: Terasmae 212-9
- comparison of methods,Antarctic rocks: Deich 213-13
- diffusion phenomena: Wasserburg 204-7
- fission fragment tracks: Fleischer 208-14, 209-1
- general discussion:Hurley 214-38
- helium method, isotope-dilution technique: Damon 211-2
- isotope-spectral strontium method: Sobotovich 208-3
- laboratories, Brazil: USIS 206-20
- lead-210 method, recent geochemical processes: Goldberg 211-6
- lead-isochrone method, ancient rocks: Sobotovich 208-3
- lead method, gas source mass spectrograph: Ulrych 212-2
  - gaseous lead compounds: Seitz 205-2
  - mass spectrometer results compared: Leipziger 212-1
- metamorphic rocks, remobilization: Wynne-Edwards 215-13
- modern marine sediments, methods reviewed:Koczay 208-2
- nuclear fission methods: Kuroda 211-1
- obsidian dating, review: Friedman 215-6
- optical methods, dispersion due to radon: Kuznetov 204-8
- potassium-argon method, activation energy of argon: Brandt 212-5
  - application to Pliocene-Pleistocene: Gentner 215-7
  - anorthosite: Emslie 211-13
  - argon diffusion in contact zone: Hart 204-3
  - argon retention: Dalrymple 210-1; Leutwein 207-4; Sardarov 206-4
  - argon extraction: Filipescu 213-1
  - basalts of archaeological interest: Miller 215-8
  - bentonites: Folinsbee 204-5
  - discordances: Kulp 211-8
  - gold-bearing intrusions in U.S.S.R.: Abdulkabirova 210-24
  - grouping in Antarctica: Krylov 210-36
  - isotope dilution procedure:Artemov 209-2

Age determinations—Continued

- Potassium-argon method—continued
  - K-40 in ancient rocks:Shukolyukov 212-242
  - lavas in Hawaii:McDougall 210-2
  - Precambrian rocks in U.S.S.R.: Yefimov 210-23
  - principles and technique:Dubansky 208-6
  - pyroxenes: Hart 204-14
  - reproducibility: Kawano 212-6
  - sylvite: Borschevskiy 206-5
  - whole-rock and mineral ages compared: Krylov 210-38
- precision, Canada: Baadsgaard 215-2
- pyroxenes: Hart 204-4
- regional studies: Reh 207-2
- rhenium-osmium method, ore deposits: Satpayev 210-25
- rubidium-strontium method, Antarctica: Craddock 210-58
  - discordances: Kulp 211-8
  - granites of the U.S.S.R.: Yashchenko 210-55
  - inherited radiogenic strontium: Whitney 212-3
  - metamorphic rocks in Spitsbergen: Hamilton 210-16
  - micas: Dunayev 210-52
  - review: Gerling 210-50; Hurley 206-6
  - Sr-87 retention: Gast 204-2
  - strontium diffusion in contact zone: Hart 204-3
  - whole rocks: Hurley 211-7
- sodium in oceans:Livingstone 206-8
- sylvite, argon retention: Borshchevskiy 206-5
- thermoluminescence: Vasilenko 208-7; Zeller 211-3
  - lava flows: Sabels 211-4
  - limestones: Zeller 211-10
- thorium method, sediments: Rona 212-4
- time scales: Afanas'yev 208-1; Cox 208-260; Dreimanis 215-3; Garris 210-53; Glaessner 205-1; Gooding 207-6; Haites 206-1; North 215-1; Polevaya 206-3; Reh 207-2; Rubinshteyn 210-49; Shcherbakov 206-2, 210-18; Tongiorgi 210-14
- U-234/U-238 method: Thurber 204-6, 211-5
- uranium-lead method, diffusion of lead: Wasserburg 204-7
  - discordance due to lead loss: Ulrych 207-3
  - discordant age method, zircon: Silver 204-1, 211-9
  - discordant values, Canada: Robinson 205-6
    - Sweden: Welin 205-11
  - zircon from contact zones: Davis 208-4; Hart 208-5

- Alabama, radioactivity, granite: McCormick 212-299
  - radioactivity surveys: Collins 214-275
- Alaska, age, granites: Lanphere 215-12
  - earth currents, observations: Parthasarathy 213-58
  - earthquakes, 1962: Graves 215-75; Walsh 215-73
    - 1964: Bolt 213-68; Christensen 215-74; Donn 213-67; Grantz 211-62; Landen 213-66; Thomas 215-76; Tillotson 211-64; U.S.Coast and Geodetic Survey 214-64; Walsh 211-63
      - water-well response in Texas: Montgomery 214-66
      - water well response in Wisconsin: Rexin 214-65
  - glaciers, Lemon Creek Glacier: Heusser 211-144
  - magnetic field, observations:U.S.Coast and Geodetic Survey 215-246
  - magnetic surveys, anomalies tabulated: Richter 214-247
    - Tanana Lowland: Andreasen 215-282
  - volcanic activity, Katmai eruption of 1912: Bordet 212-345
- Albania, magnetic field, field measurements: Bolz 205-287
- **Alberta, age, orogeny: Hart 208-5**
  - age, Precambrian rocks: Evans 210-5
  - earth current surveys, crust and mantle: Srivastava 214-59
  - magnetic survey: Canada Geological Survey 215-295, -296
  - seismic surveys, intrabasement reflections: Robertson 205-330
- Algeria, age, igneous rocks: Lay 212-20
  - age, metamorphic rocks: Lay 212-20
  - seismic surveys: Bouchon 206-336
  - seismicity, aseismic zones: Dubourdieu 211-67
- Alps, crust, structure and thickness: Closs 205-86; Fuchs 205-210
  - earthquakes,fault-plane solutions: Di Filippo 210-150
- Angola, age, igneous rocks: Mendès 212-18
  - radioactivity, igneous rocks: Xavier de Morais 205-292
    - samarskite: Xavier de Morais 205-293
- Anomalies, second and higher derivatives: Bhattacharyya 215-274
- Antarctic Ocean, geomorphology: Zhivago 210-358
  - radioactivity, upper layers: Nelepo 204-305
- Antarctica, age, general listing: Krylov 210-36; Picciotto 214-8
  - age, granite: Ravich 212-39, -40
    - igneous and metamorphic rocks: Craddock 210-58; Pasteels 206-19; Pearn 204-25
    - igneous rocks: Deich 213-13

Antarctica—continued
- age—Continued
  - metamorphic rocks: Ravich 212-38
  - radiocarbon dates: Noakes 214-23
- cosmic dust, ice cores:Schmidt 208-43
- crust, structure: Bentley 213-229; Gladun 207-214, 211-168
- earth current surveys, Mirnyy and Oasis stations: Baranskiy 212-112
- earthquake observations: Kogan 215-81
- exploration summaries:Aver'yanov 214-122
- geophysical exploration,international program: Gould 215-153
  - physical properties of rocks: Ushakov 212-184
- geophysical surveys: Crary 204-143, 207-135; Eklund 210-224; Giaever 210-225;Griffiths 204-142
- glaciers, Brunt ice shelf: Limbert 215-187
  - Byrd Glacier: Adler 213-200
  - domes due to ice flow: Kapitsa 212-203
  - dynamics: Bardin 204-171; Markov 204-173
  - glacier, Filchner Ice Shelf: Lisignoli 212-202
  - glaciers, general: Markov 204-172
  - ice deformation: Kehle 212-336
  - movement: Crary 205-158; Dolgushin 207-174; Gow 205-159
  - movement and temperature: Model' 207-165
  - structure: Yevteyev 207-167
  - thermal regimen:Zotikov 204-170
- gravity, base networks:Avsyuk 212-232
- gravity surveys: Behrendt 211-166; Crary 211-167; Frolov 212-229; Gladun 207-214, 211-168; Kapitsa 212-332; Lazarev 209-244; Weihaupt 204-341;Sorokhtin 212-331; Ushakov 212-230; Zommer 212-231
- isostasy, adjustment to ice:Ushakov 212-200
- isotopes, lead in snow chronology: Crozaz 212-243
- magnetic field, coastal effects: Mansurov 212-262; Sen'ko 212-263
  - diurnal variations: Ostrekin 212-265
  - micropulsations: Schlich 207-247
  - observations: Crary 211-167; Medvedev 210-299; Praus 207-250; Sen'ko 214-208; Shlyakhtina 205-224
  - secular variations: Cullington 205-224; Orlov 205-223; Shneer 212-264
- magnetic properties, rocks: Vladimirov 212-270

Antarctica—Continued
  magnetic surveys: Behrendt 204-293
    Argentine Islands: Agger 204-292
    Ellsworth Land and Antarctica Peninsula: Behrendt 211-166
    Gaussberg area: Glebosvkiy 212-296
    George V and Oates Coasts:Ushakov 212-230
    Hope Bay, Lake Boeckella area:Cox 215-305
    Mirnyy area: Glebovskiy 212-295
    narrow anomalies:Behrendt 211-264
    Pionerskaya area:Glebovskiy 212-294
    south of Shackleton Ice Shelf: Glebovskiy 212-298
    Vestfold Hills:Glebovskiy 212-297
    West Antarctica:Behrendt 211-265
  paleomagnetism, Jurassic: Briden 205-274
  radioactivity, snow, rate of accumulation: Picciotto 215-314
  seismic surveys, Antarctic Peninsula: Behrendt 205-333
    East Antarctica: Crary 211-319; Kapitsa 212-332; Sorokhtin 212-331
    ice thickness: Kondrat'yev 215-346; Weihaupt 204-341
    Marie Byrd Land:Chang 208-337
  seismicity: Sytinskiy 212-120
    1908-58 tabulation:Linden 214-73
  submarine geology, Davis Sea: Mal'tsev 212-340
    Lazarev Ice Shelf area: Mal'tsev 212-339
Archipelago de Colon, volcanoes: Richards 211-345
Arctic Basin, crust, structure: Santo 208-95
  earth current surveys: Swift 211-53
  geophysical research: Sater 207-136
  geotectonics: King 212-192
  gravity surveys, Ice Island Arlis-II: Black 207-303; Den Hartog 207-202
  magnetic field, coastal effects: Sen'ko, 212-263
  magnetic field, observations: Den Hartog 207-202
    secular variations: Orlov 204-258
Argentina, age, radiocarbon dates: Auer 209-10
  meteorites, Raco chondrite: Siegel 212-49; Teruggi 212-48
Argentine Islands, ice cap regimen: Thomas 209-215
Arizona, age, basalt:Sabels 211-4
  age, igneous rocks:Catanzaro 209-6
    Precambrian rocks: Damon 204-12; Lamphere 204-11
    zircon in granodiorite:Silver 207-10
    zircon in igneous rocks: Silver 211-9
  magnetic surveys: Andreasen 209-315
  magnetic properties, ring dike: Dubois 214-231
  volcanic activity, dome-shaped gas vents: Laidley 213-357
Arkansas, exploration summaries, Arkoma Basin: Brooks 205-116
  magnetic surveys:Jespersen 213-282
  radioactivity logging, surveys:Millard 206-272
Asia, crust, structure: Santo 208-94
  geotectonics, review:Smirnov 214-134
  gravity surveys, Karakorum and Hindu Kush: Desio 208-205
  seismicity, associated volcanism: Honda 213-89
Associations, Nordic Association of Applied Geophysics: Espersen 214-125
Atlantic Ocean, age, radiocarbon dates from Argentine continental shelf: Fray 206-12; Richards 206-13
  Argentine Basin, sediment distribution: Ewing 211-334
  continental rise, lateral echo sounding: Clay 215-357
  continental shelf, isostatic evolution: Gilluly 213-341
  continental shelf and slope off U.S.A.: Emery 204-349
  crust, structure: Santo 208-95
  gravity surveys, negative anomaly off Cape Breton Island: Oilweek 214-156
  Guinea fracture zone: Krause 215-356
  heat flow, measurements: Lister 204-195, 211-170; Reitzel 204-196
  magnetic anomalies, bottom relief: Ivanov 211-335
  magnetic properties, modern sediments: Keen 208-257
  magnetic surveys, Mid-Labrador sea ridge: Hood 213-283
    off eastern North America: Drake 204-283
    Plantagenet Bank:Kontis 214-259
    stripe anomalies:Backus 209-316
  microseisms, generation and propagation: Monakhov 215-308
    recorded in U.S.S.R.: Monakhov 206-262
  Mid-Atlantic Ridge, fracture zones: Heezen 210-350
    topography: Metcalf 210-349
  Nares abyssal plain, topography: I'lin 214-337
  radioactivity, upper layers: Nelepo 204-306
  seismic surveys, Atlantic terrace: Moore 206-348
    Hudson apron region:Ewing 206-333
    Labrador Sea Ridge:Drake 208-356
    northwestern part: Houtz 204-334
    sediment distribution:Ewing 208-334
    sedimentary velocities: Houtz 213-319
  submarine geology, western: Klenova 206-349

- Atlantic Ocean—Continued
  - topography: Ulrich 208-357
  - Vema fracture zone:Heezen 209-344
- Atmosphere, origin:Cameron 206-34
- Australia, age, orogeny:Binns 208-18
  - crust, thickness: Cooney 207-46; Mumme 213-228
  - earthquakes, 1961:Cooney 207-46
  - gravity exploration, helicopters: Vale 209-228
  - gravity surveys, iron in Middleback Range: Taylor 213-291
    - Officer Basin: Mumme 213-215
  - heat flow, areal variation: Howard 210-258
    - eastern: Sass 215-212
    - Precambrian shield: Sass 207-208
  - magnetic surveys, iron in Middleback Range: Taylor 213-291
    - negative anomalies for basalts: Mumme 207-294
    - South Australia: Whitten 214-262
  - paleomagnetism, basalt in New South Wales: Dickson 207-281
    - Mesozoic: Manwaring 207-282
    - Tertiary: Manwaring 207-282
  - tektites, Nurrabiel area: Baker 214-44

B

- Baltic Sea, magnetic surveys,southern: Lehmann 212-291
- Belgium, earth tides, observations: Jones 205-56; Melchior 205-55
- Bermuda, crust,thickness: Phinney 213-225
- Bolivia, electrical logging, porosity: Guardia Romero 210-207
  - seismology, research:Belousov 209-131
- Borneo, geophysical surveys, offshore exploration: Brunei Shell Petroleum Company, Ltd. 214-120
  - geotectonics, continental drift:Fitch 205-157
  - gravity surveys, Singapore to Labuan: Isaacs 211-263
  - magnetic surveys, Singapore to Labuan: Isaacs 211-263
- Bounty Island, age, granite:Wasserburg 207-22
- Bouvetøya, volcanic activity: Baker 215-360
- Brazil, geophysical exploration, methods: Branco 212-180
  - gravity surveys, Sao Paolo:Kollert 208-201
- British Columbia, age, igneous rocks: Mathews 212-14
  - magnetic survey: Canada Geological Survey 215-297, -298; Hall 214-256
- British Isles, orogeny, stress chronology: Tremlett 206-146
- Bulgaria, earth currents, observations: Lengning 205-26
  - electrical surveys, coal: Pichtalov 210-220
  - geothermal energy:Petrov 211-171
  - gravity surveys: Dobrev 205-189, 205-199
  - magnetic surveys: Dobrev 204-189, 205-199
  - thermal springs: Martinov, 210-260; Petrov 213-219
  - Year of the Quiet Sun: International Geophysical Bulletin 209-280

C

- California, age, dolomite in lake deposits: Peterson 207-11
  - age, glaucophane schists: Lee 209-7
    - human bones: Oakley 205-5
    - igneous and metamorphic rocks: Lanphere 215-10
- Canada, age, radiocarbon dates: Dyck 214-21; Ellis 214-15
  - crust, thickness: Hamilton 209-254; Healy 204-336; Roller 204-335
- California, earthquakes, data processing of 1934-63 catalog: Nordquist 213-65
  - earthquakes, epicenter and hypocenter determinations: Cisternas 204-57
    - mechanism: Benioff 204-71
    - San Francisco 1906:Kennedy 215-77
  - faulting, San Andreas fault: Hill 204-167; Paschall 204-166
  - geophysical surveys, Great Valley: Hughes 204-139
  - geothermal energy: Canadian Mining and Metallurgical Bulletin 210-259; McNitt 208-207
  - gravity surveys:Corbató 209-239; Healy 212-223; Mabey 209-238; Oliver 205-192; Pakiser 214-157; Schroll 204-186
  - magnetic surveys: Andreasen 214-253, -254, -255; Bodvarsson 204-265; Schroll 204-186
  - meteorite craters, Panamint Crater not meteoritic: Dietz 212-88
  - meteorites, aerolites from Lucerne Valley: Hartman 212-47
  - paleomagnetism, Cenozoic: Cox 204-270
  - radioactivity, igneous rocks: Wollenberg 214-267
    - rare earth deposits:Evans 214-268
  - seismic surveys: Healy 204-336, 212-223; Roller 204-335
  - seismicity: Iacopi 215-82; Niazi 210-137
- Caliper logging, carbonate section: Lebedev 205-128
- Cambodia, age, wood from lacustrine deposits: Carbonnel 207-21

Cameroun, age, igneous and metamorphic rocks:Lasserre 210-8
Canada, age, diabase, shield: Fahrig 208-9
  age, igneous rocks:Gabrielse 215-15
    metamorphic rocks of Grenville province: Wynne-Edwards 215-13
  crust, structure: Whitham 207-239
  earth currents, surveys in Arctic Archipelago: Whitham 214-54
  geophysical research, programs in seismology and physics of Earth, 1961-62: Hodgson 215-156
  geophysical surveys, ground water: Lennox 208-153
    review for 1963: Jenness 208-152
  geotectonics, basement in Appalachians: Howie 206-145
  heat flow, survey of entire country: Jessop 210-256
  isotopes, lead, Hudson Bay sediments: Stevens 215-236
    sulfur, Muskox intrusion: Sasaki 215-239
  magnetic exploration, airborne equipment of Geological Survey: Sawatzky 215-275
  magnetic field, anomalous at Mould Bay in Arctic:Whitham 207-239
    observations: Cook 204-264; Iyengar 211-229; Loomer 204-261; Madill 207-236; Niblett 207-237; Plet 204-262; Ross 204-263
  magnetic surveys, Arctic Islands: Oilweek 214-258
    Scotian Shelf: Bower 215-283
  meteorite craters, New Quebec, Clearwater, and Manicouagan craters not meteoritic: Currie 212-86
  paleomagnetism, diabase dikes of Canadian shield: Gaucher 215-267
  seismic surveys, Devonian reefs: Chapman 204-337
    multiple reflections: Mouritsen 205-328
    time-depth curves:Acheson 205-329
Caribbean region, crust, structure: Papazachos 213-226
  earthquakes, catalog for 1530-1960: Robson 210-138
  isostasy, compensation: Talwani 213-206
  isotopes, paleotemperature study of cores: Emiliana 210-278
Caribbean Sea, age, sediments: Rosholt 207-16; Rusnak 207-15
Celebes, volcanic activity,seismicity: Katili 204-357
Central America, gravity, base networks: Caldera 214-158
Ceylon age, Precambrian rocks: Afanas'yev 210-57
Chile, age, granites: Levi 206-11
  earthquakes, 1960: Alvarez S.208-69; Brunn 208-77; Davis 208-76; Dobrovolny 208-68; Doyel 208-70; Galli O 208-65, -66, -67; St. Amand 206-66, 208-58; Sievers C. 208-59; Thomas 208-71, -72, -73, -74; Weischet 208-63, -64; Wright 208-75
  geophysical surveys, oil in Central Valley: Katz 208-155
  geothermal energy, Tatio field: Vergara M. 208-208
  tsunami, 1960: Popov 210-157
  volcanic activity, Calbuco Volcano: Klohn 207-351
  catalog: Casertano 213-349
  general characteristics: Casertano 207-350
China, earthquakes, 1954: Kuo 215-80
  earthquakes, 1961: Rozova 213-74
  electrical logging, ore deposits: Ore Logging Test Staff of the Geophysical Research Institute of the Geologic Bureau (China) 205-112
  electrical surveys, copper deposits: Wu 206-110
    railroad lines: Liu 205-95
  geophysical exploration, research: Ku 205-129
  geophysical surveys, ore deposits: Hsia 205-122
  geotectonics, fundamental problems: May 206-154
    Kansu Corridor: Yu 213-189
    recent deformation: Ch'en 213-195; Ch'eng 213-191; Feng 213-183; Gorshkov 213-76, -197; Huang 213-182; Li 213-192; Liu 213-194; Ma 213-186; Meng 213-190; Shen 213-196; Wang 213-188; Wang 213-193; Yang 213-184; Yuan 213-185
  gravity surveys: Wang 205-200
  magnetic surveys, iron deposits: Ch'in 206-259
  seismicity, fault systems: Chang 213-78
    Huanghe River basin: Hsu 213-81
    Kansu Corridor: Yu 213-189
    Kansu province: Tan 206-72
    recent deformation:Gorshkov 213-76; Li 213-75; Pavlinov 213-77
    regionalization methods:Gorshkov 213-197; Wang 213-80
    seismic zones: T'ien 213-79
  tectonic zones: Wu 215-182
  tsunami, historical account: Keimatsu 208-102
Coesite, synthetic: Sclar 206-195,-196
Colombia, earthquakes, engineering: Bruschi 208-100
Colorado, crust, structure: Jackson 204-206; Ryall 204-207

olorado—Continued
geophysical surveys, Malachite Mine: Huff 207-142
gravity surveys, Rampart Range: Miller 205-191
seismic surveys: McMunn 206-335
omets, ice nuclei: Donn 215-67
impact with earth: Fesenkov 212-42
ongo, age, general listing: Cahen 204-15
onnecticut, age, radiocarbon dates: Upson 210-4
ontinental drift, comprehensive review: Bullard 213-173
convection currents, mechanism: Bott 211-125
paleobotanical evidence: Hamilton 211-126
paleomagnetism, Ththys sea:Rutten 212-195
ontinents, crustal structure: MacDonald 211-190; Santo 211-188
growth, circumpacific area: Benioff 205-144
origin, radioactivity in crust and mantle: MacDonald 207-212
stability through geologic time: Fourmarier 215-167
ore, composition, crystal chemistry: Stishov 204-219
composition, equations of state: McQueen 213-230
review: Jacobs 211-199
density: Bullen 204-203
high-pressure polymorph of iron: Takahashi 213-238
inner core boundary, traveltime curves: Subiza 214-86
inner, physical nature: Caloi 209-264
layered structure, seismic evidence: Nguyen-Hai 207-220
longitudinal wave propagation: Nguyen-Hai 208-237
magnetic density: Pochtarev 205-213
magnetic field, convective liquid: Tverskoy 204-239
igidity, density: Bullen 209-263
igidity, determined from torsional oscillations: Tsuda 208-238
seismic data: Bullen 215-226
upper limit: Anderson 210-172
emperature: Aslanyan 212-234
emperature of outer boundary: Kennedy 204-220
ndulations on surface, geoid undualtions: Egyed 213-237
rsica, earth currents, anomalies in geomagnetic field: Fontaine 211-54
smic dust, Antarctica, ice cores: Schmidt 208-43
onference, New York, 1963: Cassidy 212-90
ensity distribution near earth: Alexander, 210-88

Cosmic dust—Continued
E layer: Lebedinits 204-42
electron probe analysis: Wright 204-41
marine sediments, Ni, Co, Cu, and Fe deposition on Atlantic floor: Wiseman 213-24
orbit near earth: Katasev 208-44
polar ice caps, electron probe analysis: Hodge 213-23
polar cap spherules, not volcanic in origin: Hodge 212-89
Cosmogony, gravity constant variation, evolution of Sun:Pochoda 212-77
Moon, origin, capture by Earth: Urey 209-60
nucleosynthesis: Clayton 212-76; Fowler 208-25; Frank-Kamenetskiy 208-29
planetary systems, main-sequence stars: Brown 215-69
solar nebula, dissipation:Öpik 208-24
Costa Rica, volcanic activity,Irazú: Buddhue 213-347
Craters, experimental, basalt:Moore 209-43
projectile residue, measuring technique: Schmitt 204-40
Sudbury structure, meteorite impact hypothesis: Dietz 215-44
Creep, ice, loaded beams: Krausz 204-348
sedimentary rocks, Coal Measures, England and Wales:Price 215-350
Crust, arch uplifts on platforms, nature of crustal layers: Andreyev 215-219
Arctic Basin, origin: King 212-192
basaltic, chromium and nickel distribution: Turekian 204-213
basaltic magma, source of Deccan traps: Krishnan 210-270
chemical reactions, valence changes: Shcherbina 205-209
classification of types, seismic data:Kosminskaya 215-216
composition, chondritic earth model: Taylor 211-186
continents, structure: MacDonald 207-212
diopside-pyrope, atmospheric pressure and high pressure:O'Hara 208-209
earthquakes, macroseismic study: Ragimov 215-215
evolution, isostasy: Faytel'son 211-189
experimental study, pressure and temperature: Lebedev 208-220
explosion study, reflection method: Dix 208-217; Lynn 208-216
refraction method:Tucker 208-215
heat, hydration energy:Cate 208-214
igneous rocks, origin: Glangeaud 208-219; O'Hara 208-223, -224; Tilley 208-225

Crust—Continued
  Jeffrey's model, surface waves: Takeuchi 207-217
  layering, fronts of metasomatism: Riznichenko 207-215
    velocity stratification: Kosminskaya 209-255
  metamorphic reactions: Sobolev 212-236
  mobile zones, seismicity of foredeep troughs: Bostrom 211-187
  mosaic structure: Chang 207-163
  movements, control of geomorphology: King 214-126
  oceanization, North Atlantic: Sheynmann 208-221
  petrographic nature, velocity characteristics: Pomerantseva 213-224
  phase equilibria, diopside-forsterite-silica: Kushiro 208-227
    granite system: Luth 209-257
    $MgO-Al_2O_3-SiO_2$, pressure effects: Boyd 208-232
  physical parameters, phase velocities: Takeuchi 214-173
  pyroxenes, thermal relations: Yoder 208-226
  rare-earths in oceanic basalts, chondrites compared: Frey 209-256
  recent movements, North Sea: Dechend 205-156
  rheological properties: Chadwick 205-148
  sial, derived continually from mantle: Hurley 204-212
  strength, horizontal shear stress: Chinnery 211-127
Crust, structure and thickness, Africa: Dopp 213-102
  structure and thickness, Alps: Closs 205-86; Fuchs 205-210
    Antarctica: Bentley 213-229; Gladun 207-214, 211-168
    Arctic Basin: Santo 208-95
    Asia: Santo 208-94
    Atlantic Ocean: Santo 208-95
    Australia: Cooney 207-46; Mumme 213-228
    Bermuda: Phinney 213-225
    California: Eaton 204-208; Hamilton 209-254; Healy 204-336; Oliver 205-192; Roller 204-335
    Canada: Whitham 207-239
    Colorado: Jackson 204-206; Ryall 204-207
    continental areas: Santo 211-188
    France: Perrier 207-331
    general features: Khoraskov 212-198
    Germany: Liebscher 211-191
    Gulf of Mexico: Papazachos 213-226
    Hungary: Scheffer 204-209
    Idaho: Pakiser 204-205

Crust—Continued
  structure and thickness—continued
    India: Saha 207-56
    Italy: Closs 205-86
    Japan: Aki 204-210; Gorai 213-227; Kaminuma 204-211; Kanamori 210-265, -266, -267; Murauchi 214-175
    magnetic field: Pochtarev 204-259
    Nevada: Pakiser 204-205; Roller 209-253; Ryall 204-207
    New Mexico: Phinney 213-225
    ocean basins: Oliver 208-218; Raitt 208-328; Santo 207-213; Worzel 208-195
    Oklahoma: Dix 208-217; Lynn 208-216; Tucker 208-215
    Pacific Ocean: Santo 210-263
    problems of: Belousov 204-214
    Rayleigh waves: Kanamori 210-264
    Scotland: Jain 215-71
    Turkey: Öcal 206-193
    U.S.S.R.: Alekseyev 214-174; Butovskaya 215-112; Demindenko 213-325; Fadeyev 215-218; Kosygin 204-51; Litvinenko 206-338; Neprochnov 213-322; Panasenko 211-192, 215-217; Veytsman, 215-220; Vol'vovskiy 211-193; Yevseyev 210-147
    United States: Pakiser 204-204; Steinhart 207-211; Stuart 210-262
    world-wide study: Gurariy 215-214
  transfer of material from mantle: Moskaleva 215-225
Cryptoexplosion structures, origin: McCall 209-42
Czechoslovakia, earth currents: Pěčová 214-60
  earth currents, Gurbanove station: Krajčovič 213-60
    observations: Pěčová 209-98
  earthquakes, 1962: Kárník 208-81
  geophysical research, IGY: Svoboda 205-125
  geophysical surveys, Potiská Nížima: Beránek 214-118
  geotectonics, recent movements: Ez 215-170; Zátopek 208-183
  geothermal gradient, Carpathian foredeep: Svoboda 209-251
  gravity surveys: Burša 209-241
    accuracy of map: Vyskocil 214-160
    base networks: Burša 207-198; Chudoba 207-199
    Carpathians: Dlabač 210-249
    map: Ibrmajer 207-201, 210-248
    Moravia: Válek 207-200
    topographic correction: Pick 207-183
    topographic-isostatic correction in zones 18-1: Vyskočil 209-240
    Turzovka region: Pola 212-226
  isostasy, corrections for various depths of compensation: Vyskočil 214-128

Czechoslovakia—Continued
- magnetic field, residual field and crustal structure: Janáčková 209-278
- mantle, Upper Mantle Project: Zátopek 209-261
- microseisms, long-period:Zatopek 214-264
- paleomagnetism, Cambrian: Bucha 207-278
  - Cenozoic: Hanuš 205-272
  - Devonian to Quaternary: Bucha 214-234
  - hydrothermal deposits: Hanuš 209-311
  - ore deposits of Alpine age: Hanuš 207-277
  - Paleozoic: Bucha 209-307
  - Precambrian: Bucha 209-307
  - Precambrian to Cretaceous: Bucha 209-308
  - unconformity determined: Krs 209-309
- radioactivity, springs, Jáchymov: Wallenfelsová 213-294
- seismic surveys, Carpathian flysch: Jurga 211-310
  - Carpathian foredeep:Beránek 214-302
  - Danubian Lowland:Dlabac 211-309
- seismicity, Carpathian region:Karnik 214-70

D

Deformation, atmospheric pressure, induced by: Bonchkovskiy 212-185
- carbonate rocks, methods of study: d'Albisson 207-343
- flow and fracture theory:Nadai 204-342
- glacial models, fold evolution: Ramberg 213-339
- ice, Antarctica: Kehle 212-336
  - nonbasal slip: Tegart 213-335
  - polycrystalline:Wakahama 213-336
- igneous rocks, high temperature and pressure: Matsushima 213-334
- marble, high pressure:Luchitskiy 212-334
- multilayered model, internal buckling: Biot 213-332
- obsidian, high pressure:Luchitskiy 212-334
- olivinite, high pressure:Luchitskiy 212-334
- quartz, high pressure:Christie 208-338; Luchitskiy 212-334
- rocks, experimental:Ramez 207-340
- serpentinite, high pressure: Luchitskiy 212-334
- viscous material, similar folding: Bayly 213-331

enmark, electrical surveys, ground water: Dinesen 211-99

Denmark—Continued
- electrical surveys, Snoldelev area: Latmiral 213-150

Density, rocks, gamma ray determination: Artsybaschev 204-321

Drill holes, photography: Canadian Petro Engineering 213-161

Earth, composition, chemical inhomogeneity: Bullen 204-203
- composition, evidence from cadmium in meteorites: Schmitt 208-33
- density, historical review: Castro Bonel 208-198
- ellipsoid, stress differences:O'Keefe 204-174
- figure, equatorial semimajor axis: Fischer 205-139
  - formulas: Monīn 207-148
  - gravimetric determination: Castro Bonel 208-169
  - gravity formulas: Jeffreys 214-129
  - historical review: Todhunter 212-187
  - hydrostatic theory: Jeffreys 208-168
  - irregular geoid:Heiskanen 205-137
  - liquid mantle and core: Macke 210-240
  - satellite determination:Levallois 213-167
  - theory of: Monīn 204-152;Yurkina 208-175, 213-168
  - third order quantities:Marych 207-150
- interior, diffusion:Zharkov 206-199
  - early history: Elasser 210-261
  - equation of state of metals at high pressure: Kalinin 206-201
  - high pressure physics and chemistry: Society of Chemical Industry 204-145
  - plastic deformation in a gravitating sphere: Arkhipov 211-185
  - physical characteristics: Castro Bonel 208-233
  - quantum mechanics: Aslanyan 211-184
  - temperature: Aslanyan 212-234
  - thermoelastic stresses and strains: Ben-Menahem 207-218
  - turbulent flow: Davydov 206-198
- rotation, changes due to meteor collisions: Gallant 207-143
  - effect of changes on deformation: Tsaregradskiy 207-152
  - equilibrium figure: O'Keefe 204-174
  - monthly: Nahas 207-71
- viscosity, isostatic compensation: Crittenden 204-159

Earth currents, Corsica, anomalies in geomagnetic field:Fontaine 211-54
- coast effect: Mansurov 212-262; Parkinson 214-53; Rokityanskiy 214-49, 214-57; Sen'ko 212-263

Earth currents—Continued
- conductivity, Dst variations: Rotanova 214-56
- conductivity anomalies, Europe: Kertz 214-51
- crust, factors controlling propagation: Levin 214-61
- D_{st} variations, cylindrical Earth model: Rotanova 214-62
  - Earth's conductivity: Rotanova 211-55
- electromagnetic induction: Takeuchi 206-61
- exploration, comprehensive review: Tarkhov 210-210
  - electromagnetic field, linear relationship: Berdichevskiy 213-62
  - least squares method: Kopelev 211-57
  - magnetotelluric: Mann 215-70
  - probability theory: Kuznetsov 211-59
  - statistical interpretation: Nikitenko 211-60
  - zoning an area: Nikitenko 211-58
- geomagnetic induction, concentrically stratified earth: Eckhardt 206-59
- instrumentation, induction pickup: Levchenko 215-72
  - magnetic Earth inductor: Faustino 211-61
  - short-period magnetometer: Vey 212-111
- mantle conductivity, long-period magnetic fluctuations: Eckhardt 206-60
- marine measurements, general discussion: Domanitskiy 213-59
- micropulsations, high and middle latitudes: Schlich 208-252
  - simultaneous, measurement at different points: Komack 209-97
- observations, Alaska: Parthasarathy 213-58
  - Alberta: Srivastava 214-59
  - Bulgaria: Lengning 205-26
  - Czechoslovakia: Krajčovič 213-60; Pěčová 209-98, 214-60
  - Japan: Kakioka Magnetic Observatory 204-52, -53; Rikitake 214-50
  - **Peru: Forbush 207-36**
  - U.S.S.R.: Vinogradov 212-110
- short-period fluctuations: Kleymenova 214-48
  - Antarctic: Troitskaya 213-64
  - cycles of solar activity: Troitskaya 205-27
- surveys, Antarctica: Baranskiy 212-112
  - Arctic Archipelago of Canada: Whitham 214-54
  - Arctic Ocean: Swift 211-53
  - Europe: Kertz 214-51; Wiese 208-56

Earth currents—Continued
- surveys—Continued
  - France: Fatemi 207-37, -38, 208-57
  - Germany: Thieme 206-62
  - Italy: Simeon 214-55
  - Scotland: Jain 215-71
  - U.S.S.R.: Anischenko 207-39; Kosygin 204-51; Krotevich 205-29; Tikhonov 214-58; Vey 212-111
  - United States: Schmucker 214-52
- time variations, Japan: Hasegawa 205-28
- type Pc 1, observations: Smith 211-52
- vertical components in the sea: Fonarev 211-56

E

Earthquakes, accelerograms, statistical properties: Tanabashi 213-98
- aftershocks: Tsuboi 204-67
  - California: Richter 204-86
  - focal process: Pshennikov 212-122
  - U.S.S.R.: Båth 204-87
- air waves, Alaska 1964: Bolt 213-68
- Alaska, 1962: Graves 215-75; Walsh 215-73
  - 1964: Bolt 213-68; Christensen 215-74; Donn 213-67; Grantz 211-62; Landen 213-66; Rexin 214-65; Thomas 215-76; Tillotson 211-64; Montgomery 214-66; Walsh 211-63; U.S. Coast and Geodetic Survey 214-64
- amplitude characteristics: Willis 204-98
- Antarctica, observations: Kogan 215-81
- Australia, 1961: Cooney 207-46
- California, data processing of 1934-63 catalog: Nordquait 213-65
  - 1906: Kennedy 215-77
- Caribbean region, catalog for 1530-1960: Robson 210-138
- cause, fault hypothesis: Evison 204-89
  - phase transitions: Benioff 204-90; Evison 204-89
- Chile, 1960: Alvarez S. 208-69; Brunn 208-77; Davis 208-76; Dobrovolny 208-68; Doyel 208-70; Galli O. 208-65, -66, -67; Popov 210-157; Saint Amand 206-66, 208-58; Sievers C. 208-59; Thomas 208-71, -72, -73, -74; Wright 208-75; Weischet 208-63, -64
- China, 1954: Kuo 215-80
  - 1961, northwestern: Rozova 213-74
- crustal deformation, macroseismic study: Ragimov 215-215
  - short-interval observations: Ozawa 213-95, 214-81

arthquakes—Continued

- Czechoslovakia, 1962: Kárník 208-81
- dislocation theory: Teisseyre 215-98
- effects, cause of turbidity currents: Heezen 209-343
  - check list: Bonilla 209-133
- energy: Asada 204-79; Sagisaka 204-65; Tocher 204-68;Tsuhoi 204-67
  - apparatus for spectrum recording: Kirnos 207-58
  - attenuation in U.S.S.R.: Demikhovskaya 204-62
  - dislocation theory: Enescu 214-76
  - distances to 3,000 km:Rautian 215-90
  - distribution: Kawasumi 204-78
  - duration of radiation:Otsuka 213-87
  - generated at source on surface: Kogan 215-96
  - Japan: Kawasumi 204-77; Tsuboi 204-82
  - release, isostatic anomalies: Berg 211-71
  - spectrum: Frantti 204-99
  - thermoelastic stresses in mantle: Lubimova 214-75, 215-92
- engineering, apparatus for spectrum recording: Kirnos 207-58
  - buildings on various grounds: Puchkov 207-62
  - Colombia: Bruschi 208-100
  - conference, Berkeley 1963: Penta 212-126
  - forms of vibration: Korf 207-59
  - ground motion: Korf 207-61
  - n modes, tall buildings: Rubinstein 215-103
  - periods of buildings: Hudson 209-113:Rubinstein 209-114
  - response of simple non-linear systems: Goldberg 209-115
  - stresses in foundations:Medvedev 207-57, -60
- England, 1963: Key 209-101
- epicenter determination, azimuth determination: Ragimov 204-58
  - California: Cisternas 204-57
  - graphic method: Tarakanov 215-91
  - Mexico: Merino y Coronado 204-59
  - rectilinear epicentrals: Treskov 215-95
  - straight-line epicentrals for distant shocks: Treskov 208-90
- ault plane solutions: Scheidegger 205-35
  - Alps: Di Filippo 210-150
  - groups of first motions:Cox 209-104
  - horizontal component of movement: Munuera 209-109
  - larger earthquakes of 1958:Hodgson 210-149
  - larger shocks of 1956-57: Hodgson 210-148
  - multiple solutions: Scheidegger 213-83
  - Rumania: Constantinescu 209-105

Earthquakes—Continued

- fault plane solutions—continued
  - statistics of: de Witte 204-94
  - stress in faulted regions: Thrasher 207-53
- faulting, induced by shaking motion: Pierce 205-39
- focal distances, regionalization: Kats 207-51
- focuses, nature of: Kasahara: 204-76
- foreshocks, California: Richter 204-86
- fracture phenomena, shock sequences: Mogi 206-74
- frequency characteristics: Skorik 207-52; Willis 204-97
- frequency-energy relationship: Tamaki 213-97
- general, popular account: Roberts 209-112
- geologic past, debris-filled fissures in Cretaceous of U.S.S.R.: Gorbach 209-129
- geologic structure, control of intensity and magnitude: Gubin 208-88
- ground characteristics, wave intensity: Yoshikawa 213-100, 214-84
- ground motion, seismographs of overlapping frequencies: Savarenskiy 212-123
  - spectrum: Korf 207-61
  - structures: Medvedev 207-57, 208-101
- ground tilting, seismic activity in restricted area: Nishimura 213-94, 214-79
- Hawaii, 1962: Koyanagi 209-99
- hypocenter determination: Payo Subiza 208-78
  - California: Cisternas 204-57
- instrumentation, accelerograph constants: Tobyáš 214-90
  - amplifier: Kostyuk 210-179
  - automatic recording in the U.S.S.R.: Korostin 215-121
  - constants of broad-band electromagnetic displacement seismograph: Tobyáš 207-69
  - feedback in pendulum seismographs: Rykov 211-77
  - inclinometer operated in a vacuum: Blum 210-176
  - galvanometers: Tobyáš 210-77
  - long-period galvanometer: Aki 213-110
  - long-period seismographs: Lin'kov 212-125; Otsuka 208-103
  - measurement of small pressure gradients in the sea: Welander 208-105
  - motion product, seismograms: White 210-175
  - ocean bottom recording: Bradner 215-115
  - reactive resistors: Pavlov 215-116

Earthquakes—Continued
  instrumentation—continued
    recording apparatus: Skîkevych 210-180
    seismic energy meter: Belotelov 210-178
    seismograph feedback systems: Mikumo 213-111, 214-91
    short-period pendulums: Girlanda 208-104
  intensity, relation of magnitude: Adlung 209-110
    scale: Michal 208-92
  Iran, 1962: Mohajer 205-30
  Italy, 1958: Di Filippo 213-71
    1960: Girlanda 210-142
    1961: Marcelli 208-79, 210-141
    1962: Di Filippo 210-140
  Japan, 1961: Tanaka 204-54
    1963: Hagiwara 206-69
  Libya, 1963: Gordon 212-114
  local, ground deformation in Japan: Kishimoto 213-90
  magnetic phenomena, Alaskan shock of 1964: Moore, 215-101
    correlation of activity:Miyakoshi 213-101
    prediction of shocks:Stacey 209-128
  Madagascar, 1960: Poisson 213-70
  magnitude, amplitude determined by vertical seismometer:Suyehiro 214-77
    amplitude-distance curves:Kárník 208-93
    determination at European stations: Vaněk 208-91
    distribution: Asada 204-81
    instrumental scale:Richter 204-63
    relationship to energy: Bath 204-66
    relationship to frequency: Tsuboi 204-83
  mechanism, aftershocks: Misharina 215-94; Pshennikov 212-122
    amplifying effect of ground: Hirono 213-88
    calculation of final slip-motion direction: Ferráes 215-99
    California: Benioff 204-71
    Carpathian mountains:Iosif 215-97
    duration of energy radiation:Otsuka 213-87
    effect of discontinuities on energy release: Teisseyre 205-34
    fault analysis: Means 209-111
    faulting and volume change:Benioff 210-153
    faulting not observed: Tanner 209-107
    first-motion patterns: Lavin 204-93
    forms of ScS phases:Otsuka 214-80
    force equivalents: Maruyama 206-73
    fracture and relation to microearthquakes: Watanabe 213-99, 214-83

Earthquakes—Continued
  mechanism—continued
    fracture theory: Mogi 213-92
    fracture type and surface displacements: Nakano 213-93
    Italy: Di Filippo 208-96
    Japan: Mikumo 213-91, 214-78
    long-period surface waves: Ben-Menahem 204-91
    model studies: Pfluke 209-146
    multiple solutions:Stauder 213-82
    nontechnical account: Miller 215-100
    spectrum of long period surface waves: Ben-Menahem 204-92
    spherical origin: Hirasawa 208-122
    stress-field variation: Pavlova 206-77
    strike slip faults: Hodgson 205-143
    S-wave data: Stevens 210-154
    synthesis of data: Keylis-Borok 206-76
    tangential stresses in Hindu Kush: Panasenko 211-72
  Mexico 1962: Merino y Coronado 214-67; Zeevaert 209-100
  Montana, 1959: Da Costa 210-134; Fraser 210-125, -129; Hadley 210-130; Hanly 210-132;Jackson 210-127; Marler 210-136; Murphy 210-122; Myers 210-128; Ross 210-124; Scott 210-135; Stermitz 210-131; Stewart 210-123; Swenson 210-133;Witkind 210-120, -121, -126
  Morocco, 1960: Committee of Structural Steel Producers 214-68
  Nevada, piezomagnetic effects: Breiner 212-121
  New Zealand, 1962: Adams 207-47
    1963: Eiby 214-69
  observations, multiple seismic events: Pilant 209-117
    New Jersey: Major 209-134
  parameters of: Gutenberg 204-64
  Peru, 1963: Arnao 213-69
  piezomagnetic effects:Breiner 212-121
  prediction, Japan: Nishimura 205-38; Oliver 212-127; Takada 213-96, 214-82; Tsuboi 205-37
  recognition, statistical discrimination: Booker 213-84
  recurrence: Asada 204-79
  review: Alvarez 207-54; Andrews 206-63; Hodgson 214-74
  sedimentation, nodules on sea floor: Olausson 212-124
  seiches, Texas from Alaskan shock: Donn 213-67
  shock sequences, brittle fracture phenomena compared: Mogi 206-74, -75
  soil modifications: Wright 208-75
  solar activity: Sytinskiy 206-143

Earthquakes—Continued
  source wave forms:Benioff 204-90
  Spain, 1959-62:Fontseré 212-115
    1961: Payo Subiza 208-78
  strain, accumulation and release: Benioff 204-70
  strain release, Chile: Duda 204-61
    function of focal depth:Båth 209-108
  strained region before shocks: Bullen 204-72
  stress changes, strike-slip faulting: Chinnery 204-60
  stress directions, Asiatic-Mediterranean seismic belt:Shirokova 215-93
  stress systems, Rumania: Radu 209-106
  strong, properties of:Housner 204-69
    foreshock regularities: Keylis-Borok 213-86
  technique, instrumental analysis of seismograms: Kirnos 215-120
  theory, comprehensive review: Bullen 211-70
  triggering action, meteorological causes: Bossolasco 210-152
  Tyrrhenian Sea, 1960: Federico 208-80
  U.S.S.R., 1948:Rustanovich 207-44
    1951: Yevseyev 210-147
    1952: Ben-Menahem 204-91
    1955: Yurkevich 210-145
    1956: Yurkevich 210-146
    1957: Kurushin 208-83
    1958: Dzhanuzakov 213-73
    1959: Khovanova 206-68;Misharina 215-94; Rustanovich 206-67
    1960: Vvedenskaya 207-43
    1961: Kuznetsov 212-116;Ragimov 212-117
    1963: Kuznetsov 212-118
    ancient: Khromovskikh 204-55
    Caspian area, 1960, 1961:Tabulevich 215-78
    catalog for 1911-57: Akademiya Nauk SSSR, Sovet po Seysmologii 208-82
    northeastern Baltic shield: Panasenko 215-79
  United States, 1958-60:Carder 206-65
    1961: Lander 214-63
  vibrations, forms: Korf 207-59
  Viet Nam, 1961: Nguyen 207-45
  volcanic, Japan: Minakami 207-358; Motoya 207-357; Wada 207-355; Yoshikawa 207-356
  water-well fluctuations, Georgia: Vorhis 215-102
  weak, recurrence: Suzuki 204-80
  world, 1960: Lotze 207-40
    1961: Due Rojo 206-64; Lotze 207-41
    1962: Due Rojo 212-113;Lotze 211-65
  Yugoslavia, 1963: Mercier 207-42
Earth tides, distant zones, influence of: Bragard 205-67
Earth tides—Continued
  Earth's rotation, friction effect: Pariyskiy 205-41
  forced radial oscillations of the earth: Kato 208-109
  group waves, reduction values: Matveyev 208-113
  harmonic analysis: Balenko 208-111; Carrozzo 205-76; Doodson 205-70; Horn 205-72; Lecolazet 205-71; Matveyev 208-115; Melchior 206-77; Picha 205-75; Rinner 205-73; Zetler 205-74
  instrumental effects: Brein 205-68
    clinograph: Schulze 205-52
    extensometer: Ozawa 205-53
    La Coste-Romberg gravimeter: Jobert 205-57
    natural period dependence on vibration amplitude: Matveyev 208-114
    University of Trieste: Marussi 205-44
    water tube tiltmeter: Tsumura 205-50
  Love numbers: Markowitz 205-42; Pekeris 205-40
  microseisms, origin: Holmes 206-260
  observations, Africa: Steinmetz 205-61
    Belgium: Jones 205-56; Melchior 205-55
    France: Blum 205-43; Lecolazet 205-58
    Germany: Eberhard 212-129; Gerke 205-59; Rinner 205-45
    Italy: Norinelli 205-78
    Japan: Nishimura 205-65; Ozawa 205-54
    Madagascar: Steinmetz 205-61
    New Jersey: Major 209-134
    Poland: Nowak 207-72; Witkowski 205-60
    U.S.S.R.: Dobrokhotov 205-63, 213-214; Dychka 208-110; Ostrovskiy 205-46, -47, -48, -49; Pariyskiy 205-62, -64
    Venezuela: Fiedler 205-66
    worldwide during 1961-63:Melchior 213-115
  ocean tide attraction, Europe: Groten 208-108
  recording, automated gravimeter: Melchior 204-114
    scale coefficient: Pertsev 205-69
    vertical as apposed to horizontal pendulums: Graf 215-125
  research, Germany 1960-62: Wolk 208-172
  residual movements, geologic structure:Tomaschek 208-107
  spectral analysis: Blum 207-70
  stress in Earth, generation: Molodenskiy 213-113
  tidal friction, cosmological implications: MacDonald 215-47

Earth tides—Continued
  variation of vertical inclinometer: Blum 204-113
  viscosity of mantle, effects: Molodenskiy 213-112
  volcanic activity, Japan:Yoshikawa 205-51
Easter Island, isotopes, lead in rhyolite: Patterson 207-221

Egypt, age, general listing:Schürmann 212-21
  age, radiocarbon dates: Ellis 214-15; Smith 215-18
Elastic properties, basalt, India: Balakrishna 210-323
  diabase, high pressure:Pros 208-128
  foundation studies, vibrator techniques: Meisser 208-133, -134; Militzer 208-132
  granular media, total stress-strain relations: Nagumo 212-148
  graywacke, high pressure: Pros 208-128
  greenstones, U.S.S.R.:Khalevin 215-154
  ground, dam sites: Caloi 208-131
  ice, glaciers: Kravtsov 207-170
    sea, biennial and polar: Pounder 211-88
  igneous rocks, Japan: Hayakawa 213-133
  instrumentation: Pros 209-158
  limestone, effect of pore space and saturation: Koefoed 206-90
  measurement technique: Waniek 209-159
  photographic plates: Waniek 209-159
  rocks: Afanas'yev 210-57; Mel'kanovitskiy 211-248;Oberti 212-335; Polevoy 209-179; Pros 209-158; Sychev 208-129; Ushakov 212-184
  sedimentary rocks, anistropy:Giesel 208-130
    U.S.S.R., Kenkiyak Range:Paliyev 213-132
  serpentinite, U.S.S.R.: Shapoval 209-171
  snow, stress wave propagation: Napadensky 213-130
  ultrabasic rocks, U.S.S.R.: Afanas'yev 212-147
  visco-elastic solids, forced vibration method: Lee 213-128
    vibration of sphere: Lee 213-129
Elastic waves, amplitude, depth of submarine explosion: Grinda 206-89

  amplitude, depth of submarine explosion: Grinda 206-89
    near critical point: Červený 209-162, 213-121
    reflected from M-discontinuity: Červený 213-120

Elastic waves—Continued
  amplitude—continued
    spherical compressional waves: Červený 207-88
  anisotropic, theory of propagation: Kraut 205-79
  attenuation, basic principles: Gurevich 210-199
    brittle and soft rocks: Hsü 215-144
    diabase and graywacke:Klíma 215-137
    frozen sand: Antsyferov 215-139
    granite: Knopoff 206-91; Molotova 211-82
    industrial explosions: Zhalkovskiy 204-122
    marble and granite: Mereu 212-143
    method of measuring:Klíma 209-160
    perforated-plate model: Gil'bershteyn 209-168
    porous media: Wyllie 207-90
    rock salt: Zhadin 207-94
    standard linear solid: Meidav 212-132
  body, refraction surveying: Shcherbakova 206-300
  circular cylinder, thermal field: Suhubi 212-140
  converted reflected, medium with velocity differentiation:Berzon 211-84
  crust-mantle model, higher surface waves: Kovach 209-138
  cyclindrical pulse, infinite elastic medium: Shima 213-123,214-99
  delayed explosions, reduction in seismic effect: Kirillov 215-140
  diffraction, strip with weak boundary conditions: Ang 215-127, -128
  dilatational, two-dimensional model: Kisslinger 204-119
  dispersion, cylindrical crustal layer: Bhattacharya 207-85
    inhomogeneities: Knopoff 212-134
    liquid medium: Takeuchi 208-166
    standard linear solid: Meidav 212-132
  displacement from point source, computer analysis: Berg 213-118
  dynamic equations, reciprocity principle: Babich 210-193
  dynamic interpretation: Gel'chinskiy 210-189
  dynamic parameters, axially symmetrical medium: Gel'chinskiy 210-191
    diffracted waves: Davydova 211-79, -80
  dynamic theory, wave fields: Smirnova 210-192
  elastic-viscous medium, ray method Chang 215-145
  energy, nuclear explosions: Berg 215-133

Elastic waves—Continued

- equations of motion, homogeneous bodies: Usami 211-86
  - uncoupled: Alverson 204-116
- explosion-generated, parameters: Aptikayev 215-142
- first motions, model studies: Pfluke 209-146
- focal mechanism, spherical origin: Hirasawa 208-121
- fracture, radiation from: Savage 206-93
  - velocity of: Savage 211-87
- frequency analysis, velocity gradient: Nakamura 209-137
- frequency response of rocks, internal friction:Attewell 215-135
- frozen ground, thickness measurement while sinking shafts by freezing method: Frolov 209-173
- Green's function, two-dimensional half space: Herrera 215-131
- G-type, generation: Bose 206-78
- head, amplitude near critical angle: Donato 209-154
  - model study: Ivanova 211-81
  - two half spaces separated by thin layer: Krauklis 210-195
  - vertically layered models: D'yachkova 213-127
- ice-solid interface, reflection and transmission coefficients: Roethlisberger 215-134
- ideal solid: Valle 210-188
- infinite slab, forces applied on cylindrical cavity: Roy 207-84
- infinite visco-elastic Maxwell medium:Bessonova 206-88
- intensity, reflected and head waves in models: Ivanova 211-81
- inverse problem, grapho-analytical solution: Ozerov 210-190
- irregular interface, computer program for behavior:Schlesinger 212-138
- isotropic medium, spherical and cylindrical cavities: Malikov 215-138
- isotropic surface layers:Fyn 210-198
- Lamb's problem, inhomogeneous medium: Karlsson 204-115
- **leaking modes**, propagation waveguide: Gilbert 213-116
- longitudinal, layered mediums: Yepinat'yeva 206-86
- Love, crust with boundary irregularities: Obukhov 213-122
  - dispersion in single layer:Gupta 207-77
  - half space with hyperbolic surface layer: Takahashi 210-184
  - multilayered elastic isotropic medium: Harkrider 210-163
  - nonhomogeneous interval layer: Dutta 207-78

Elastic waves—Continued

- Love waves—continued
  - propagation: Dutta 209-155
  - transmission and reflection at a corner: Hudson 207-73
- mine bursts, seismic effects: Medvedev 209-169
  - seismoacoustic processes: Komstantinovka 214-93
- model studies, cement-sand mixtures: Kravets 210-202
  - effect of bonding of layers:Toksoz 212-142
  - elastic plate in liquid:Rosenbaum 212-141
  - fault in plexiglas: Ten 213-126
  - head waves on refracting layer: Gil'bershteyn 213-125
  - M-discontinuity simulated: Nakamura 209-136
  - multicomponent gels:Vanek 212-144
  - perforated layers:Gil'bershteyn 207-93
  - sloping interface: Kuo 205-85
- motion synthesis, first arrivals: Pollack 204-120
- nonstationary distribution, geometrical shadow area: Molotkov 210-196
- nuclear explosions: Ryall 204-207
  - GNOME project: Dyk 204-124
  - Novaya Zemlya-Delhi path: Tandon 206-94
  - oscillatory character: Rocard 210-206
- P-waves, traveltimes in United States: Lehmann 209-119
- P- and S-waves, explosions in rectangular cavities: Gupta 215-132
  - particle trajectory, linear time scale: Shugart 210-186
  - period, two-layered model:Hamada 209-167
  - physical properties of rocks, determination of: Singh 206-92
  - P_n phases, nuclear explosions:Stepp 212-149
  - pressure type, piezophotographic measurement: Vaniyek 214-95
  - probability distribution: Volodina 210-340
  - propagation, basic principles: Gurevich 210-199
    - double and single layer media: Novotný 209-163
    - fluid sphere:Alterman 210-182
    - Karal-Keller theory:Lang 212-137
    - liquid-filled porous solids: Deresiewicz 209-141. -142. -143
    - medium with orthorhombic symmetry: Stoneley 209-153
    - multi-layered medium: Knopoff 209-144
    - position of blasting charges: Dvořák 214-97
    - short period signals:Bhattacharya 207-80

Elastic waves—Continued
  propagation—continued
    small-perturbation theory:Herrera 215-126
    unconsolidated unsaturated granular media: Brutsaert 207-89
  quarry explosions, spectral energy: Frantti 204-121
  radiation pattern, point source in multi-layered medium: Haskell 209-140
  Rayleigh, displacement potential: Tazime 209-165
    excitation by atmospheric nuclear blast: Toksöz 210-203
    explosion in a half space: Gupta 210-183
    heterogeneous medium: Mal 210-187
    incident at a corner: Hudson 207-74; Pilant 207-75
    multilayered elastic isotropic medium:Harkrider 210-163
    stratified double layer: Ohta 208-119, -120
    velocity anisotrophy:Sima 213-135
    wave dispersion curves:Rosenbaum 213-119
  reflected, critical point: Červený 207-87, 209-161
    model study: Ivanova 211-81
  ripple-fired explosions, energy spectrum: Frantti 208-135
  rock salt, nuclear explosions:Dickey 213-137
  rocks saturated with liquid: Petkevich 213-131
  sandstone, hydrostatic pressure: Dobrynin 207-140
  sedimentary rocks, effect of porosity: Petkevich 209-172
  shape of wave trace,model study: Parkhomenko 211-78
  shear, liquid-solid boundary: Donato 208-127
    sedimentary rocks under pressure: Gregory 205-83
    seismic exploration: White 206-296
  short and long spans, shallow explosions: Tazime 213-136
  SH-waves, attenuation before cut-off frequency: Pěč 214-96
    diffraction at obtuse-angled corner: Sato 209-164
    elastic medium containing a thin layer: Krauklis 210-197
  singing, model experiment:Rosenbaum 212-141
  snow, dynamic response:Napadensky 213-130
  sound pulses, semi-infinite stratified medium: Mishra 211-85
  source in frozen lake: Pollack 204-120
  spherical, aperiodic solutions: Hirasawa 213-117
    focal mechanism:Hirasawa 208-122

Elastic waves—Continued
  spherical—continued
    inhomogeneous fluid: Keylis-Borok 206-87
    reflection at plane interface: Hron 209-157
    reflection at weak discontinuity: Červený 207-86
    simple locking medium: Hanagud 210-185
  spherical surface, phase angles: Sato 206-79
  stress field, edge of elastic wedge: Karal 212-136; Karp 212-135
  surface, dispersion curves for five Earth models:Takeuchi 209-166
    dissipation factor: Hirasawa 208-123
    phase and group velocities: Glasko 213-314
    radiation patterns: Ben-Menahem 212-131
  surface displacement, point source in half space with layer: Mitra 204-117
    tangential stress on elastic half-space: Nag 212-139
  SV, amplitude, energy, and phase angles: Costain 204-118
  S-waves, scattering amplitude: Chan 214-98
  torsional, homogeneous elastic spheroid: Usami 213-124
    radially heterogeneous sphere: Sato 208-125
  underwater explosions, scaling laws: Burkhardt 215-136
  vector equations, method of potentials: Hook 212-133
    separation: Hook 205-80, -81
  velocity, anisotropy in layered formation: Merritt 211-278
    density of rocks:Berezkin 211-300
    diabase and greywacke at high pressure: Pros 208-128
    dry and saturated clastic rocks: Molotova 214-94
    dunite and granite of Japan: Hayakawa 213-133
    effect of uniaxial compression at high pressure: Volarovich 214-92
    fluvial deposits: Yoshida 205-84
    frozen sand: Antsyferov 215-139
    high pressures: Simmons 209-149, -150
    high pressures and temperatures: Hughes 213-134
    mean atomic weight of medium: Murty 211-89
    modern marine sediments: Hamilton 205-348
    pulse method of measurement: Viswanathan 212-146
    refraction, correlation method: McCamy 209-148

Elastic waves—Continued
velocity—continued
relation to gravity anomalies: Press 214-137
rock samples of various kinds: Volarovich 215-141
soil, function of moisture content: Brutsaert 209-145
ultrabasic rocks at high pressure: Afanas'yev 212-147
ultrabasic rocks from Japan and India: Hayakawa 212-145
vertical sources, transversely isotropic medium: Uspenskiy 210-194
wave fronts, two-dimensional solid models: Berckhemer 208-126
wave guides, model studies: Khorosheva 215-143
Elasticity, acoustic loss factor, rocks: Weston 209-156
dispersion of marked material, shattered zone: Čermák 207-91
Earth model, varying elastic parameters: Pan 207-83
elasto-dynamics, integral representations: Banaugh 215-130
energy dissipation, dislocations: Bhattacharya 207-95
equation of equilibrium, homogeneous and isotropic medium: Usami 208-124
faulting, distribution of dislocations: Weertman 215-129
instrumentation, seismoscope: Obukhov 211-83
particle motion, halite in nuclear explosions: Weart 204-125
SH type motion, stress discontinuities: Sarker 207-79
shock pressure in rocks, Hugoniot equation of state: Chabai 205-82
snow, Antarctica: Ramseier 205-346
surface displacement, cylindrical impulsive source: Mitra 207-82
unconsolidated rocks, acoustic characteristics: Koptev 209-170
Electrical exploration, airborne, electromagnetic methods: Dayev 204-128
airborne, horizontal strata by induction method: Shaub 212-162
infinitely long cable method: Cheremenskiy 206-101
model experiment: Gaur 210-213
various geometrical bodies: Shaub 206-97
analytical continuations: Strakhov 214-100
charged potential model studies: Braekken 210-211
comprehensive review: Tarkhov 210-210
conductivity of solids, pressure effects: Lacam 214-107
cross ring system, method described: Braekken 204-108

Electrical exploration—Continued
curvilinear profiling: Smol'nikov 210-215, 213-143
dipole fields, horizontal and vertical interfaces: Yershov 211-92
dipole profiling, model study: Zakharov 206-99
direct current, instrumentation: Li 206-107
electrical sounding, use of term: Gay 212-151
electrode array, nomogram for arbitrary set-up: Gaman 213-142
electromagnetic waves, propagation over mixed boundaries: Sato 208-142
resonance threshold: Kotyuk 208-137
stratified media: Wait 207-96
thin-layered mediums: Berdichevskiy 204-131
electropotential method, boreholes in ore bodies: Mareš 207-103
engineering geology: Yashchenko 205-92
field build-up: Van'yan 213-141, 215-148
computer method: Frolov 211-91
foundation surveying: Yang 206-106
fractured reservoirs, oil: Smekhova 208-149
fracture zones, combined methods: Gerasimov 208-140
frequency-modulated fields: Kondratenko 211-93
frequency sounding, graticules: Van'yan 208-139
glavanic currents, localization of uranium veins: Pelymskiy 205-89
glaciers, impedance potentiometer: Chaillou 212-155
gradient method: Bunin 210-216
ground water, semi-arid areas: Morris 214-111
horizontal dipole, electromagnetic fields: Wait 204-126
inclined interface: Hladik 212-160
induction, circular loop of earth-air interface: Kosenkov 214-105
effect of surrounding zone: Kaufmann 204-129, -130
elliptically polarized field: Mizyuk 211-90
excitation and decay in capillary mediums: Kormil'tsev 214-104
harmonic dipole at surface of multilayered medium: Van'yan 214-101
single-aircraft method: Kuzovkin 214-103
variable frequency: Hallof 207-99, 212-150
instrumentation, compensating device for potential studies: Granar 210-217

Electrical exploration—Continued
instrumentation—continued
interference-resistant apparatus: Gurevich 212-165
layers with sinusoidal interface: Mann 215-70
loop antenna field: Bhattacharyya 215-146
marine, U.S.S.R.: Popov 211-101
methods, review: Fritsch 206-95
mining, general review: Baijal 212-154
multielectrode set-ups: Sapuzhak 208-141
multilayered medium, field of frame and cable: Gel'fand 204-127
pegmatites, mica content: Iordache 213-151
permafrost, heat introduced: Fedorovich 211-95
potential-drop-ratio method, curves: Teisseyre 206-96
proximity prospecting, theory: Kohonen 212-156
radio-absorption method: Kašpar 207-100
radio wave profiling, single borehole or mine working: Kovalenko 206-102
radio wave reflection method, oil and gas: Kalitiuk 211-97
resistivity, archeology: Clark 215-149
areas with thick alluvium: Hsiung 206-104
asymmetrical Schlumberger configuration: Fernandez 209-180
buried cylinder: Yoshizumi 213-146
calculation of standard graphs: Van Dam 214-110
circular cylinder: Krajcovic 212-159
coal deposits: Masszi 207-101
computer interpretation: Uryson 205-91
Eltran electrode configuration: Seward 207-98
finite grounded cable: Veshev 207-105
formation characteristics: Sarma 207-97
gradient apparatus:Komarov 207-107
ground water: Carpenter 209-181; Flathe 213-138
horizontally layered earth:Onodera 212-158
interpretation: Fu 206-105
jointed rock: Goryunov 213-140
linear superposition: Unz 212-153
multiple layered earth:Onodera 213-145
oil and gas: Gumarov 211-94
point source and inclined boundary: Sakharnikov 207-106
spherical body in infinite space: Krajčovič 209-174

Electrical exploration—Continued
resistivity—continued
thickness correction by Q-meter: Brown 212-152
two-story aquifers: Flathe 208-136
rotating magnetic field method, application in the U.S.S.R.: Lyubavin 206-98
saline deposits, Bessel-Louville functions: Covarrubias 214-109
self-potential, gneisses lacking sulfides: Katsube 212-157
metallic ore deposits: Zabelli 210-214
ore deposits: Auzin 207-108
sulfide deposits:Sveshnikov 207-109
supergene processes: Sveshnikov 207-109
spherical ore body, optimum loop dimensions: Kochanov 206-100
statistical analysis, ore deposits: Demidovich 214-106
random errors: Frolov 208-138
three-dimensional bodies, interpretation: Alfano 211-96
transient field method: Kamenetskiy 207-104, 212-167; Van'yan 209-175, 212-164; Zagarmistr 206-103
transient field method, basement relief: Fel'd 205-90
direct and inverse problems: Khomenyuk 214-102
integral characteristics:Khomenyuk 212-163
tripotential prospecting method: Rao 210-212
underground, karst regions: Smol'nikov 213-144
U.S.S.R.: Dobrovol'skiy 209-178; Zaboroviskiy 204-134
vertical dipole, homogeneous half space with spherical cavity: Faldus 207-102
vertical electrical sounding, field tests: Ono 214-113
interpretation:Dzhafarov 204-132
inverse problem: Belelovskiy 207-111
permafrost: Dobrovol'skiy 209-176; Toritsyn 213-139
thermal waters:Paparov 212-161
three layer curves:Kukuruza 207-110
Electrical logging, acoustic logging, comparison:Trujillo 207-133
anomalies, metallic "fish" in boreholes: Johnson 206-116
calculation of field, approximate method:Kaufman 215-151
caliper logs, borehole volume: Ivankin 211-123
carbonate rocks: Afrikyank 205-100, 207-123; Pestrikov 207-117; Shcherbinin 209-190

Electrical logging—Continued
- coal deposits, accuracy:Shubalkin 212-171; Stepanov 208-145
  - ash content: Popov 211-107
  - methods: Grechukhin 205-108, 207-114
  - recognition of igneous rocks: Konior 212-170
- collar sondes, parameters: Al'pin 208-147
- computer analysis: Gans 206-111; Gordon 209-186; Guberman 211-102; Horn 206-113;Matuszak 206-112; Moran 209-185
- drilling mud, effects of: Lehnert 208-144
- fundamentals: Wyllie 209-182
- gas storage reservoirs:Ellanskiy 207-127; Kholin 207-126
- gas wells: Dakhnov 207-116
  - carbonate rocks:Yudkevich 207-124
  - combined methods:Popov 207-120
  - yield evaluation:Popov 207-121
- greenstones, U.S.S.R.: Khalevin 215-154
- ground water: Patten 212-175
  - direction of flow in single hole: Borowczyk 211-116
  - movement of fluids: Ineson 211-115
- India, single-electrode logs: Chaterji 212-169
- induction, automatic regulation: Shcherbakova 207-130
  - effect of coil diameter:Kaufman 211-106
  - effect of finite dimensions of the pick-up: Kaufman 215-152
  - field calculation: Kaufman 213-154
  - geometric factor:Zenor 209-183
  - inverse filtering: George 208-143
  - parasitic capacitance in circuits: Plyusnin 206-119
  - permeability and specific surface: Dakhnov 206-121
- instrumentation, Chinese resistivity sonde: Yang 205-111
  - dismountable apparatus:Sokhranov 211-108
  - high resistivity rocks: Irbe 207-128
  - parameters of logging cables: Gorbenko 211-110
  - Russian portable:Rudnev 207-129
- interpretation, magnetic tape and computer applications:Oilweek 213-160
  - multiple curves: Glanville 206-114
- iron deposits: Iordache 213-304
- lateral logging, leaching effects: Dvorkin 213-155
- microsonde, coal deposits:Gryzlov 206-123
- mud additives, resistivity effects: Johnson 209-187
- offshore exploration: Leenhardt 206-118

Electrical logging—Continued
- oil shales, evaluation: Bardsley 212-168
- permeability, determined from resistivity:Yakubov 213-152
- porosity, Bolivia:Guardia Romero 210-207
  - effect of clay content: Dakhnov 207-119
  - jointed rocks: Nechay 213-156
  - resistivity and dielectric constant: Polevoy 209-179
- recent developments as of 1963: Doll 214-114
- resistivity, anisotropy method for thickness:Latyshova 207-125
  - carbonate rocks:Vendel'shteyn 205-105
  - compared with core analysis: Gauntt 206-117
  - drilling mud properties: Wang 209-188
  - electrode spacing: Zalutskiy 211-109
  - formation resistivity:Huang 206-122
  - gas-bearing rocks: Afrikyan 207-118
  - infiltration zone:Shurman 211-104
  - inverse problem: Kulinkovich 209-189
  - layers of limited thickness: Neyman 205-101
  - masking effects: Zhuravlev 211-111
  - permeability determination:Pirson 206-115; Yakubov 211-103
  - porosity: Wells 209-184
  - Russian EP-1 sonde: Feng 206-124
  - time factor in interpretation: Dakhnov 205-97
  - water in argillaceous rocks: Dakhnov 205-98
  - water-oil interface: Latyshova 205-99
- review: Andersen 204-135
- self potential, construction of U_{SP} curves: Neyman 205-103
  - pH of flushing fluids: Miroshnichenko 205-96
  - porosity: Leont'yev 205-102
- shielded electrodes: Kulikova 205-107; Sarkisov 205-104
- stresses on cable in bent wells: Dakhnov 205-106
- surface conductivity, useful parameter: Kutas 213-153
- surveys, China, ore deposits: Ore Logging Test Staff of the Geophysical Research Institute of the Geologic Bureau (China) 205-112
  - Czechoslovakia, Danubian:Dlabac 209-191
  - Louisiana: New Orleans Geological Society 205-110

Electrical logging—Continued
  surveys—continued
    Oklahoma: Gauntt 206-117; Planalp 205-109
    U.S.S.R.: Agamaliyev 208-146; Dem'yanovskaya 208-148; Kondrat'yeva 212-174; Liadze 211-105; Miridzhanyan 206-120; Moiseyenko 211-113; Ostrovskiy 207-115; Patsevich 204-136, 210-209; Popov 207-120; Romanov 211-112, 212-173; Shubalkin 212-171; Shurman 211-104; Skopichenko 212-172; Steplenko 210-208; Ulizlo 207-131; Vitenko 211-114
    United Arab Republic: Zeydan 207-132
  thickness determination, resistivity and SP: Vendel'shteyn 207-122
  United States, review as of 1964: Doll 215-150
  water wells: Zublin 214-115
Electrical properties, boracites, dielectric constants at phase transformations: Ascher 210-222
  carbonate rocks, U.S.S.R.: Koposov 205-115
  granite, high water vapor pressure: Lebedev 211-118
  metamorphic rocks, U.S.S.R.: Mikhaylova 208-151
  olivine: Bradley 204-137
  permafrost: Dobrovol'skiy 209-194
  pyrite, Tasmania: Hill 205-113
  resistivity, effect of over-burden pressure: Dakhkil'gov 215-147
    effect of unilateral pressure: Moiseyenko 209-192
    methods of measurement: Grigor'yeva 205-114
  rocks, high temperature and pressure: Moiseyenko 208-150, 209-193; Parkhomenko 214-116
    U.S.S.R., Central Asia: Mel'kanovitskiy 211-248
    viscous polarization: Hervás Burgos 206-149
  sedimentary rocks, U.S.S.R., Carpathian foreland depression: Ulizlo 210-221
  spinel: Bradley 204-137
  supergene deposits, electrical factors in genesis: Sveshnikov 207-109
  thermoelectricity, ilmenite: Frantsesson 204-138
  variation with age of mineral: Zakirova 211-117
Electrical surveys, Bulgaria, coal: Pichtalov 210-220
  China, copper deposits: Wu 206-110
    railroad lines: Liu 205-95
  Denmark, ground water: Dinesen 211-97
    Snoldelev area: Latmiral 213-150

Electrical surveys—Continued
  Finland, marble using resistivity: Metzger 210-218
  France, ore deposits: Aubert 207-112
  Germany, peat bogs: Schuch 205-93
  Greece, copper deposits: Zachos 206-109
  India, brine deposits: Kailasam 205-94
  Italy, ground water: D'Ambrosi 206-108; Vecchia 211-100
  Japan, ground water: Homma 214-112
    Hida gneiss district: Katsube 212-157
    landslide areas: Takada 213-148
    lead-zinc deposits: Takashima 213-147
    Tamagawa hot springs area: Kondo 209-358
  Korea, Dalsung tungsten mine: Lee 213-149
  Maine, sulfides: Doyle 204-284
  Mexico, salt deposits: Covarrubias 214-109
  Minnesota, iron deposits: Frischknecht 205-88
  U.S.S.R., Astrakhan district: Fel'd 205-90
    Azov Sea: Popov 211-101
    Crimea: Sollogub 211-313
    Karelia: Lyubavin 206-98
    Kazakh S.S.R.: Auzin 207-108
    permafrost areas: Dobrovol'skiy 209-177
    platform areas: Van'yan 212-164
    Turkmen S.S.R.: Gumarov 211-94
    Ukranian shield: Antonyuk 212-166
  United Arab Republic, ground water: Cotecchia 207-113
  Utah: Erickson 212-289
  Wisconsin, iron deposits: Frischknecht 205-88
Elements, origin: Frank-Kamenetskiy 208-29
El Salvador, seismicity: Boletin Sismológico del Servício Geológico Nacional de El Salvador 205-31
England, age, general listing: Fitch 204-18
  age, glauconite: Allen 212-22
    granites: Brown 215-20
    igneous rocks: Meneisy 210-11
    radiocarbon dates: Perrin 211-15
    slates: Dodson 210-12
    uranium minerals: Bowie 205-8
  earthquakes, 1963: Key 209-101
  geophysical surveys, Upton borehole: Bullerwell 205-118
  heat-flow, mineral exploration in Cornwall: Wheildon 213-217
  magnetic surveys, Acklington dyke: Robson 214-260
  paleomagnetism, archeological dating: Aitken 210-314
    Devonian: Chamalaun 211-250

England—Continued
  radioactivity, sedimentary rocks: Spears 212-300
  seismic surveys, continental shelf on west: Bunce 215-344
    Teifi valley: Francis 214-299
English Channel, submarine geology, Pluteus Trench: Boillot 207-347
Europe, age, galena: Eberhardt 207-17
  age, igneous and metamorphic rocks: Faul 207-18
  crustal movements, isostatic anomalies: Artem'yev 212-196
  earth currents, surveys: Wiese 208-56
  geodesy, Giessen-St. Gotthard-Brissago geoid profile: Draheim 215-162
  geotectonics, review: Smirnov 214-134
  gravity surveys, airport network: Grossmann 215-204
    base networks: Gantar 205-186, 206-179; Kneissel 205-187, -188, 215-202, -203; Solaini 205-185; Wolf 213-211, 215-205
    calibration systems: Honkasalo 212-224; Marzahn 211-159
  leveling network, recent elevation changes: Wolf 215-163

F

Faulting, Alaska, Chatham Strait fault: Lathram 210-234
  California, San Andreas fault: Hill 204-167; Paschall 204-166
  continental margins, radioactivity in crust and mantle: MacDonald 207-212
  diamond-bearing rocks, geotectonics: Bardet 213-177
  distribution of dislocations: Weertman 215-129
  earthquakes, induced by shaking motion: Pierce 205-39
  fracture theory: Nadai 204-342
  global systems, zonal rotation in subcrust: Gilliland 213-170
  horizontal shear stress: Chinnery 211-127
  stress changes: Chinnery 204-60
  transcurrent, circum-Pacific area: Benioff 205-144
Fiji Islands, seismicity: Suyehiro 214-72
Finland, age, bog profiles: Salmi 208-15
  age, orogeny: Hart 208-5
    radiocarbon dates: Hyyppä 214-16
  geodetic networks: Kukkamäki 204-155
Florida, geophysical surveys, summary for 1962: Babcock 212-176
Folding, flow type, mechanics of: Wynne-Edwards 205-345
  model study, centrifuged models: Ramberg 213-178
Fracturing, mechanism, irreversibility phenomena: Poncelet 215-353
  porosity, oil reservoirs: Drummond 215-354
  shear, velocity: Mansinha 209-139
  velocity, elastic waves: Savage 211-87
France, age, igneous and metamorphic rocks: Roubault 212-23
  age, pitchblende, Gordolasque tunnel: Geffroy 209-15
    prehistoric industries: Cailleux 215-19
    radiocarbon dates: Henri-Martin 212-24
  crust, thickness: Perrier 207-331
  earth currents, surveys: Fatemi 207-37, -38, 208-57
  earth tides, observations: Blum 205-43; Lecolazet 205-58
  electrical surveys, ore deposits: Aubert 207-112
  gravity surveys, ore deposits: Aubert 207-112
  isotopes, oxygen, Nummulitic deposits: Allègre 208-239
  magnetic surveys, Langres Plateau: Weber 210-322
  meteorite craters, Cabrerolles and Faugeres craters not meteoritic: Beals 212-85
  paleomagnetism, time scale: Roche 212-275
  radioactivity, lavas: Cheminée 212-301
    waters of precipitation: Bibron 208-285
  seismic exploration, interpretation center: La Revue Pétrolière 212-318
  seismic surveys, Forez Hills: Perrier 207-331
    Hérault-Causses volcanic field: Allègre 207-332
    Paris Basin: Delaplanche 204-328
    submarine off Marseille: Leenhardt 207-333
Franz Joseph Land, age, radiocarbon dates: Grosval'd 207-19
French Equatorial Africa, electrical surveys, North Chad: Abadie 211-98
French Guiana, age, metamorphic rocks: Choubert 209-9
French Polynesia, tsunamis, May 1960: Vitousek 208-62

G

General: Ab 205-127
Geoactivity, definition: Afanas'yeva 208-246
Geodesy, base networks, Finland: Kukkamäki 204-155
  deflection of the vertical, calculation: Campbell 206-140; Monin 204-153

Geodesy—Continued
deflection of the vertical—continued
gravity anomalies: Kolmogorov 208-177
large hydrotechnical constructions: Yelagin 215-161
distance of Moon: Fischer 210-232
disturbing potential, calculation: Brovar 207-149
equilibrium figures, outer space potential: Ledersteger 204-151
Europe, Giessen-St. Gotthard-Brissago geoid profile: Draheim 215-162
reference ellipsoid corrections: Burša 207-147
free air anomalies, topographic effects: Kivioja 213-163
fundamental problems:Zhongolovitch: 205-136
geodetic coordinates, satellite determination: Burša 213-169
geoid computation, Molodenskiy's formula: Burša 214-127
geopotential heights, Germany: Wernthaler 208-170
GM, terrestrial and astronomical values: Rabe 205-140
gravitational potential, satellite measurement: Kozai 205-132
gravity points, admissible spacing: Ramsayer 206-142
Helmert, Vignal, and mean elevations: Bodemüller 215-191
Helmert's treatise on, Russian translation: Gel'mert 204-150
International Union meeting, Berkeley, 1963: Moritz 210-231
interpolation grids: Kazinskiy 208-178
Jordan-Eggert handbook, English translation: Carta 204-149
Molodenskiy's boundary problem: Brovar 208-176, 213-165
physical, Germany 1960-62: Wolk 208-172
point gravity anomalies, interpolation: Moritz 208-187
reference ellipsoid, satellite determintaion: Burša 207-146
research summaries, Germany: Sigl: 208-171
satellite and physical compared: Heiskanen 205-137
satellite measurements: Air Force Cambridge Research Laboratories 206-141; Cotcher 207-145; Kaula 204-154, 205-135; Newton 211-124; Zhongolovich 212-188
standard base lines: Heiskanen 208-173

Geodesy—Continued
Stokes' theory, attempts at improvement: Molodenskiy 205-138
Sweden, operations during 1960-62: Asplund 209-201
torsion balance, applications: Mueller 213-164
triaxial ellipsoid, conversion to another: Pick 213-166
vertical gradients, measurement: Bodemüller 206-139
zonal harmonics, decaying satellite orbits: Michielsen 205-134
values compared: King-Hele 205-133
Geoid, astrogeodetic: Fischer 205-139
determination: Wolk 208-172
ellipsoidal triassic form: Bonifacino 208-174
undulations, caused by undulations on core surface: Egyed 213-237
meteorite in mantle: Lagrula 207-144
Geologic thermometry, quartz, orientation: Sobolev 211-183
Geophysical exploration, airborne, quality evaluation: Shilin 210-227
airborne, rare-metal deposits:Korchagin 212-182;Ostrovskiy 212-181
Antarctica, international program: Gould 215-153
bauxite, U. S. S. R. : Uspenskiy 204-141
computer applications: Bondarenko 210-230; Dobrin 208-162; Van Melle 215-155
directional analysis of isolines, apparatus: Pešina 209-200
engineering problems: Militzer 206-134
function of two variables, calculation: Mosetti 206-133
future possibilities, 1964 review: Cram 208-159
general: Morelli 209-199
geodetic analogy, invalid: Butakov 213-159
geological surveying, coordination: Bronguleyev 212-183
glaciers, sounding experiments: Evans 205-126
horizontal derivatives, profile observations: Malovichko 211-121
information theory: Dobrin 208-162
interpolation grids: Kazinskiy 208-178
interpretation, general discussion: Gaskell 212-179
methods, brief review: Ku 206-136
mineral exploration in Brazil: Branco 212-180

Geophysical exploration—Continued
  mineral resources, airborne methods: Domzalski 210-226
  ore deposits, coordination with geological exploration: Hsü 206-138; Huff 207-142
  petroleum, methods reviewed, 1962: O'Donnell 207-141
  probabilistic methods: Kyrala 208-161
  profit-to-risk ratios: Rummerfield 212-178
  radiogenic tie measurements: Genkin 206-135; Pashkin 207-139
  rare-metal ores: Hsia 206-137
  research aspects, China: Ku 205-129
  review for 1955: Dobrin 205-121
  statistical analysis: Demidovich 208-163
  status in 1963: Morelli 206-132
  Sweden, methods and apparatus: Katskov 205-120
  U. S. S. R., 1956: Krasulin 205-131
    ore deposits: Sharkov 205-130
  vertical gradients related to horizontal gradients: Starostenko 210-229
Geophysical logging, instrumentation, utilization: Migunova 211-122
Geophysical research, Arctic: Sater 207-136
  Canada, programs in seismology and physics of Earth, 1961-62: Hodgson 215-156
  competence, presidential address: Hollister 208-158
  computer retrieval of data: Weber 214-124
  Czechoslovakia, International Geophysical Year: Svoboda 205-125
  general, present status of scientific endeavor: Brant 215-160
  Germany, laboratory work: Lebedev 210-228
  International Geophysical Year, review: Sullivan 207-137
  International Geophysical Year Data Center A, catalog of data: U. S. Coast and Geodetic Survey 214-123
  Italy, historical review: Caloi 213-162
  literature research, computer programs: Weber 214-124
  space craft launched during 1963: International Geophysical Bulletin 215-159
  supporting organizations: McEuen 208-160

Geophysical research—Continued
  U. S. S. R., Soviet Geophysical Committee: American Geophysical Union Transactions 204-147
  Year of the Quiet Sun International calendar: Shapley 205-124
Geophysical surveys, 1962, review: Smith 206-126
  Africa, review: Dixey 209-196
  Antarctica; Crary 204-143, 207-135; Eklund 210-224; Giaever 210-225; Griffiths 204-142
  Borneo, offshore exploration: Brunei Shell Petroleum Company, Ltd. 214-120
  California, Great Valley: Hughes 204-139
  Canada, ground water: Lennox 208-153
    review for 1963: Jenness 208-152
  Chile, oil in Central Valley: Katz 208-155
  China, ore deposits: Hsia 205-122
  Colorado, Malachite Mine: Huff 207-142
  Czechoslovakia, Pitiská Nížina: Beránek 214-118
  England, Upton borehole: Bullerwell 205-118
  Florida, summary for 1962: Babcock 212-176
  Germany, stone for quarrying: Särchinger 206-127
  Ghana: Cudjoe 213-157
  Great Britain, 1961: Bullerwell 205-117
  India, Karakorum glaciers: Desio 208-157
  Indian Ocean: Loncarevic 208-358
  Jamaica: Jamaica Geological Survey 209-195
  Japan, oil and gas exploration: Government of Japan 214-121
  Mexico, La Venta field: Villagómez Aguilera 208-154
  Red Sea: Drake 214-119
  South Africa, 1962: Truter 214-117
  Spain, 1962: Instituto Geológico y Minero de España 205-119
  U. S. S. R., Armenian S. S. R.: Akopyan 212-177
    Belorussian S. S. R.: Bondarenko 210-223
    Carpathian foreland depression: Gontoviy 209-197
    Chu—Saray-Su: Sargaskayev 213-158
    East European platform: Gafarov 206-128
    Kamchatka Peninsula: Rivosh 208-156

Geophysical surveys—Continued
  U. S. S. R. —continued
    Kazakh S. S. R. : Morozov 209-198
    Lenkoran Region: Tsimel'zon 211-119
    ore deposits: Kiselev 206-130
    Pechenga structural zone: Tsiryl'nikova 206-129
    review: Krasulin 206-131
    Tatar A. S. S. R. : Sitdikov 207-134
    Ural folded zone: Khat'yanov 204-140
Geophysics, education program, status and trends: Fleagle 215-158
  unity of the science: Berkner 215-157
Georgia, radioactivity, granite: McCormick 212-299
Geosynclines, evolution: Muratov 206-151
  folding phases: Azhgirey 205-148
Geotectonics, Africa, shield development: Rocci 211-131
  alkalic magmas, generation controlled by crustal warping: Bailey 209-202
  Appalachians, role of basement: Woodward 209-205
  Appalachian-Ouachita-Oklahoma Mountains, mechanism: Tanner 206-144
  block mountains, structure: Volin 207-157
  Canada, basement in Appalachians: Howie 206-145
  catastrophic phenomena: Niini 204-162
  centrifugal force, stress fields: Dolitskiy 207-156
  China, fundamental problems: Ma 206-154
    Kansu Corridor: Yu 213-189
    tectonic zones: Wu 215-182
  circumpacific belt, compression and tension zones: Girdler 214-131
  continental drift, convection in mantle: Chamalaun 205-147; Vening Meinesz 205-146
    fracture theory: Nadai 204-342
    Iceland: Bödvarsson 209-207
    internal expansion of Earth: Heezen 205-149
    magnetic evidence: Vacquier 205-145
    orogeny: Chadwick 205-148
    Pacific and Atlantic Ocean floors compared: Gaskell 205-151
    paleoclimatic evidence: Opdyke 205-142
    paleomagnetic evidence: Runcorn 205-142
    Philippines and Borneo: Fitch 205-157

Geotectonics—Continued
  continental drift—continued
    review: Wilson 205-152
    sea floor spreading: Dietz 205-150
    seismic evidence: Hodgson 205-143
    transcurrent faulting: Benioff 205-144
  continental slopes, origin: Dietz 209-206
  contraction hypothesis: Lyttleton 204-163; Jeffreys 212-189
  convection currents, continental drift: Bott 211-125
    insufficient elasticity: Jeffreys 212-189
    linear stability problem: Knopoff 213-174, -232
    mantle: Vine 204-272
    Mediterranean area: Vening Meinesz 213-174
    recycled hydrosphere: Halfacree 210-233
    satellite data: Newton 211-124; Runcorn 207-159
  cosmic-ray induced isotopes, rate of vertical movements: Rama 212-249
  critical zones, 35th parallels: Stovas 211-138
  crumpled zones, types and origin: Khoreva 215-176
  crust, mosaic structure: Chang 207-163
  crustal deformation, sliding on M-discontinuity: Rybin 215-171
  crustal shortening during orogeny: Gill 214-130
  cyclic nature: Lungersgauzen 207-151
    rotation of Earth: Afanas'yeva 210-235
  Czechoslovakia, recent tectonics and earthquakes correlated: Ez 215-170
  deformation, causes: Dolitskiy 207-156; Katterfel'd 204-161; Stovas 207-153; Subbotin 208-180
    stresses at latitude 35°: Stovas 207-154
    surface temperature effects: Nakano 213-175
  depressions marginal to massifs: Gromov 215-178
  Earth's rotation, deformation due to changes: Tsaregradskiy 207-152
  energy analysis, thermodynamic study: Shimazu 206-153
  epeirogenesis, isostatic flow: Bott 209-203; Lagrula 209-208
  Europe, isostatic anomalies and crustal movements: Artem'yev 212-196

Geotectonics—Continued
  Europe—Continued
    review: Smirnov 214-134
  expanding earth: Egyed 206-155; Heezen 205-149; Ivanenko 204-158; Klepp 209-204; Levin 204-157; MacDougall 204-156
  experiments, elastic and nonelastic range: Kvapil 206-149
  fault tectonics: Cherbanenko 211-136
  faulting, shear stress: Chinnery 211-127
  forces, mechanisms: Chadwick 205-148
  fracture systems, east-west in United States: Fuller 214-244
  geosynclines, evolution: Huang 210-237; Muratov 206-151
  glacio-isostatic movements, importance: Yevteyev 211-133
  global phases, absolute age data: Shpetnyy 210-236
  gravity anomalies, Japan: Mizoue 207-196
  gravity tectonics, types: North 215-164
  Greater Antillean Arc, orogenic evolution: Donnelly 212-194
  Himalaya Mountains, structure problems: Wadia 212-199
  hypotheses, evaluation by super-deep drilling: Nekhoroshev 215-173
  India, tectonic zones: Hazra 207-162
  isostatic recovery: Crittenden 204-159; Godwin 205-154
  magmatic intrusions, pulses in emplacement of single plutons: Harry 206-147
  magmatism, principles governing interrelationship: Klushin 206-152
  methods of investigation: Ch'in 207-164
  model study, centrifuged models: Ramberg 213-178
    folding of layers overlying blocks: Grum-Grzhimaylo 209-213
  ocean ridges, fault control: Fielder 204-47
  Pacific Ocean, mobile girdle: Petrushevskiy 212-197
  physicochemical model, heat source: Shimazu 206-156
  platforms, evolution: Huang 210-237
  processes, concepts reviewed briefly: De Sitter 211-132
    planetary causes: Kropotkin 208-181
  pulsating earth, energy for deformation: Stupak 207-155

Geotectonics—Continued
  recent deformation, China: Ch'en 213-195; Ch'eng 213-191; Feng 213-183; Gorshkov 213-76, -197; Huang 213-182; Li 213-192; Liu 213-194; Ma 213-186; Meng 213-190; Shen 213-196; Wang 213-188, -193; Yang 213-184; Yuan 213-185
    Czechoslovakia: Zatopek 208-183
    engineering factors: Li 213-187
    Italy: Flemming 215-166
    Lake Erie, pseudowarping: MacLean 212-193
    leveling: Cahierre 210-238
    Maine: Bloom 205-153
    North Sea coast: Kneissl 215-168
    sea and land level changes: Sigl 215-169
    solar activity: Sytinskiy 206-143
    study in mine workings: Kowalczyk 206-150
    U. S. S. R.: Budagov 211-134; Dumitrashko 204-168; Kurdyukov 209-211; Nikolayev 213-181; Stepanov 209-210; Stovas 211-135
    Washington: Easterbrook 208-8
  rift systems, program for study: Drake 215-165
    magmas of: Girdler 204-165
  salt domes, dynamics of formation: Daneš 212-191; Kītyk 207-161
  scalar analysis, crustal structure: Glangeaud 214-133
  sea-level changes since Cretaceous: Eardley 214-132
  sediment volumes, crustal movements: Ronov 211-130
  sedimentation rates, tectonic environment: Vardanyants 215-179
  seismic belts: Hédervári 209-209
  stress chronology, British Isles: Tremlett 206-146
  tangential stresses, earthquake mechanism: Panasenko 211-72
  terminology, preliminary dictionary: Nekhoroshev 215-174
  Tertiary cataclysmic event, continental displacements: Niini 213-180
  thermal convection, upper mantle: Shimazu 208-179
  thermal stresses, crustal deformation: Popov 213-172
  thermoelastic stresses: Jobert 212-190
  tilt observations, accuracy of: Lennon 205-155
  tiwa, major tectonic element defined: Masaytis 215-177

- Geotectonics—Continued
  - U.S.S.R., junction of Russian platform with Urals: Simonenko 215-181
    - depressions in Altai-Sayan region: Yanov 215-180
    - Uzbek S.S.R.: Tal'-Virskiy 209-212
  - vertical movements: Tikhomirov 204-164
    - hypothesis of orogeny, unacceptable: Kropotkin 215-172
    - mathematical analysis: Charygin 213-176
- Geothermal energy, Bulgaria: Petrov 211-171
  - California: Canadian Mining and Metallurgical Bulletin 210-259; McNitt 208-207
  - Chile, Tatio field: Vergara M. 208-208
  - geophysical exploration: Hayakawa 205-201
  - instrumentation, geothermograph: Contini 212-235
  - Italy, Tuscany: Marinelli 214-349
  - Japan, Oshima Volcano: Isshiki 211-346
  - New Zealand, Wairakei: Dawson 211-179, -180; Fisher 211-181; Robertson 211-178
  - principles of exploration: Sato 205-202
  - U.S.S.R.: Averyev 211-173; Lebedev 214-168; Makarenko 211-172; Sukharev 215-211
- Geothermal gradient, boreholes, disturbance by drilling: Melikov 213-223
  - coal rank, effect: Suggate 213-222
  - Czechoslovakia, Carpathian foredeep: Svoboda 209-251
  - instrumentation: Contini 212-235; Verma 210-255
  - Italy, Mont Blanc tunnel: Olivero 204-194
  - mantle: Zharkov 209-245
  - New Zealand, coal rank: Suggate 213-222
  - Northwest Territories, under shallow lake: Brown 215-208
  - Norway: Logn 215-209
  - Scotland, Rashiehill borehole: Anderson 205-204
  - U.S.S.R., Aktyubinsk area: Dal'yan 211-176
    - Azerbaijan, S.S.R.: Sukharev 210-257
    - Bibieybat oil field: Vezir-zade 204-199
- Geothermal gradient—Continued
  - U.S.S.R.—continued
    - Carpathian foreland depression: Kutas 211-174
    - Caucasus: Vlasova 209-252
    - Caspian depression: Vasil'yev 213-220
    - Cis-Caucasus: Kortsenshteyn 211-175
    - Krivoy Rog: Muromtseva 208-209
    - Matsesty region: Cheremenskiy 204-198
    - Pripyat Basin: Makarevich 211-177
    - Rudnyy Altay: Kalashnikov 213-221
- Geothermometry, biotite, tetrahedrally coordinated aluminum: Liese 208-210
  - Fe-Ni-S system: Clark 204-202
  - feldspar: Barth 205-205; Christie 205-206; Liese 208-210; Murakami 208-211; Orville 205-207
  - ignimbrites, Italy: Borsi 208-212
  - ilmenite, metamorphic rocks: Abdulla 214-170
  - lead-zinc ores, Mexico: Sawkins 214-169
  - magnetite, titanium content: Liese 208-210
  - mercury deposits, U.S.S.R.: Koltun 205-208
  - oxygen isotopes in rocks: Clayton 204-200
  - pyrrhotite, India: Rao 209-249
  - silicate systems, experiment studies: Wyllie 214-171
  - thermoluminescence, interpretation of glow curves: MacDiarmid 208-213
- Germany, age, granite: Hahn-Weinheimer 205-9
  - age, igneous rocks: Pilot 212-25
    - radiocarbon dates: Göttlich 212-26
    - soils: Fastabend 205-10
  - crust, structure: Liebscher 211-191
  - earth currents, conductivity anomalies: Kertz 214-51
    - surveys: Thieme 206-62
  - earth tides, observations: Eberhard 212-129; Gerke 205-59; Rinner 205-45
  - electrical surveys, peat bogs: Schuch 205-93
  - geodesy, research summary: Sigl 208-171
  - geophysical surveys, stone for quarrying: Särchinger 206-127
  - geopotential heights Wernthaler 208-170
  - gravity surveys, Alpine foreland: Liebscher 215-201

- Germany—Continued
  - gravity surveys—continued
    - base networks: Kneissl 208-188; Morelli 210-247; Waterman 209-223, -224
    - Geyer-Ehrenfriedersdorf region: Oelsner 211-161
    - Steinhuder Meer: Plaumann 211-160
    - Welsow coal field: Köcke 212-225
  - isotopes, sulfur in evaporites: Nielsen 212-245
  - magnetic field, observations for 1901 and 1935: Kautzleben 210-291
  - magnetic surveys, Alpine foreland: Liebscher 215-201
  - paleomagnetism, Tertiary: Roche 210-313
  - radioactivity, sedimentary rocks: Siemes 213-293
  - radioactivity logging, surveys: Lehnert 206-276; Steinbrecher 206-277
  - seismic surveys, Alpine foreland: Liebscher 211-191
    - Bavarian Alpine foreland: Prodehl 215-345
    - Böhmischbruk-Eschenlohe profile: Giese 206-337
    - Brandenburg and Mecklenburg: Reinhardt 207-337
    - leached zones in Werra salt deposit: Wüstner 212-330
    - salt deposits: Uhlmann 207-336; Wüstner 207-322
- Ghana, geophysical surveys: Cudjoe 213-157
  - meteorite craters, age, Bosumtwi crater: Gentner 211-14
- Glaciation, asymmetry by hemisphere: Matschinski 215-185
  - cause, Antarctic ice cap expansion: Wilson 209-214
    - pollen data from Alaska: Colinvaux 215-183
- Glaciers, Alaska, Lemon Creek Glacier: Heusser 211-144
  - Antarctica, Byrd Glacier: Adler 213-200
    - domes due to ice flow: Kapitsa 212-203
    - dynamics: Bardin 204-171; Markov 204-173
    - Filchner Ice Shelf: Lisignoli 212-202
    - general: Markov 204-172
    - ice deformation: Kehle 212-336
    - movement and strain rates, Brunt Ice Shelf: Limbert 215-187
    - structure: Yevteyev 207-167
    - temperature measurements: Model' 207-165
    - thermal regimen: Zotikov 204-170
- Glaciers—Continued
  - Argentine Islands, ice cap regimen: Thomas 209-215
  - comprehensive review: Kalesnik 214-135
  - elastic properties of ice: Kravtsov 207-170
  - fabric of ice, high latitudes: Vallon 211-142
  - foliation, flow rates: Gunn 213-199
  - Greenland, thickness: Bull 205-195
  - ice flow, dome formation: Kapitsa 212-203
  - India, Chogo-Lungma Glacier: Kick 214-136
    - Karakorum: Desio 208-157
  - mechanism of sliding on bedrock: Kamb 213-198
  - movement, Antarctica: Crary 205-158; Dolgushin 207-174; Gow 205-159; Model' 207-165
    - Novaya Zemlya: Svatkov 207-169
    - photographic measurement: Adler 213-200
    - rate determined by airphoto survey: Cheremnykh 207-175
    - steady-state field: Shumskiy 207-173
    - U. S. S. R.: Suslov 207-168
  - New Zealand, Franz Josef and Fox Glaciers: Gunn 213-199
  - origin, ice age: Wilson 209-214
  - pressure and density fields: Shumskiy 207-172
  - rapid advance, Karakoram: Mercer 211-141
    - melting of base: Lliboutry 211-140
  - response to nourishment and wastage: Nye 204-169
  - seismic surveys, U. S. S. R.: Kravtsov 207-166
  - stability, areas of ice sheets: Lliboutry 215-184
  - U. S. S. R., geophysical study in Zailiyskiy Alatau: Borovinskiy 215-186
    - Konstitutsiya Glacier: Borovinskiy 210-239
    - Suntar-Khayata Range: Koreysha 212-201
    - temperature measurements: Tsykin 207-171
    - Tien Shan: Bondarev 211-145
  - Washington, Blue Glacier: Kamb 213-198; LaChapelle 211-143
- Gravimeters, Askania GS-11, characteristics: Grobelny 208-199, 209-232
  - high accuracy, oil exploration: Nemtsov 207-187
  - marine: Bagramyants 214-162
    - Japanese: Tomoda 210-245

Gravimeters—Continued
- marine—continued
  - vertical accelerations: Veselov 206-168
- scale factor, temperature effect: Gantar 206-169, -174
- torsion fiber quartz, calibration: Koz'yakova 214-163

Gravity, absolute, International Bureau of Weights and Measures: Sakuma 206-172
- absolute, free-fall method of measurement: Yegorov 212-204
- convection currents in mantle, satellite measurements: Runcorn 207-159
- ellipsoid, of reference, Mexico: Castro Bonel 208-169
  - stress differences: O'Keefe 204-174
- geopotential heights, admissible spacing of gravity points: Ramsayer 206-142
- Helmert, Vignal, and mean elevations: Bodemüller 215-191
- International Union meeting, Berkeley, 1963: Moritz 210-231
- measurements, lunar and solar effects: Castro Bonel 208-196
  - world standards: Hamilton 209-216
- pendulum measurements, equations of error: Cunietti 206-170
- point anomalies, interpolation: Moritz 208-187
- tidal corrections, 1964: Service Hydrographique de la Marine and Compagnie Générale de Géophysique 207-178
- tidal variations: Nakagawa 214-150, -153
- total eclipse, measurement during: Grushinskiy 204-176

Gravity anomalies, analytical continuation: Gladkiy 207-192; Tsirul'skiy 215-193; Stupak 213-204
- arbitrary shape, computer calculation: Szelényi 215-190
- block structure, interpretation: Tyapkin 208-191
- bodies with surface of second degree: Válek 209-217
- Bouguer, computer method: Gimlett 215-189
  - error determination: Burša 209-219
- calculation, punch card system: Bartoněk 209-220
- computer reduction: Fajklewicz 205-166; Volodarskiy 209-233
- curves, matching observed with theoretical: Shalayev 206-164
- deep crustal structure, mathematical models: Karatayev 212-214

Gravity anomalies—Continued
- depth determination, model studies: Yarosh 207-191, 211-148
- downward continuation, two-dimensional distribution: Kanamori 207-194
- ellipsoid of rotation, attitude determination: Gel'fand 204-179
- elliptical cylinder, inverse problem: Holīzdra 207-189
- extrapolation: Arnold 205-165
- free air, calculation: Waterman 209-224
  - obtained from Bouguer map: Coron 206-160
- geotectonics, Japan: Mizoue 207-196
- glacier models: Corbató 214-154
- gradients, anomalous: Morelli 209-225
  - formulas for calculation: Morelli 212-211
  - topographic effect: Morelli 212-210
  - underground measurements: Mudretsova 208-192
- graticules, first, second, and third vertical derivatives: Menaker 215-196
  - normal-field-choice error eliminated: Provodnikov 215-197
- gravity potential, regional structures: Starostenko 209-226
- homogeneous body, shape calculation: LaPorte 206-159
- homogeneous prismatic bodies: Kolbenheyer 207-182
- horizontal derivatives, profile observations: Malovichko 211-121
- horizontal gradient, higher vertical derivatives: Starostenko 213-202
- hyperbolic dome, vertically bounded: Bulakh 212-216
- interpolation: Moritz 208-187
- interpretation: Čuta 209-222
  - inverse convolution integral: Nagumo 212-209
  - models: Válek 209-218
  - nomograms: Olhovich 207-197
  - optical calculation: Baltosser 208-200
  - stripping technique: Richards 208-184
- inverse problem, boundary distribution of masses: Golizdra 210-244
  - computer solution: Mottlová 214-141
- isoanomaly maps, function of two variables calculated: Mosetti 206-133
- least squares method of interpretation: Vogel 214-138

Gravity anomalies—Continued
- local, analysis combining magnetic data: Chernova 204-181; Karatayev 204-180
- localization of features: Serbulenko 209-227
- logarithmic potential, outside body: Tsirul'skiy 211-147
- mean square errors, calculation: Vyskočil 207-181
- mine workings: Yun'kov 205-172
- P-wave velocities, relationship: Press 214-137
- plane field formulas: Tyapkin 211-154
- plate-like bodies: Válek 207-186
- plumbline deflection, calculated: Kolmogorov 208-177
- potential derivatives, distribution functions: Serbulenko 207-193
- potential fields, separation by linear operators: Serbulenko 212-213
- quantitative interpretation, rose diagrams: Kunin 214-146
- reduction, mountainous areas: Aronov 212-212
  - observed values reduced to sphere: Bjerhammar 208-186
  - review: Vyskočil 207-185
- rock density, surface and deep anomalies recognized: Shustova 211-150
- running average method of interpretation: Seya 214-149
- second derivative method of interpretation: Beránek 214-139
- second gravity gradients: Balabushevich 214-147
- secondary methods: Steiner 207-179
- shape of body related to axial points: Golizdra 213-201
- singular points, distribution: Golizdra 215-194
- smoothing of curves, statistical method: Yang 206-188
- structural maps, gravity effect calculated: Ayzenberg 206-161
- submarine topography, corrections: Vajk 215-188
- three-dimensional bodies, interpretation: Yun'kov 208-190
- topographic correction, computer calculation: Pick 214-140
  - inclined surface: Kožíšková 209-221
  - ore bodies: Bernabini 207-180
- topographic-isostatic reductions: Ballarin 208-189
- transformation of maps: Naudy 212-208

Gravity anomalies—Continued
- transformation of potential fields: Strakhov 214-142, -143, -144
- V_{xz}, classification; Yun'kov 211-149
  - three-dimensional bodies: Yun'kov 213-203
- vertical derivatives, graticule: Starostenko 212-215
- vertical gradient, effect of regional component: Solov'yev 206-166
  - measurement: Bodemüller 206-139; Kumagai 206-158
  - related to horizontal gradients: Starostenko 210-229
- vertical step, depth determination: Ayzenberg 207-188
- volcanic calderas: Yokoyama 204-355

Gravity exploration, accuracy, coordinates and altitude of points: Artazov 205-170
- accuracy, measurements during motion: Tarakanov 205-167
  - sources of error: Kunin 211-153; Pirogov 206-165
- airborne, basement depth determination: Nettleton 215-276
- Airy-Heiskanen system, validity: Qureshy 211-146
- altitude determination: Prikhoda 206-162
- base networks, adjustment: Krasovskiy 211-155
  - compensation by computer: Igumnov 204-183
- borehole gravimeter measurements: Thyssen-Bornemisza 206-157, 212-221
- calculation procedures, Chinese charts: Ch'en 206-187
- closure of traverse loop: Malovichko 212-217
- computer analysis: Aronov 208-193
- cosmic radiation, average rock density underground: Bondarenko 214-148
- density of rocks, acoustic logging: Sychev 208-129
  - moisture and shrinkage corrections: Serkerov 206-163
- geodetic analogy, invalid: Butakov 213-159
- geological interpretation: Kasatkin 207-190
- helicopters, Australia: Vale 209-228
- high precision methods: Polyakov 205-173
- higher derivatives of potential, comprehensive review: Balabushevich 210-243

Gravity exploration—Continued
- instrumentation, analog computers: Šamšula 209-231
    - calibration: Avsyuk 214-165; Lecolazet 205-176; Verbaandert 205-174
    - drift: Oszlaczky 205-177
    - fiber microbarometers: Solntseva 211-156; Yegorov 211-157
    - horizontal double pendulum:Nowak 205-181
    - Italian and Canadian calibrations: Gantar 205-179
    - microbarometer level: Yegorov 212-222
    - Munich horizontal pendulum: Graf 205-175
    - pendulum periods analyzed: Saito 205-180
    - quartz clocks: Tulin 213-210
    - reading devices for gravimeters: Avsyuk 214-164
    - spring microbar level:Zil'bershteyn 211-158
    - temperature and pressure effects: Gantar 205-178
    - temperature compensation by liquid: Popov 213-207
    - temperature gage gravimeter: Tulin 213-208
    - tester for contact thermometers: Tulin 213-209
    - torsion balance, field interpretation: Ts'eng 206-189
    - See also Gravimeters
- intermediate layer, density determination: Berezkin 211-151
- international network, review: Woollard 214-155
- marine: Kanamori 207-195
    - damped gravimeters: Frolov 205-182
    - general: Worzel 208-195
    - gyrotable: Hayes 209-230
    - location of instrument aboard ship: Grushinskiy 212-218
    - measurements on islands: Tomoda 210-252
    - range for calibration: Rinehart 204-187
    - rough seas: Fleischer 208-194
    - vertical acceleration effects: Marchuk 215-195
    - vertical accelerations with nonlinear damping: Zagonov 213-205
- Mexico, Sun and Moon corrections: Olhovich 208-197
- mine workings: Yun'kov 205-172
- program planning: Aynard 209-229
- secular crustal movements, Japan: Ichinohe 214-152
    - detection: Higasinaka 214-151

Gravity exploration—Continued
- tidal correction, latitude effect: Honkasalo 212-207
- topographic corrections: Lyubalin 211-152; Neumann 208-185; Wei 205-171
    - computer method: Koval' 214-145
    - errors: Dergachev 205-169
    - hilly areas: Ramsayer 215-192
    - maps for: Pick 207-183
    - model method: Pick 207-184
- topographic-isostatic reductions: Stepanov 205-168
- underground: Kazinskiy 204-178
    - cosmic radiation measurement: Blokh 213-301
    - fault detection: Fajklewicz 212-219
    - roof thickness in mines:Fajklewicz 212-220
- U.S.S.R., aircraft supplied: Riss 204-182
- vertical gradients, vehicles for measurement:Thyssen-Bornemisza 210-242
- waves on sea ice, gravimeter observations: LeSchack 215-198

Gravity field of the earth, analysis, low harmonics: Jeffreys 205-160
- anomalies, cause: Magnitskiy 206-167
- Czechoslovakia: Vyskočil 209-240
- even harmonics: King-Hele 207-176
- harmonics, satellite measurements: Kozai 205-162
- liquid mantle and core: Macke 210-240
- mantle, convection in: Kopal 205-211
- nonzonal harmonics, satellite measurements: Newton 205-163
- potential field, calculation: Holizdra 204-177
- satellite observations: Arnold 210-241; Izsak 212-205; Jacchia 205-161; Kaula 207-177; Smith 204-175
- spherical harmonics: Uotila 205-164
- zonal harmonics: King-Hele 212-206

Gravity surveys, Afghanistan, Karakorum and Hindu Kush:Marussi 214-161
- Africa, airport network: Grossmann 215-204
- Antarctica: Crary 211-167; Frolov 212-229; Gladun 207-214; Kapitsa 212-332; Lazarev 209-244; Sorokhtin 212-331
    - base networks: Avsyuk 212-232
    - Ellsworth Land and Antarctic Peninsula: Behrendt 211-166
    - George V and Oates Coasts: Ushakov 212-230
    - ice thickness at South Pole:Weihaupt 204-341

- Gravity surveys—Continued
  - Antarctica—continued
    - north of Novolazareskaya station: Gladun 211-168
    - Russian apparatus and methods: Zommer 212-231
  - Arctic Basin, Ice Island Arlis-II: Black, 207-203; Den Hartog 207-202
  - Argentina, tie with Italy: Baglietto 206-177
  - Asia, Karakorum and Hindu Kush: Desio 208-205
  - Atlantic Ocean, negative anomaly off Cape Breton Island: Oilweek 214-156
  - Australia, iron in Middleback Range: Taylor 213-291
    - Officer Basin: Mumme 213-215
  - Borneo, Singapore to Labuan: Isaacs 211-263
  - Brazil, São Paolo: Kollert 208-201
  - Bulgaria: Dobrev 204-189, 205-199, 209-243
  - California: Corbató 209-239; Healy 212-223; Mabey 209-238; Oliver 205-192; Pakiser 214-157; Schroll 204-186
  - Central America; Caldera 214-158
  - China, conglomerate terranes: Wang 205-200
  - Colorado, Rampart Range: Miller 205-191
  - Czechoslovakia, accuracy of map: Vyskočil 214-160
    - Base networks: Burša 207-198; Chudoba 207-199
    - Carpathian: Dlabač 210-249
    - deflection of the vertical: Burša 209-241
    - map: Ibrmajer 207-201, 210-248
    - Moravia: Válek 207-200
    - topographic correction: Pick 207-183
    - Turzovka region: Pola 212-226
  - Europe, airport network: Grossmann 215-204
    - base networks: Gantar 205-186, 206-179; Honkasalo 212-224; Kneissl 205-187, -188, 215-202, -203; Marzahn 211-159; Solaini 205-185, 206-171; Wolf 213-211, 215-205
    - Calibration Line: Gantar 206-176
    - calibration system: Kneissl 206-173
  - Europe-North America tie: Innes 206-180
  - France, National Gravity Calibration Line: Gantar 206-175
    - ore deposits: Aubert 207-112

- Gravity surveys—Continued
  - Germany, Alpine foreland: Liebscher 215-201
    - base networks: Kneissl 208-188; Morelli 210-247; Waterman 209-223, -234
    - Geyer-Ehrenfriedersdorf region: Oelsner 211-161
    - Steinhuder Meer: Plaumann 211-160
    - Weslow coal field: Köcke 212-225
  - Greece, calibration line: Pisani 206-182
  - Greenland, ice thickness: Bull 205-195
  - Hawaii, volcanoes: Kinoshita 205-193
  - Idaho, Snake River Plain: Hill 204-185; Newton 215-199
  - Illinois, drift-filled valleys: McGinnis 205-189
  - India, base network: Manghnani 206-185
    - isostasy: Qureshy 210-251
  - Indian Ocean: Intergovernmental Oceanographic Commission: 213-287
  - international network, review 214-155
  - Italy, base networks: Gantar 206-174
    - epicontinental shelf: Ciani 206-178
    - gravity map: Pisani 206-183
    - northeastern: Guicherit 214-159
    - tie with Argentina: Baglietto 206-177
  - Japan, Izu Islands: Tomoda 210-252
    - crustal thickness: Kanamori 210-265
  - Japan-Italy tie: Kumagai 206-181
  - Korea, Choony Bong-San area: Lee 213-214
  - Manitoba, West Hawk Lake: Halliday 205-194
  - Minnesota: Craddock 205-190
  - Montana: Davis 209-312
  - Nevada: Gimlett 215-189; Mabey 209-237; Roller 209-253
  - New York, Adirondack Mountains: Simmons 209-235
  - New Zealand, Wairarapa area: Heine 211-165
  - North Sea: Fleischer 208-194
  - Oregon, western Snake River Basin: Newton 215-199
  - Pakistan, Karakorum and Hindu Kush: Marussi 214-161
  - Poland, cis-Carpathians: Fajklewicz 213-212
  - Red Sea: Plaumann 206-184
  - Rumania: Băcioiu 208-202
    - Carpathian bend area: Airinei 213-213

- Gravity surveys—Continued
  - Rumania—continued
    - Jolotca region: Visarion 209-242
    - Misey platform: Dobrev 205-199
  - Scotland, Inner Hebrides: McQuillin 205-196
  - Switzerland, Zürich area: Gassmann 204-188
  - Texas: Muehlberger 209-236; Van Lopik 204-184
  - Turkey, chromite: Yüngül 205-197
  - U. S. S. R., Baikal area: Tsyrendorzhiyev 208-203
    - Baltic shield: Shustova 211-150
    - barometric leveling: Taipov 205-198
    - Crimea: Lebedev 211-162
    - Kamchatka: Rivosh 204-290, 206-186
    - Pechora coal basin: Poletayev 211-164, 212-227
    - Russian platform: Gafarov 211-163
    - Sakhalin Island: Livshits 208-204
    - Siberia: Nikolayevskiy 212-228
    - Ukraine S. S. R.: Hura 204-190; Kon'kov 210-250
  - Wisconsin: Craddock 205-190
  - World, base networks: Morelli 205-183; Szabo 205-184
- Great Britain, geophysical surveys, 1961: Bullerwell 205-117
- Greece, electrical surveys, copper deposits: Zachos 206-109
  - gravity, calibration line: Pisani 206-182
  - magnetic surveys, copper deposits: Zachos 206-109
  - seismicity: Galanapoulos 208-85
  - volcanoes, Greek Archipelago: Georgalas 211-343
    - Santorin: Galanapoulos 206-354, 215-377
- Greenland, age, anomalous lead: Ulrych 215-16
  - age, igneous and metamorphic rocks: 206-10
    - lead: Kanasewich 212-16
  - glaciers, sounding: Evans 205-126
    - thickness: Bull 205-195
  - gravity surveys, ice thickness: Bull 205-195
  - meteorites, Cape York fall: Buchwald 208-35
- Guam, magnetic field, observations: Coast and Geodetic Survey 215-247
- Guatemala, age, radiocarbon dates: Smiley 204-14
- Gulf of Mexico, crust, structure: Papazazachos 213-226
  - mantle, structure: Shurbet 211-194
  - fault scarps southwest of Florida: Jordan 213-340
  - seismic surveys: Matthews 209-331

H

- Hawaii, age, igneous rocks: McDougall 210-2
  - earthquakes, 1962: Koyanagi 209-99
  - gravity surveys, volcanoes: Kinoshita 205-193
  - paleomagnetism, Cenozoic: McDougall 205-270
  - radioactivity, lavas: Heier 209-320
  - sea level changes, 40-foot level: Easton 208-165
  - tsunamis, May 1960: Cox 208-60
  - volcanic activity, 1955: Macdonald 212-343
    - Kilauea: Gèze 212-344; Krivoy 214-346; Moore 211-341, 214-345; Richter 214-344
- Heat flow, anomalies, geoid undulations: Egyed 213-237
  - Atlantic Ocean, measurements: Lister 204-195, 211-170; Reitzel 204-196
  - Australia, areal variation: Howard 210-258
    - eastern: Sass 215-212
    - Precambrian shield: Sass 207-208
  - Canada, survey of entire country: Jessop 210-256
  - distribution, conductivity variations: McBirney 206-190
  - energy source, hydration energy: Schuiling 214-166
  - England, mineral exploration in Cornwall: Wheildon 213-217
  - general review: Lebedev 214-168
  - global variations: Lee 206-191
  - heat generated by neutron bombardment: Isaacs 215-207
  - heat generation in earth, meteorites compared: Wasserburg 207-204
  - Hungary: Boldizsár 213-218; Scheffer 204-209
  - hydration energy: Cate 208-214
  - instrumentation, time constant of thermistor: Kúzma 207-209
  - International Heat Flow Committee, meeting in 1964: Lee 215-213
  - Italy, Larderello steam field: Boldizsár 207-206
    - Matera: Mongelli 209-250
  - Japan: Uyeda 211-182
  - mantle, convection currents: Rikitake 204-191
    - excitation: Lyubimova 206-192
  - measurements, deep sea corer: Lister 204-197
    - general listing: Verma 210-255
  - Mid-Atlantic Ridge, relation to magnetic anomaly: Vacquier 209-248
  - New Zealand, Wairakei: Dawson 211-179
  - ocean basins, general: Bullard 208-206

- Heat flow—Continued
  - oceanic ridges, serpentinization as heat source:Schuiling 210-253
  - Ontario, Brent Crater:Beck 209-246
  - Pacific Ocean, Mohole site off Mexico: Von Herzen 209-247
  - radioactivity, Earth model: MacDonald 213-216
  - source, radioactivity in mantle rocks: Tilton 210-254
  - temperatures of intrusions:Jaeger 214-172
  - Tennessee, measurements: Diment 204-192
  - Washington, D. C.: Diment 211-169
  - worldwide data analyzed: Lee 204-193
  - U.S.S.R., European and Asiatic portions controlled: Tamrazyan 215-210
- Hungary, crust, thickness: Scheffer 204-209
  - heat flow: Boldizsár 213-218; Scheffer 204-209
  - magnetic field, secular variation: Albert 204-257
  - magnetic surveys: Posgay 204-286; Vasady-Kovács 204-287
  - radioactivity surveys, Mátra Mountains: Aladár 212-305
  - seismicity, 1880-1956: Csomor 204-56

I

- Iceland, crustal drift: Bödvarsson 209-207
  - magnetic field, micropulsations: Bödvarsson 204-265
    - Year of the Quiet Sun: International Geophysical Bulletin No. 75 204-253
  - seismic surveys:Palmason 214-300
  - volcanic activity, catalog: Berninghausen 208-359
    - related to chemistry of rocks: Sigvaldason 214-348
    - Surtsey Island: Blanchard 214-347
- Idaho, crust, thickness: Pakiser 204-205
  - gravity surveys, Snake River Plain: Hill 204-185; Newton 215-199
  - paleomagnetism, Miocene lavas: Watkins 215-265
- Illinois, gravity surveys, drift-filled valleys: McGinnis 205-189
  - magnetic surveys: McGinnis 214-245; Patenaude 212-287
  - meteorite craters, Glasford: Buschbach 206-33
  - meteorites, Woodbine:Read 206-21
  - radioactivity, radium in ground water: Emrich 205-216
- Impactites, Nördlinger Ries, high pressure glasses: Engelhardt 213-22
- India, age, igneous and metamorphic rocks: Aswathanarayana 214-6
  - age, Precambrian rocks: Afanas'yev 210-57
    - radiocarbon dates: Agrawal 212-36, 214-28; Kusumgar 207-20
    - uranium minerals:Bowie 205-8
  - crust, structure: Saha 207-56
  - elastic properties, basalt: Balakrishna 210-323
  - electrical logging, single-electrode logs: Chaterji 212-169
  - geophysical surveys, Karakorum glaciers: Desio 208-157
  - glaciers, Chogo-Lungma Glacier: Kick 214-136
  - gravity surveys, base network: Manghnani 206-185
    - isostasy: Qureshy 210-251
  - isostasy, elevation effects:Lagrula 215-206; Qureshy 210-251
  - magnetic properties, basalt and charnockite: Rao 212-269
    - granites:Balakrishna 210-306
    - metamorphic and sedimentary rocks: Brahmam 211-247
  - magnetic surveys, Deccan traps: Balakrishna 210-323
    - manganese ores of Rayagdah: Rao 212-293
  - meteorite craters, Lonar Crater: Lafond 212-87
  - meteorites, Basti: Malhotra 206-22
  - radioactivity, fluvial sands: Rao 210-326
  - seismic surveys, Cambay Basin: Kailasam 210-343
    - Madras: Kailasam 210-344
  - tectonic zones: Hazra 207-162
- Indian Ocean, age, radiocarbon dates: Bien 211-22
  - bottom relief:Bezrukov 211-336
  - canyons, newly discovered off east coast: LaFond 209-347
  - geophysical surveys: Loncarevic 208-358
    - Seychelles Islands: Bowin 209-348
  - gravity surveys: Intergovernmental Oceanographic Commission 213-287
  - magnetic surveys:Intergovernmental Oceanographic Commission 213-287
  - radioactivity, sediments: Starik 204-299
  - seismic and magnetic studies: Deacon 209-346
  - submarine geology, Agulhas Basin: Mal'tsev 212-341
  - submarine volcanic mountains: Mal'tsev 211-337
  - topography and cores: Rama Raju 210-353
  - Vema Trench, topography: Heezen 210-352

- Indiana, age, Pleistocene time scale: Gooding 207-6
- Indonesia, volcanic activity: Zelenov 206-353
  - volcanic activity, 1950-57: Hadikusumo 214-358
    - 1959: Surjo 214-359
    - atmospheric dust from eruption of Agung: Hogg 209-356
    - glow stratum from Agung on Bali: Meinel 209-355
- Information theory, geophysical exploration:Demidovich 208-163
- Ionian Sea, seismic surveys, sediment thickness: Mikhno 207-335
- Iran, earthquakes, 1962: Mohajer 205-30
  - volcanic activity, Damavand: Abdalian 207-353
- Ireland, magnetic field, Year of the Quiet Sun: International Geophysical Bulletin No. 75 204-253
  - magnetic surveys:Riddihough 215-302
- Isostasy, anomalies, earthquake energy release: Berg 211-71
  - Antarctica, adjustment to ice: Ushakov 212-200
  - Caribbean region, compensation: Talwani 213-206
  - compensation, Lake Bonneville: Crittenden 204-159, 207-160
    - mantle: Stuart 210-262
  - crustal evolution: Faytel'son 211-189
  - Czechoslovakia, corrections for various depths of compensation: Vyskočil 214-128
  - Europe, anomalies and crustal movements: Artem'yev 212-196
  - glacial-ice load, importance: Yevteyev 211-133
  - Himalaya Mountains, structural problems: Wadia 212-199
  - India, elevation effects: Lagrula 215-206; Qureshy 210-251
  - sea-level drop, sea bed loaded by melt water: Wellman 213-171
- Isotopes, beryllium, cosmic-ray produced: Bleichrodt 204-221
  - beryllium, precipitation at temperate latitudes: Walton 211-200
  - boron, distribution in nature: Shergina 204-223
    - meteorites: Shima 212-68
    - ratios in rocks and meteorites: Shima 204-222
  - calcium, Devonian limestone and meteorites: Backus 212-70
    - meteorites: Backus 212-70
  - carbon, carbonate rocks, Eocene, Utah: Weber 215-230
    - carbonate shells: Weber 211-201
    - Caribbean Sea: Broecker 204-225
    - coexisting calcites and dolomites: Degens 209-266
    - dolomites: Weber 215-231
- Isotopes—Continued
  - carbon—continued
    - Florida Bay, mollusks: Lloyd 209-267
    - France, carbonaceous quartzites: Roblot 209-265
    - limestones: Gross 211-202
    - marine bay environment: Parker 215-229
    - marine shells in fresh water: Weber 206-202
    - Pacific and Indian Oceans: Bien 204-226
    - Precambrian rocks: Hoering 204-227
    - proglacial lake varves in Ontario: Weber 212-244
    - residence time of C-14 in sea water: Craig 210-272
    - surface ocean waters: Broecker 204-224
    - upper troposphere: Fergusson 204-228
    - uranium deposits in Wyoming: Cheney 211-217
    - variation of C-14 concentration with time: Dyck 215-228
  - cesium, Caribbean Sea: Broecker 204-225
  - cosmic-ray induced, use in tectonic studies: Rama 212-249
  - curium-247, rare earth concentrates: Wetherill 210-274
    - thorite: Cherry 212-248
  - deuterium, hydrologic cycle: Friedman 213-245
    - inclusions in fluorite:Hall 204-230
    - modern and primeval ocean: Miyake 214-181
    - precipitation and ground water: Brinkmann 213-246
  - general: Brown 206-207
    - geological applications: Zhirminskiy 210-327
    - natural processes: Thode 215-227
  - glacial geology, polar ice studies: Lorius 213-247
  - He-4/AR-40, natural gases: Wasserburg 210-273
  - helium, escape from Earth's atmosphere: MacDonald 204-234
    - meteorites: Bauer 205-18; Hintenberger 211-34, -35, 212-65
    - primary radiation: Dahanayake 215-232
  - hydrogen, water in Iceland: Bödvarsson 204-229
  - krypton, meteorites: Clarke 215-34
  - lead, abundances: Farquhar 207-224; Russell 210-275
    - Ascension and Gough Islands:Gast 215-233
    - Canada, Hudson Bay sediments: Stevens 215-236

Isotopes—Continued
  lead—continued
    chemical differentiation in mantle: Patterson 209-262
    diffusion and anomalous galenas: York 210-277
    Easter Island rhyolite:Patterson 207-221
    galena: Kanasewich 212-16
      Central Asia: Rabinovich 211-204
      Norway: Moorbath 206-16, -205
      Oklahoma: Cannon 206-204
      Poland: Gabla 205-215
    Greenland, Ivigtut: Ulrych 215-16
    lead minerals: Eberhardt 207-17
    Mohole cores from Guadalupe Site: Chow 206-206
    neutron activation analysis: Cobb 211-31
    ore: Brown 206-207
    preparation of samples:Antweiler 205-214
    sea water: Tatsumoto 210-276
    sedimentary pyrite: Wampler 215-237
    snow chronology in Antarctica: Croza 212-243
    techniques of analyses:Loveridge 215-235
    thorium,uranium, and lead in ores estimated: Masuda 215-234
    U.S.S.R.: Volobuyev 212-34
  Mn-54, iron meteorites: Yokoyama 211-32
  molybdenum, meteorites: Murthy 207-24
    variations in ratios: Crouch 213-243
  neon, meteorites: Hintenberger 211-34, -35, 212-65
  oxygen, carbonate rocks, Eocene, Utah: Weber 215-230
    carbonate shells: Weber 211-201
    coexisting calcites and dolomites: Degens 209-266; Weber 215-238
    Florida Bay, mollusks: Lloyd 209-267
    France, Nummulitic deposits: Allègre 208-239
    geothermometry:Clayton 204-200
    glacial and interglacial molluscan shells: Emiliani 209-268
    limestones: Gross 211-202
    marine shells in fresh water: Weber 206-202
    paleotemperature from organic calcite: Teys 211-205
    paleotemperature study of Caribbean cores: Emiliani 210-278
    proglacial lake varves in Ontario: Weber 212-244
    water in Iceland: Bödvarsson 204-229
  phosphorus, precipitation at temperate latitudes:Walton 211-200

Isotopes—Continued
  potassium, abundances: Létolle 211-206
    K-40 in ancient rocks: Shukolyukov 212-242
  plutonium-244, thorite: Cherry 212-248
  radium, ground water in Illinois: Emrich 205-216
    Indian Ocean sediments:Goldberg 210-279
    water, analytical methods:Barker 214-182
  rare gases, Fayetteville meteorite: Manuel 212-71
  silicon, tektites: Tilles 213-44
  silver, iron meteorites: Chakraburtty 209-22
  strontium, Ascension and Gough Islands: Gast 215-233
    carbonatites: Bailey 211-209
    Caribbean Sea: Broecker 204-225
    Hawaiian lavas: Lessing 211-207
    instrument for measuring Sr-87/Sr-86: Seibt 209-269
    petrogenic processes: Heier 211-208
    sial from mantle: Hurley 204-212
    Sr-87/Sr-86 variation with geologic time: Artemov 213-244
    tektites: Schnetzler 213-38
  sulfur, bacterial oxidation: Mekhtiyeva 215-240
    biogenic and hydrothermal contrasted: Jensen 211-210
    biogenic origin in uranium deposits: Jensen 207-223
    Canada, Muskox intrusion: Sasaki 215-239
    evaporites from Germany: Nielsen 212-245
    fractionation in lake waters: Deevey 211-216
    France, Biabaux sulfur deposit: Faucherre 209-270
    igneous rocks of Newark Group: Smitheringale 207-222
    marine muds: Kanwisher 211-215
    microbiological fractionation: Kaplan 211-214
    New Zealand standard: Hulston 211-212
    oxidized pyrite: Vinogradov 215-241
    Rhodesian copper belt: Jensen 208-240
    sedimentary cycle:Shima 214-180
    Spain: Friedrich 212-246
    specimens from New Zealand and Australia: Rafter 211-213
    standard from meteorites:Jensen 212-69
    standards: Ault 211-211
    U.S.S.R., copper-nickel deposits: Vinogradov 215-242

Isotopes—Continued
  tektites: Zähringer 210-97
  thorium, Indian Ocean sediments: Goldberg 210-279
    peat bogs: Cherdyntsev 213-242
  tracers, atmosphere and water: Lal 210-271
  tritium, Antarctic snow: Shen 204-232; Taylor 211-203
    glaciers in U.S.S.R.: Izrael' 212-247
    natural waters: Östlund 215-243
    Pacific Ocean: Bainbridge 204-231
    rainwater: Buttlar 204-233
    satellite measurements during magnetic storms: Tilles 206-203
    standardization of measurements: Östlund 215-244
  uranium, disequilibrium in sandstones: Dooley 213-240
    disequilibrium in U-234/U-238 ratio: Thurber 204-6, 211-218
    fractionation in sandstone: Rosholt 213-239, -241
    peat bogs: Cherdynstev 213-242
  xenon, age of solar system: Kuroda 212-73, -74
    terrestrial rocks: Reynolds 204-235
Italy, age, granites: Eberhardt 206-15
  age, Miocene-Pliocene boundary: Tongiorgi 210-14
    radiocarbon dates: Alessio 214-13
  crust, thickness: Closs 205-86
  earth currents, surveys: Simeon 214-55
  earth tides, observations: Norinelli 205-78
  earthquakes, 1958: DiFilippo 213-71
    1960: Girlanda 210-142
    1961: Marcelli 208-79, 210-141
    1962: Di Filippo 210-140
    mechanism: Di Filippo 208-96
  electrical surveys, ground water: D'Ambrosi 206-108; Vecchia 211-100
  geophysical research, historical review: Caloi 213-162
  geotectonics, recent movements: Flemming 215-166
  geothermal energy, Tuscany: Marinelli 214-349
  geothermal gradient, Mont Blanc tunnel: Olivero 204-194
  geothermometry, ignimbrites: Borsi 208-212
  glaciers, Belvedere Glacier: Visintini 210-341
    Miage valley: Carabelli 210-342
  gravity surveys, base networks: Gantar 206-174, -176
    epicontinental shelf: Ciani 206-178
    gravity map: Pisani 206-183
    northeastern: Guicherit 214-159

Italy—Continued
  heat flow, Larderello steam field: Boldizsár 207-206
    Matera: Mongelli 209-250
  magnetic surveys: Batelli 207-291; Salvioni 208-278
  paleomagnetism, lava flows: Ventriglia 209-306
    Paleozoic: Guicherit 214-159
    Pleistocene: Cundari 207-276
  radioactivity, alluvial sands: Garavelli 204-297
  seismic surveys: Popescu 209-333
    Belvedere Glacier: De Visintini 207-334, 210-341
    glaciers in Miage valley: Carabelli 210-342
  seismicity, energy calculated: Marcelli 208-84
  thermal springs: Yuhara 207-207
    Ischia: Penta 204-358
  volcanic activity, Etna: Wickman 206-357
    lunar oscillations at Vesuvius: Imbò 207-352
Ivory Coast, age, granites: Vachette 210-9

J

Jamaica, geophysical surveys: Jamaica Geological Survey 209-195
  radioactivity, bauxite: Vincenz 211-268
Japan, age, granodiorite: Shibata 204-24
  age, hornblende gneiss: Ohmoto 213-12
    igneous rocks: Kawano 212-6
    radiocarbon dates: Quaternary Research Group of Kiso Valley 214-7; Yamasaki 214-17
    recent sediments: Kaizuka 206-18
  crust, structure and thickness: Gorai 213-227
    thickness: Aki 204-210; Gorai 213-227; Kaminuma 204-211; Kanamori 210-265, -266, -267; Murauchi 214-175
  earth currents, observations: Kakioka Magnetic Observatory 204-52, -53; Rikitake 214-50
    time variations: Hasegawa 205-28
  earth tides, observations: Nishimura 205-65; Ozawa 205-54
    volcanic activity: Yoshikawa 205-51
  earthquakes, 1961: Tanaka 204-54
    1963: Hagiwara 206-69
    energy: Kawasumi 204-77; Tsuboi 204-82
    local, related to ground deformation: Kishimoto 213-90, 215-104
    mechanism: Mikumo 213-91, 214-78

Japan—Continued
  earthquakes—continued
    prediction: Nishimura 205-38; Tsuboi 205-37
    tilt observations: Takada 213-96, 214-82
  elastic properties, dunite and granite:Hawakawa 213-133
  electrical exploration, lead-zinc deposits:Takashima 213-147
  electrical surveys, ground water: Homma 214-112
    Hida gneiss district: Katsube 212-157
    landslide areas: Takada 213-148
    Tamagawa hot springs area:Kondo 209-358
  geophysical surveys, oil and gas exploration: Government of Japan 214-121
  geotectonics, gravity anomalies: Mizoue 207-196
  geothermal energy, Oshima Volcano: Isshiki 211-346
  gravity anomalies, vertical gradient: Kumagai 206-158
  gravity exploration, secular crustal movements: Ichinohe 214-152
  gravity surveys, crustal thickness: Kanamori 210-265
    Izu Islands: Tomoda 210-252
    tie with Italy:Kumagai 206-181
  heat flow: Uyeda 211-182
  magnetic field, declination variations: Miyakoshi 213-268
    observations: Geographical Survey Institute 207-240; Kakioka Magnetic Observatory 213-270
  magnetic properties, volcanic rocks at Aso Volcano: Ota 213-277
  magnetic surveys, Aso Volcano: Ota 214-263
    hot springs area:Miyakoshi 213-290
  mantle, structure: Kanamori 210-266, -267
  microseisms, observations: Okano 214-266
    simultaneous observation at two stations: Okano 213-292
  paleomagnetism, Cenozoic: Ojima 206-242
    Devonian to Pliocene: Minato 214-236
    Miocene: Nomura 208-266
    Pliocene: Momose 206-244
    Tertiary: Nomura 206-243
  radioactivity, contact metamorphic rocks: Doi 214-269
    granites: Hatuda 213-295,214-271
    thermal waters:Shimokata 209-322
  radioactivity logging surveys,sedimentary rocks: Sano 204-326
    Yamagata Prefecture: Nakai 204-327

Japan—Continued
  radioactivity surveys, Akita Prefecture: Horikawa 204-311
    Donan district: Sugiyama 214-277
    Hokkaido: Iwasaki 204-309
    Hokonoka area, Kumamoto Prefecture: Furukawa 214-281
    Hokuriku area: Horikawa 204-313
    Joban coalfield: Aoyagi 214-280
    Kinki district: Iwasaki 204-310, 214-276, -279
    Tochigi Prefecture:Nakai 204-312
    Tottori Prefecture: Hosono 204-315
    Ube coalfield: Sogabe 204-316
    Uetsu-Aizu district: Horikawa 214-278
    uranium in manganese deposits: Hamachi 204-317
    uranium ores:Murano 214-270
  seismic surveys, crust and mantle structure: Kanamori 210-266, -267
    Joban coalfield: Ichikawa 204-338; Kawashima 204-339
    Tottori Prefecture: Hirasawa 204-340, 214-306
  seismic waves, velocity:Aki 204-96
  seismicity, geotectonics: Tamaki 214-71
  submarine geology, Tokyo Bay entrance: Kagami 210-356; Nasu 210-357; Sakamoto 210-355
  thermal springs, discharge:Yuhara 209-357
    distribution: Saito 205-357
    Onogawa Hot Springs area: Tokairin 214-167
    Tamagawa area: Kondo 209-358
    Toya district: Ishikawa 204-358
  tsunami, Chilean earthquake 1960: Higuchi 213-107
  volcanic activity, Aso: Kikuchi 213-350, 214-354; Matsumoto 214-352; Wada 207-355; Yokoyama 213-355
    Asama: Aramaki 205-356
    catalog: Kuno 212-348
    magnetic field variations: Kato 204-353
    migration of hypocenters:Kizawa 213-351
    Miyake Island: Okada 204-354
    Miyake-jima in 1962:Suwa 214-353
    Oshima Volcano: Isshiki 211-346
    Sakurajima: Yoshikawa 213-356, 214-357
    Usu: Oba 212-347
  volcanic earthquakes, Me-Akan: Motoya 207-357
    Miyake-sima:Minakami 207-358
    Sakurajima: Wada 213-354,214-356; Yoshikawa 207-356
  volcanology, chemical composition and eruptive frequency of lavas: Taneda 214-351

Japanese Inland Sea, geomorphology: Mogi 214-340
Jupiter, radio emission, surface temperature: Mayer 210-119

K

Kansas, magnetic surveys: Sanker Narayan 210-319; Watkins 208-276
Kashmir, age, uranium minerals: Bowie 205-8
Kenya, age, general listing:Snelling 208-10
Kerguelen Islands, magnetic field, micropulsations:Schlich 207-246
Korea, electrical surveys, Dalsung tungsten mine: Lee 213-149
  gravity surveys, Choony Bong-San area: Lee 213-214
  magnetic surveys, Dan-Yang iron mine: Shin 213-288
    iron in the Chungbong-san area: Kim 213-289

L

Labrador, age, anorthosite: Emslie 211-13
Latitude, observations, Mongolia: Lavrent'yeva 208-112
Lead, isotopes, sedimentary pyrite: Wampler 215-237
Libya, age, glass: Fleischer 208-14
  earthquakes, 1963: Gordon 212-114
  seismic surveys, dune area: Spinicci 211-308
Louisiana, electrical logging, surveys: New Orleans Geological Society 205-110
Luminescence logging, drilling mud: Ab 205-127

M

Madagascar, age, general listing: Bésairie 208-12
  age, granite: Bésairie 212-17
    pegmatites: Delbos 208-13
    Precambrian rocks:Delbos 210-10
  earth tides, observations:Steinmetz 205-61
  earthquakes, 1960: Poisson 213-70
  magnetic surveys: Bésairie 212-290
Magmas, basaltic, generation at high pressures: Green 211-198
Magnetic anomalies, analysis, parameters for: Savadskiy 207-283
  analytical continuation:Tsirul'skiy 215-193
  analytical extension of functions: Stupak 213-204

Magnetic anomalies—Continued
  complex fields, separation:Kuznetsov 204-275
  computer analysis:Volodarskiy 209-233
    four buried spheres:Keller 215-272
    two-dimensional structures: Talwani 215-273
  curves, matching observed with theoretical:Shalayev 206-164
  deep crustal structure, mathematical models: Karatayev 212-214
  depth determination: Paul 214-243
    areas of complex relief: Mikov 204-278
    model studies: Yarosh 205-275, 207-191, 211-148
    nomograms: Stupak 206-249
    statistical method:Klushin 206-247
    tangents method: Pyatnitskiy 204-280
  dikes, interpretation:Bruckshaw 208-271
  direct interpretation, fundamentals: Lozano 206-246
  direction of magnetization, sampling and calculation compared: Myshko 211-256
  ellipsoid of rotation, attitude determination: Gel'fand 204-179
    graphic solution:Gel'fand 204-277
  finite three dimensional bodies, computer program: Bott 207-284
  Fourier integral transformation: Solov'yev 204-276
  geometric bodies, methods of interpretation: Chang 205-279
  graticules, cylindrical bodies: Helbig 215-277
  ground checking, procedure:Ginzburg 212-308
  horizontal derivatives, profile observations:Malovichko 211-121
  interpretation, layer-by-layer: Budnitskiy 211-257; Uskov 211-258
  least-squares method of interpretation: Vogel 214-138
  local, analysis combining gravity data: Chernova 204-181; Karatayev 204-180
  localization of features: Serbulenko 209-227
  logarithmic potential, outside body: Tsirul'skiy 211-147
  lower boundary of disturbing bodies, graticules: Larionov 204-279
  magnetite deposits, evaluation: Konstantinov 207-286
  oceanic ridges: Vine 204-272
  ore veins, three-dimensional interpretation: Ho 205-277
  Pacific Ocean, horizontal displacements: Vacquier 205-145

Magnetic anomalies—Continued
  petroleum exploration: Affleck 214-241
  plain circular cylinder:Kolbenheyer 214-242
  potential derivatives, distribution functions: Serbulenko 207-193
  potential fields, spatial distribution calculated:Andreyev 205-278
  prism-shaped bodies with arbitrary polarization:Bhattacharyya 214-239
  secular variations, U.S.S.R.: Pochtarev 206-213
  separation from potential field: Solov'yev 207-285
  spherical and rod-shaped bodies, inclined magnetization: Gura 212-286
  thin sheets, interpretation: Reford 214-238
  total-intensity computer calculation: Hughson 208-267
  transformation of potential fields: Strakhov 214-142, -143, -144
  upward continuation: Steenland 208-269
  variations toward contacts: Solov'yev 212-285
  vertical, computation:Hughes 204-282
  V_{xz}, three-dimensional bodies: Yun'kov 213-203
  V_{zz}, classification: Yun'kov 211-149
  Z_a component, interpretation: Loshchakov 204-274
Magnetic exploration, airborne, basement depth determination: Nettleton 215-276
  airborne, geologic surveying: Logachev 205-280
    ground control: Kramarenko 205-276
    Sweden: Werner 210-317
  archeology methods: Aitken 215-271
  areas with thick alluvium: Hsiung 205-104
  boreholes, U.S.S.R.:Avdonin 212-283
  coal deposits: Masszi 207-101
  geodetic analogy, invalid: Butakov 213-159
  geologic interpretation: Kasatkin 207-190; Nefedov 212-307
  geologic maps from magnetometer data: Paterson 214-240
  high-accuracy, alkalic rocks: Manilov 208-272
  increment in vertical component, calculation on network: Krasovskiy 210-316
  induced magnetization, computer application to models: Vogel 210-315
  inductively magnetized bodies: Zidarov 204-281

Magnetic exploration—Continued
  instrumentation, 1964: Beford 214-237
    airborne equipment of Canada Geological Survey: Sawatzky 215-275
    shipboard fluxgate vector magnetometer: Ivanov 207-287
    three-component microvariometer: Krotevich 211-259
  iron deposits, contact type:Hsiung 205-281
    U.S.S.R.: Logachev 205-282
    weakly magnetic: Yüan 205-283
  local geomagnetic fields, boundary value problem:Hartman 204-273
  marine, 1962 conference in Moscow: Ivanov 207-288
    methods and surveys:Bullard 208-270
  meteorite fragments, U.S.S.R.: Pobul 212-81

  rare elements: Ginzburg 212-306, -309
  reduction to magnetic pole, calculation: Baranov 208-268
  secular variations in the geomagnetic field: Scheepers 206-245
  traverses, radiogeodetic position finding: Kovalenko 206-248
  vertical gradients related to horizontal gradients: Starostenko 210-229
Magnetic field of the Earth, analytical representation: Kautzleben 204-256
  anomaly, F region:Mariani 208-241
  Arctic Ocean, observations: Swift 211-53
  atmospheric tides, relationship: Fejer 213-260
  auroral zone events: Iyengar 211-229
  auroras, morphology:Fel'dshteyn 207-251
  bay disturbances, ionospheric absorption: Oguti 214-200
    irregular micropulsations:Nishida 209-290
    middle latitudes: Van'yan 210-300
    Poland: Jankowski 205-245
    short-period variations:Konečný 214-204
    X-ray bursts: Kremser 213-265
  boundary with solar wind: Bernstein 210-283; Cahill 210-292; Mead 210-280;Sigov 206-224
  Bulgaria, Years of the Quiet Sun: International Geophysical Bulletin 209-280
  charged particles, drift velocities: Newkirk 211-221
    motion in field: Stern 213-252
    scatter by field irregularities: Parker 211-220

- Magnetic field of the earth—Continued
  - charts, orthogonal functions:Fougere 212-254
  - components, determined from magnitude: Gintsburg 207-233
  - computer analysis, algorithms: Osipov 205-258
  - cosmic rays, anomalous entry: Lin 204-236
    - cut-off rigidities: Makino 209-289
  - cosmic-ray flux: Mogilevsky 210-304; Sytinskiy 206-143
    - anisotropy: Boström 210-285
    - behavior in field: Ray 209-272
    - effect of: Johnson 204-244
    - energy spectrum:Obayashi 213-262
    - field boundary: Beard 213-259
    - initial phase: Reid 213-248
    - inner structure: Afanas'yeva 205-232
    - interaction: Ness 215-248; Obayashi 209-282
    - laboratory model:Osborne 207-263
    - oscillations in:Gintsburg 206-223
    - sources: Bednářova-Nováková 209-295
    - stability of field boundary:Talwar 213-251
    - velocity: Maer 213-253; Snyder 206-216
  - cyclic variations, rotation of Earth: Afanas'yeva 210-235
  - deformation, solar wind:Mead 210-281
  - dipole field in a plasma: Midgley 204-238
  - distant field, long-period oscillations: Sonett 206-217
    - shape: Roden 212-252
  - disturbances, auroral luminosity: Loginov 206-225; Nagata 205-244
    - auroral zone: Oguti 207-257
    - depletion of ionization: Cole 215-250
    - diurnal: Dubrovskiy 207-254
      - Antarctica: Ostrekin 212-265
      - between geographic and geomagnetic poles: Nikol'skiy 206-226
      - trapped electrons at low altitude: Frank 214-185
    - high latitudes: Nikol'skiy 205-239, 210-298
    - K-variations: Mayaud 210-288
    - local events at high latitudes: Fukushima 211-232
    - middle latitude: Kiyanovskiy: 211-237
    - nuclear explosions: Kato 204-254
    - polar: Bryunelli 205-234; Cole 208-249; Nagata 208-248
    - relation of conjugate points: Bobrov 211-235
    - relation to ionospheric activity: Kokourov 214-207
    - relation to latitude:Dubrovskiy 207-254

- Magnetic field of the earth—Continued
  - disturbances—continued
    - solar hemisphere effect: Gleissberg 215-254
    - space-time distribution: Mishin 204-252
    - spiral distribution of blackouts: Yudovich 211-234
    - spiral patterns: Oguti 205-243
    - statistical analysis: Nikol'skiy 207-255
    - type-II absorption: Fedyakina 210-297
    - VLF range: Praus 207-250
  - dynamics: Bucha 209-308
  - dynamo theory: Jacobs 211-199
  - E- and F- region irregularities: Rao 213-256
  - earthquakes, associated phenomena: Moore 215-101
    - correlation of activity: Miyakoshi 213-101
  - electrojets, current system computed: Fejer 207-242
    - lunar tidal affects: Rastogi 209-284
    - mechanism: Fejer 207-229
  - electron diffusion in upper atmosphere: Chandra 214-188
  - electron-density fluctuations: Meecham 214-187
  - energy spectrum, inner part:Osipov 206-211
  - external, diamagnetism of Van Allen belts: Kozłowski 205-217
  - field intensity, U.S.S.R.: Dolginov 205-221; Vints 204-266
  - geomagnetic cavity, satellite measurement: Cahill 209-274
  - geomagnetic equator, definition: de Alvarez 204-240
  - geomagnetic time: Simonow 208-243
  - giant pulsations, types and characteristics:Kitamura 209-288
  - high-altitude nuclear test, observations: Bomke 214-184
  - horizontal component, sporadic-E: Heisler 213-255
  - hydromagnetic emissions:Wentworth 213-249, -250
  - infrasonic pressure waves:Campbell 205-226
  - instrumentation, automatic standard magnetic observatory: Alldredge 211-242
    - Hungarian: Ch'en 204-267
    - magnetometer for measuring field inhomogeneities: Friedemann 211-243
    - Polish observatories: Przybyszewski 205-261
    - proton magnetometers: Burtsev 205-264; Jankovsky 205-260; Shirke 207-267
    - rubidium self-oscillating magnetometer: Stuart 210-305

Magnetic field of the earth—Continued
- instrumentation—continued
  - single-component variometers: Bobrov 205-265
  - variometer accuracy: Bobrov 205-263
  - variometer shortcomings:Bobrov 205-262
- internal, review:Fanselau 207-227
- interplanetary effect on cosmic-ray flux: Beard 211-225
- ionospheric absorption, polar regions: Lebeau 208-251
- IQSY, instruction manual; Ruttenberg 209-279
- K-variations, behavior of organisms: Friedman 207-268
  - latitude effects: Mayaud 211-231
- lines of force, gravity effect on particle motion: Stinchcomb 211-224
- local fields, external and internal parts: Weaver 210-289
- lunar daily variations, days with high intensity: Onwumechilli 214-195
- lunar phase, correlation: Bell 214-186
- luni-solar variations, ionosphere: Duncan 213-271
- magnetohydrodynamics: Infeld 212-251; Thompson 211-227
- magnetosphere, boundary:Gringauz 209-273
  - electron density:Carpenter 214-197
  - neutral-point: Blum 211-222
  - reaction to solar plasma burst: Barthel 212-260; Cladis 212-256
  - rotation: Axford 204-241
- main field, sum of horizontal dipoles: Lyakhov 211-226
- micropulsations, apparent polarization: Pope 208-247
  - California: Bödvarsson 204-265
  - classification: Jacobs 207-243, 209-292
  - frequency variations:Schlich 207-246
  - high and middle latitudes: Schlich 208-252
  - Iceland: Bödvarsson 204-265
  - industrial: Fraser 215-251
  - long period: Jacobs 209-291
  - meteor correlation:Ellyett 205-249
  - spectrums of pearls:Vozoff 207-248
  - spectrums and polarization: Santirocco 204-248
  - type Pc 1: Smith 211-52
  - very high latitudes: Schlich 207-247
- models, observed and calculated compared: Leonard 206-208
  - to 2,000 km above Earth: Golton 207-241
- nonpotential part, nonexistence: Osipov 207-234
- north dip pole, secular motion: Dawson 207-238

Magnetic field of the earth—Continued
- nuclear explosion, effect of:Shirgaokar 205-250
- oblique interplanetary field: Walters 211-223
- observations, Alaska: Coast and Geodetic Survey 215-246
  - Albania : Bolz 205-287
  - Antarctica: Crary 211-167; Medvedev 210-299; Praus 207-250; Sen'ko 214-208; Shlyakhtina 205-224
  - Arctic Basin: Den Hartog 207-202
  - Canada: Iyengar 211-229
    - 1938-47: Madill 207-236
    - 1957-58: Cook 204-264
    - 1959-60: Ross 204-263
    - 1960: Loomer 204-261
    - IGY: Plet 204-262
  - Germany, 1901 and 1935:Kautzleben 210-291
  - Guam: Coast and Geodetic Survey 215-247
  - Japan: Geographical Survey Institute 207-240
    - 1961-62: Kakioka Magnetic Observatory 213-270
  - Norway: Gjellestad 206-215
  - Peru: Forbush 207-36
  - Poland: Kowalczuk 205-259
  - Puerto Rico: U.S. Coast and Geodetic Survey 214-199
  - solar activity in 1963: Lincoln 214-189
  - Spain: Cardús 206-214, 208-245, 209-277, 212-253
  - U.S.S.R.: Dolginov 210-294; Mikerina 206-222
- observatories, intercomparison measurements in Europe: Bolz 206-236
- origin, charges within the earth: Karpen 207-225
  - convective liquid:Tverskoy 204-239
  - electrical currents: Lahaye 207-226
  - passage through external field: Karpen 207-225
  - radial dipoles:Alldredge 212-250
  - reversals: Cox 212-272
- outer boundary: Bailey 204-242;Coleman 214-183; Mariani 207-228; Osipov 207-232
  - wave generation: Noerdlinger 208-242
- outer regions, electron density: Freeman 211-219
  - general characteristics: Vestine 214-191
- polar-cap-absorption events:Gosling 210-286
- polar disturbances, electric field: Bryunelli 214-205
- pulsations, exosphere:Tamao 205-242
  - frequency-time analysis: Kitamura 206-220

Magnetic field of the earth—Continued
- pulsations—continued
  - giant, sliding tones:Kitamura 215-253
  - hydromagnetic emissions: Tepley 212-257
  - large amplitude: Matuura 205-241
  - latitude-dependent periods:Siebert 211-230
  - long-period gigantic: Ol' 206-227
  - plasma-beam instability:Hruška 215-249
  - review: Siebert 213-264
  - structure theory:Gendrin 204-250
  - structured rapid: Gendrin 208-250
  - trapped charges: Jacobs 204-249
- quiet days, local and international compared: Rourke 212-259
  - noncyclic variations: Price 206-219
- quiet variations, methods of analysis: Price 207-245
- research, Canada, 1960-62:Niblett 207-237
- residual field, crustal structure in Czechoslovakia: Janáčková 209-278
- resonance frequencies, Earth-ionospheric cavity:Stefant 204-251
- ring currents: Ben'kova 205-231; Vestine 204-245
  - enhancements with low Ap values: Hirshberg 205-230
  - field of: Shevnin 207-230
- scintillations, southern latitudes: Slee 207-258
- secular variations, Antarctica:Cullington 205-224; Orlov 205-223; Shneer 212-264
  - archeological evidence: Aitken 210-314
  - Arctic: Orlov 204-258
  - cause: Afanas'yeva 208-246
  - chart preparation: Roden 212-252
  - crustal structure: Pochtarev 204-259
  - declination in Japan: Miyakoshi 213-268
  - depth of source: Ivanov 206-295
  - energy spectrum: Osipov 207-256
  - Hungary: Albert 204-257
  - influence of the core: Vestine 214-194
  - last 5,000 years: Nagata 204-260
  - northward shift: Nagata 213-269
  - Rössiger formulas: Kautzleben 210-290
  - spherical analysis: Adam 207-231
  - U.S.S.R.: Orlov 205-222
  - westward drift and nondrifting components: Nagata 214-193
  - world-wide uniformity: Depietri 215-245
- short-period fluctuations, Antarctic: Troitskaya 213-64

Magnetic field of the earth—Continued
- solar activity, 1963: International Geophysical Bulletin 215-252
  - asymmetric effects in geomagnetic field: Huang 213-257
  - configuration of sunspot groups: Štastná 214-202
  - flares: Dodson 213-261; Halenka 215-255
  - M-region: Tandon 214-196
  - minimum of 1954: Bednářová-Nováková 214-201
  - polar cap absorptions: Avignon 212-261
  - relation of flares to storms: Bednářová-Nováková 214-203
  - satellite measurement: Zmuda 214-190
- solar eclipse, determination of effect: Tauer 209-287
  - effect, diurnal variations: Tauer 215-256
  - effect on horizontal component: Tauer 209-286
  - observations during: Fanselau 205-246; Lenners 205-248; Wolter 205-247
  - Sq phase and amplitude: Fanselau 207-235
- South Atlantic anomaly, low altitude trapped protons: Freden 210-287
- south magnetic pole, position located: Burrows 205-219
- space probe measurements: Dolginov 210-293; Heppner 210-295
- spherical analysis: Leaton 204-243
  - epochs 1955 and 1958: Adams 205-220, 206-209
- **Sq variations, cyclic**: Price 211-228
  - ionospheric electrical conductivity: Grigor'yev 207-253; Ivanov 211-236
- **storms**, See Magnetic storms
- sudden impulses, cause of negative and positive: Nishida 209-285
  - magnetosphere:Nishida 212-255
- Sun, effect of negative electrical charge: Bailey 208-244
- Sun-Earth problems, review:Zhulin 205-218
- surface fields, analysis by integrals: Kahle 204-237
- trapped particles: Cole 206-210; Harris 204-247
- variations, 26- or 27- month periodicity: Shapiro 209-271
  - anomalous at Alert, Canada: Whitham 208-253
  - anomalous in Arctic Canada:Whitham 207-239
  - auroral activity: Fel'dshetyn 205-235
  - calculation by moment technique: Midgley 204-246

Magnetic field of the earth—Continued
variations—continued
coastal effects in Antarctica: Mansurov 212-262
coastal effects in Arctic and Antarctic: Sen'ko 212-263
conjugate points: Bryunelli 205-236; Wescott 214-198
earth current variations compared: Vinogradov 212-110
ionospheric conductivity changes: Lawrie 213-258
ionospheric influence: Ivanov 205-237
latitude:Besprozvannaya 207-252
lunar diurnal: Fatkullin 205-233; Roden 212-252
lunar tidal oscillations at equatorial stations:Rastogi 209-281
magnetic poles: Yudovich 205-238
ocean effects: Roden 213-254
oscillations of field lines: Sugiura 210-284
quiet days: Nagata 214-192; Rao 207-244
short-period: Sergeyev 214-206; Troitskaya 211-233
solar eclipse:Kautzleben 207-249
solar flair effect:Ohshio 206-221
spherical harmonic expansion: Midgley 210-282
Sq at conjugate stations:Wescott 206-218
sunspot activity:Degaonkar 205-229
surface and satellite data correlated: Hirshberg 205-227
tide effects: Miyakoshi 213-266
VLF emission: Hansen 205-228
Year of the Quiet Sun, Iceland: International Geophysical Bulletin 204-253
Ireland: International Geophysical Bulletin 204-253
Taiwan: International Geophysical Bulletin 204-253
Vietnam: International Geophysical Bulletin 209-280

Magnetic logging, accuracy:Levanto 210-318
fluid identification:Coolidge 208-274
free fluid index, significance: Wyman 208-275
greenstones, U.S.S.R.: Khalevin 215-154
iron deposits, U.S.S.R.: Stadukhin 212-284
potential of method, U.S.S.R.: Avdonin 212-283
susceptibility and conductivity: Laurila 205-267
theory and methods:Kudryavtsev 207-289
Magnetic properties, anisotropy: Neidell 212-273
basalt, India: Rao 212-269

Magnetic properties—Continued
ceramic materials, Rumania: Airinei 209-301
charnockite, India: Rao 212-269
chemical remanent magnetization: Kobayashi 214-220
collection of oriented specimens, portable apparatus: Brown 205-269
crystalline rocks, statistical analysis: Turitsyn 207-270
Fe-Ti-O system:Nagata 214-218
$FeTiO_3$-αFe_2O_3 system:Shirane 214-224
ferromagnetic content of rocks, determination without separation: Bolfa 207-273
general, conference, Munich,1963: Angenheister 209-300
granites, India:Balakrishna 210-306
hematite, identification red sediments: Nagata 211-245
variation with titanium content: Stiller 209-299
vector direction in rocks:Howell 214-221
hydrothermally altered rocks U.S.S.R.:Solov'yev 210-307
igneous rock, ring-dike in Arizona: Dubois 214-231
ilmenite-hematite system, low temperature: Ishikawa 214-225
instrumentation, a-c demagnetization: Jelínek 214-232
nonuniformly magnetized specimens: Roy 208-256
spinner magnetometer: Gough 212-271
torque magnetometer: Birss 206-240
interior of Earth:Pochtarev 205-213
inverse thermoremanent magnetization, crystalline isotropy energy: Ozima 207-269
inverse type of thermoremanent magnetism (ITRM), defined: Nagata 213-276
iron-bearing rocks, anomalies: Carmichael 208-255
U.S.S.R., Kurst Magnetic Anomaly: Stupak 212-266
iron ores, basis for prospecting and mapping:Savadskiy 212-268
U.S.S.R.: Ponomarev 214-228
isothermal remanent magnetization, pressure effect: Cohen 207-272
lavas, Scotland, Mull: Ade-Hall 213-278; Wilson 213-279
magnetic crystal classes: Bhagavantam 211-246
magnetite, chemical bonding: Frölich 207-271
identification in red sediments: Nagata 211-245

Magnetic properties—Continued

- magnetite—continued
  - oxidation mechanism: Colombo 210-309
  - temperature of hysteresis: Vlasov 214-229
  - variation with titanium content: Stiller 209-299
- measurement, permeability method: Liu 206-238
- metamorphic and sedimentary rocks, India: Brahmam 211-247
- meteorites: Gus'kova 208-41; Pochtarev 206-29
- modern marine sediments, Atlantic Ocean: Keen 208-257
- paramagnetic nucleus resonance: Janovsky 214-223
- pyrrhotite, magnetocrystalline anisotropy energy: Adachi 208-258
  - self-reversal: Bhimasankaram 211-244
  - temperature dependence: Hayase 214-227
- red sediments, magnetite and hematite identification: Nagata 211-245
- remanence, single-domain grains: Muirhead 204-268
  - variation with temperature: Krause 204-269
- reversed polarity, oceanic crust: Vine 204-272
- review: Logachev 205-268
- rhyolites, Missouri: Hays 206-237
- rocks, accuracy of measurements: Hsü 206-239
  - Antarctica: Ushakov 212-184; Vladimirov 212-270
  - U.S.S.R., Central Asia: Mel'kanovitskiy 211-248
- sedimentary rocks, U.S.S.R., Gissar Range: Abdullayev 207-274
- self-reversal, iron-titanium oxides: Verhoogen 209-297
  - titanomagnetites: Ade-Hall 209-298
- serpentinite, U.S.S.R.: Shapoval 209-171
- sphere in a homogeneous external field: Nojarov 210-311
- spinels, ferromagnetism: Lotgering 210-308
- superparamagnetism, red sandstone: Neidell 212-273
  - $ZnFe_2O_4$-$NiFe_2O_4$: Ishikawa 214-226
- susceptibility, method of determination: Krainski 205-266
  - Ontario: MacLaren 207-290
  - U.S.S.R., Ukraine: Lebedev 208-259
  - use in geological investigations: Tolstoy 212-267
- tektites, nickel-iron spherules: Senftle 207-27

Magnetic properties—Continued

- thermoremanent magnetism: Uyeda 214-219
- time-dependent effects: Sholpo 214-230
- uniformly magnetized body, direction and magnitude: Vacquier 214-222
- vectors, angular dispersion: Cox 213-275
  - bedding errors: Hamilton 213-281
  - glacial silts in varves, Sweden: Rees 213-280
- volcanic eruptions, variations in Japan: Kato 204-353
- volcanic rocks, Japan, Aso Volcano: Ota 213-277

Magnetic storms, asymmetric development, low and middle latitude: Akasofu 214-210

- atmospheric heating, latitude dependence: Moe 209-293
- commencements, mechanism: Bouška 214-214
- cosmic ray flux, 1,900,000 km from Earth: Gringauz 210-296
- cosmic rays, intensity increase: Kondo 205-255
- energy: Chapman 214-211
  - classification: Afanas'yeva 211-241
  - cosmic-ray flux, reaction with magnetosphere: Axford 209-283
  - storm of September 1957: Afanas'yeva 214-217
- families recorded during IGY: Afanas'yeva 204-255, 210-303
- families tabulated for 1959: Afanas'yeva 214-216
- hydromagnetic emissions, enhancements: Wentworth 212-258
  - X-ray bunches: Tepley 207-259; Wentworth 207-260
- hydromagnetic shock waves, propagation in exosphere: Kitamura 206-229; Namikawa 206-228, -230
- incidence of charged particles: Sato 213-267
- initial phases, latitude dependence: Bouška 214-215
- ionization gradient: Corcuff 208-254
- ionosphere, disturbances: Hakura 205-253
  - screening effect: Nishida 211-238
- laboratory model: Osborne 207-263
- lag times: Mishin 205-257
- long-period stable pulsations, middle latitudes: Rokityanskiy 206-234
- main phase, mechanism: Piddington 207-262
  - microstructure: Prikner 207-264
- negative sudden impulse: Akasofu 214-209
- origin, general review: Bednářová-Nováková 214-213

- Magnetic storms—Continued
  - polar and auroral blackout: Hakura 205-252
  - protons: Pieper 210-301
  - pulsation characteristics: Bouška 207-265
  - radio bursts of type IV:Bell 205-251
  - recovery phase, ring current dissipation: Yacob 206-233
    - sunspot activity: Kane 209-294
  - recurrent, friction of cosmic-ray flux: Piddington 211-239
    - solar conditions: Bednářová-Nováková 206-235, 209-296
  - satellite observations: Smith 213-272
  - solar activity, field of active solar region: Tandon 206-232
    - M-region: Allen 213-263
    - preceding: Bednářová-Nováková 211-240
  - storminess calculated, high latitudes: Gjellestad 206-231
  - sub-ELF emissions: Tepley 215-259
  - sudden commencements: Willis 213-273
    - electrojets: Rastogi 214-212
    - high latitudes: Sato 205-254
    - hydromagnetic interpretation: Tamao 215-257
    - interpretation:Stegelmann 207-261
    - negative impulse: Ivanov 207-266
    - polar eclipse: Nagata 208-248
    - propagation time of hydromagnetic disturbance: Parker 215-258
    - structure of: Sato 205-256
  - sudden impulses: Maeda 205-240
  - tritium, satellite measurement: Tilles 206-203
  - upper atmospheric phenomena: Matsushita 210-302
- Magnetic surveys, Alaska, anomalies tabulated: Richter 214-247
  - Alaska, Tanana Lowland:Andreasen 215-282
  - Albania, geomagnetic field measurements: Bolz 205-287
  - Alberta: Canada Geological Survey 215-295, -296
  - Antarctica: Behrendt 204-293
    - Argentine Islands: Agger 204-292
    - Ellsworth Land and Antarctic Peninsula: Behrendt 211-166
    - Gaussberg area: Glebovskiy 212-296
    - George V and Oates Coasts: Ushakov 212-230
    - Hope Bay, Lake Boeckella area: Cox 215-305
    - Mirnyy area:Glebovskiy 212-295
    - narrow anomalies:Behrendt 211-264
    - Pionerskaya area:Glebovskiy 212-294
    - south of Shackleton Ice Shelf: Glebovskiy 212-298
    - Vestfold Hills:Glebovskiy 212-297
    - West Antarctica:Behrendt 211-265
- Magnetic surveys—Continued
  - Arctic Islands: Oilweek 214-258
  - Arizona: Andreasen 209-315
  - Arkansas: Jesperson 213-282
  - Atlantic Ocean, bottom relief: Ivanov 211-335
    - Mid-Atlantic Ridge, anomalies related to heat flow: Vacquier 209-248
    - Mid-Labrador Sea Ridge: Hood 213-283
    - off eastern North America:Drake 204-283
    - Plantagenet Bank: Kontis 214-259
    - stripe anomalies: Backus 209-316
  - Australia, iron in Middleback Range: Taylor 213-291
    - iron ore: Mumme 204-291
    - negative anomalies for basalts: Mumme 207-294
  - Baltic sea, southern: Lehmann 212-291
  - Borneo, Singapore to Labuan: Isaacs 211-263
  - British Columbia: Canada Geological Survey 215-297, -298; Hall 214-256
  - Bulgaria: Dobrev 204-189,205-199, 209-243
  - California: Andreasen 214-253,-254, -255; Schroll 204-186
  - Canada, Scotian Shelf: Bower 215-283
  - China, iron deposits: Ch'in 206-259
  - earthquakes, prediction of shocks: Stacey 209-128
  - England, Acklington dyke: Robson 214-260
  - France, Langres Plateau: Weber 210-322
  - Germany, Alpine foreland:Liebscher 215-201
  - Greece, copper deposits: Zachos 206-109
  - Hungary: Posgay 204-286;Vasady-Kovács 204-287
  - Illinois: McGinnis 214-245; Patenaude 212-287
  - India, Deccan traps:Balakrishna 210-323
    - manganese ores of Rayagadah: Rao 212-293
  - Indian Ocean: Intergovernmental Oceanographic Commission 213-287; Loncarevic 208-358
  - Ireland: Riddihough 215-302
  - Italy: Battelli 207-291; Salvioni 208-278
  - Japan, Aso Volcano: Ota 214-263
    - hot springs area:Miyakoshi 213-290
  - Kansas: Sanker Narayan 210-319; Watkins 208-276
  - Korea, Dan-Yang iron mine: Shin 213-288
    - iron in the Chungbong-san area: Kim 213-289
  - Madagascar: Besairie 212-290
  - Maine: Boucot 214-248; Doyle 204-284

Magnetic surveys—Continued
- Manitoba: Canada Geological Survey 215-291, -292
- Maryland: Bromery 215-278; Popenoe 210-320
- Massachusetts: Popenoe 214-249, -250, -251, -252
- Michigan: Patenaude 212-287
- Minnesota, McLeod County: Sims 211-261
  - possible iron deposit:Zietz 211-260
- Missouri: Allingham 214-246; Hays 206-237; Jespersen 213-282
- Montana: Davis 209-312
- Nebraska: Watkins 208-276
- Nevada: Boynton 206-254, -255,-256, 208-277
- New Mexico: Jones 209-314
- New York: Popenoe 214-250
- Northwest Territories: Canada Geological Survey 215-299, -300, -301; Horton 214-257
- Ohio: Popenoe 210-320
- Oklahoma: Andreasen 215-280, -281; Norden 204-285, 206-252, -253, 212-288, 215-279
- Ontario: Canada Geological Survey 215-286, -287, -288, -289, -290; MacLaren 207-290
- Oregon: Balsley 210-321
- Pacific Ocean: Ivanov 207-295
- Pennsylvania: Popenoe 210-320
- Philippines, iron deposits:Busuego 214-261
- Quebec: Canada Geological Survey 215-284, -285, -286
- Red Sea: Ivanov 205-286
- Rumania, Bihor Mountains: Romanescu 208-282
  - Carpathians: Airinei 208-283, 213-213
  - Misey platform: Dobrev 205-199
- Saskatchewan: Canada Geological Survey 215-293, -294; Sander 209-330
- Sierra Leone: Pollett 205-285
- South Australia: Whitten 214-262
- Texas: Muehlberger 209-236; Van Lopik 204-184
- Turkey, chromite: Yüngül 205-197
  - iron deposits:Hutchison 208-279, -280, -281
- U.S.S.R., Asia-Pacific transition zone: Gaynanov 207-293
  - Baikal area:Tsyrendorzhiyev 208-203
  - faults on Siberian platform:Bulina 215-303
  - Kamchatka: Rivosh 204-290,206-186
  - Kazakh S.S.R.:Dzhanayev 213-286
  - kimberlite pipes:Savrasov 207-292
  - Kola Peninsula: Porotova 206-257
  - Krivoy Rog: Baklanov 213-285
  - Mutnovskaya and Gorely:Kirsanov 215-372

Magnetic surveys—Continued
- U. S. S. R. —continued
  - Orekhov-Pavlograd belt in Ukraine S.S.R.: Kazakov 209-317
  - Russian platform:Gafarov 211-163
  - Sakhalin Island:Livshits 208-204
  - Siberia:Nikolayevskiy 212-228
  - Tatar dome: Aleksandrov 206-258
  - Transbaikal area: Tikhomirov 215-304
  - Transcarpathia: Khomenko 204-289; Kruglyakova 205-288
  - Udmurt and Tatar A.S.S.R.'s: Urazayev 212-292
  - Ukraine S.S.R.: Bolyubakh 211-262; Kon'kov 210-250; Lebedev 204-288
  - Volga-Ural district: Ayzenberg 205-289
  - West Siberian Lowland:Simenenko 205-290
- United States, east-west continental fractures: Fuller 214-244
- Utah: Erickson 212-289; Mabey 209-313
- Vermont: Popenoe 214-251
- Washington: Steenland 208-269
- West Virginia: Popenoe 210-320
- Wisconsin: Sanker Narayan 210-319

Magnetometers, Chinese model of Russian M-1:Hsiung 206-251
- pendulum sensor, Russian:Proshin 206-250
- proton, design and operation: Bell 209-275
  - high accuracy measurements: Burtsev 205-264
  - principles of:Ch'in 205-284
  - prospecting: Green 208-273
  - theory: Valle T. 209-276
  - rubidium self-oscillating: Stuart 210-305
  - vertical component, levels at Polish observatories: Przybyszewski 205-261
- see also Magnetic field of the Earth, instrumentation; and magnetic exploration, instrumentation

Magnetotelluric exploration, anisotropic and inhomogeneous bodies: Srivastava 204-49
- electromagnetic field, linear relationship:Berdichevskiy 213-62
- interpretation, perturbation onsets: Gokhberg 204-50

Magnetotelluric surveys, Poland, Carpathian piedmont: Kostecki 213-61
- U.S.S.R., Georgia:Berdichevskiy 213-63

Maine, electrical surveys, sulfides: Doyle 204-284
- geotectonics, recent deformation: Bloom 205-153
- magnetic surveys: Boucot 214-248; Doyle 204-284
- seismic surveys, Gulf of Maine: Nakamura 209-137

Manitoba, gravity surveys, West Hawk Lake: Halliday 205-194
  magnetic surveys: Canada Geological Survey 215-291, -292
  seismic surveys, Hudson Bay Lowland: Hobson 215-343
Mantle, Alberta, earth current survey: Srivastava 214-59
  chemical differentiation, lead isotopes in feldspars:Patterson 209-262
  coesite, synthesis: Sclar 206-196
  composition, 4-fold to 6-fold silicon coordination: Boyd 212-238
    crystal chemistry:Stishov 204-219
    equations of state:McQueen 213-230
    not basaltic: Kutolin 212-241
  conductivity, long-period magnetic fluctuations: Eckhardt 206-60
    synthetic minerals: Bradley 204-137
  control of geomorphology:King 214-126
  convection currents, continental drift: Chamalaun 205-147; Vening Meinesz 205-146
    global heat flow: Lee 206-191
    gravity field: Kopal 205-211
    heat conduction:Rikitake 204-191
    linear stability problem: Knopoff 213-232
    magnetic properties of crust: Vine 204-272
    Mediterranean area: Vening Meinesz 213-274
    satellite data: MacDonald 205-212; Runcorn 207-159
  density distribution: Clark 213-231
  depth to homogeneity, P-wave arrival: Tryggvason 210-268
  discontinuities, phase transformations: Sclar 207-219
  eclogite, bimineralic:O'Hara 208-224
    origin: Heier 204-218
  elastic waves, anisotropy evaluation: Stoneley 209-153
  enstatite-diopside system, high pressure: Davis 208-228
  forsterite, melting at high pressure: Davis 208-231
    melting curve: Davis 209-259
  garnet peridotite, melting at high pressure: O'Hara 208-222
  isostatic flow, epeirogenesis: Bott 209-203
  K/Rb ratio, Hawaiian lavas:Lessing 204-217
  layering, fronts of metasomatism: Riznichenko 207-215
  low velocity layer, compositional inhomogeneity:Oxburgh 213-233
    dispersion of long-period waves: Santo 214-176
    shear-waves: Nuttli 204-216
  magnetic density:Pochtarev 205-213
  melting points: Hirano 214-178
    crystal defects: Hirano 213-234

Mantle—Continued
  $MgO-SiO_2-MgSiO_3-Mg_2SiO_4$ system: Shimada 213-235, 214-179
  mineral analogs, shear deformation tests: Riecker 215-221
  ocean basins, velocity gradients: Ewing 208-234
  phase equilibria, silica: Ryabinin 206-197
  physical parameters, phase velocities: Takeuchi 214-173
  Poisson's ratio, high temperature: Shimozuru 213-236
  radioactive elements and composition, heat flow:Tilton 210-254
  rheological properties: Chadwick 205-148
  seismic anistropy, preferred orientation of olivine: Hess 215-224
  seismic model, multicomponent gels: Vanek 212-144
  stishovite, first description: Chao 206-194
    synthesis: Sclar 206-195
  strain, thermoelastic:Ben-Menahem 207-218
  structure, anelasticity as function of depth: Anderson 211-195
    continents: MacDonald 207-212
    Gulf of Mexico:Shurbet 211-194
    Japan:Kanamori 210-266, -267
    problems of: Belousov 204-214
  temperature: Aslanyan 212-234
    gradient: Zharkov 209-245
    upper: Shimozuru 208-235
  thermoelastic stresses, earthquakes: Lubimova 214-75
  transfer of material to crust: Moskaleva 215-225
  upper, geographic map: Backus 210-162
    physical properties: Westcott 212-239
    seismic and heat flow data: Hales 214-177
  Upper Mantle Project, Czechoslovakia: Zátopek 209-261
    Mohole test in Puerto Rico: International Geophysical Bulletin 215-223
    Transcontinental Geophysical Survey: International Geophysical Bulletin 215-223
    U.S.S.R.: Lebedev 208-236
      meeting in 1964: Hart 215-222
    United States and Canada contributions: U.S. House of Representatives Committee Hearings 212-240
    United States program: National Academy of Sciences 204-215
  velocity gradient, P-waves: Yanovskaya 210-167
  velocity profiles: Yanovskaya 214-85

Mantle—Continued
  viscosity, diffusion processes: Zharkov 206-200
  volcanoes, catalog: Kuno 212-348
Mars, canals, aeolian hypothesis: Gifford 215-65
  color photographs, canals and clouds: Robinson 215-64
  satellite Phobos, acceleration: Schilling 211-51
  surface, inorganic rather than organic features: Rea 207-35
  yellow clouds, particle sizes in suspension: Ryan 215-66
Maryland, magnetic surveys:Bromery 215-278; Popenoe 210-320
Massachusetts, age, radiocarbon dates: Kaye 210-3
  magnetic surveys: Popenoe 214-249, -250, -251, -252
  seismic surveys, Cape Cod:Oldale 209-329
Mathematical geology, problems of: Vistelius 208-164
Mauritania, age, igneous and metamorphic rocks: Giraudon 212-19
  meteorite craters, coesite at the Richat crater: Cailleux 213-21
Mediterranean Sea, radioactivity, marine sediments:Blanc 212-302
  sea-floor topography: Bourcart 212-337
  seismic surveys, northwestern: Glangeaud 214-301
    sediment thickness: Moskalenko 209-332
Mercury, general: Sandner 211-49
Meteorite craters, California, Panamint Crater not meteoritic: Dietz 212-88
  Canada, New Quebec, Clearwater, and Manicouagan craters not meteoritic: Currie 212-86
  characteristics, impact and explosion: Krinov 212-78
  cryptoexplosion structures, origin: McCall 209-42
  distribution on the Earth: Krinov 210-59
  energy of formation, U.S.S.R.,Kaali craters: Bronshten 212-83
  formation, actual and experimental compared: Tolansky 211-43
  France, Cabrerolles and Faugeres craters not meteoritic: Beals 212-85
  general: Middlehurst 208-21
  Germany, Ries Kessel, fracture rims: Johnson 209-51
    Ries Kessel, high pressure glasses: Engelhardt 213-22
  Illinois, Glasford: Buschbach 206-33
  India, Lonar Crater:Lafond 212-87
  Manitoba, West Hawk Lake: Halliday 205-184

Meteorite craters—Continued
  Mauritania, coesite at the Richat: Cailleux 213-21
  Ontario, Holleford, coesite and shocked quartz: Bunch 204-39
  parameters of meteorite, calculation: Pokrovskiy 212-82
  stishovite, first description: Chao 206-194
    thermal dependence of crystal habit: Sclar 211-44
  Texas, Sierra Madera Dome: Van Lopik 204-184
  U.S.S.R., Ilumetsa craters in Estonia: Aaloe 212-80
    Kaali craters in Estonia: Aaloe 212-79; Treuman 212-84
      energy of formation:Bronshten 212-83
Meteorites, Aarhus, description: Callisen 209-28
  activation analysis:Fisher 212-67
  age, carbon-14 method:Kohman 211-39
    cosmic-ray exposure history: Goel 211-40
    exposure ages: Vinogradov 215-36; Voshage 212-72
    lead-lead and uranium-lead ages: Fisher 211-38
    radiation damage to graphite: Bollmann 215-31
    thermal history: Levskiy 215-37
  amphoterites: Mason 211-25
  Argentina, Raco chondrite: Siegel 212-49; Teruggi 212-48
  argon, isotopes: Davis 211-37
  Bendegó, recovery of: Sears 204-27
  Bogou iron, radioactivity:Unik 212-61
  cadmium, abundance compared with terrestrial: Schmitt 208-33
  California, aerolites from Lucerne Valley: Hartman 212-47
  catalogs, 1953-1963: Krinov 212-46
    Canadian National Meteorite Collection: Dawson 204-32
  chondrites, aluminum content:Fisher 212-66
    atomic abundances: Urey 213-15
    crystallization: Mueller 209-26
    Fe, Mg, and Ca distribution: Keil 214-41
    fluorine content: Fisher 206-25; Shima 208-38
    induced Na-22 and Al-26 activation: Biswas 210-83
    Niger Republic: Jérémine 215-29
    olivine composition: Mason 206-26
    shock emplaced argon:De Carli 211-41
    shock experiment: Frederiksson 210-80
    shock-induced veins:Frederiksson 210-81
    Si-Mg fractionation:Ahrens 211-23
    systematic variations in forms of iron: Yavnel' 210-66

Meteorites—Continued
- chondrules, condensation of gas to liquid and solid: Wood 208-37
  - formation from gas: Suess 208-36
  - origin: Wood 206-27
- cohenite, not a pressure indicator: Lipschutz 212-60; Olsen 212-59
- collections, U.S.S.R., Estonian Academy of Sciences: Aaloe 212-55; Orbiku 212-54
  - University of California: Rowland 204-31
- composition, Al-26 and K in bronzite chondrites: Anderson 209-23
  - ammonia content:Vinogradov 206-24
  - light and dark portions of Pantar: König 215-33
  - rare earths, Y and Sc: Schmitt 208-34
  - Rb and Cs in chondrites: Smales 209-27
  - Yonozu chondrite: Mason 205-15
- cosmic ray effects: Honda 209-30
- diamonds: Vinogradov 204-33
  - origin: Carter 212-57; Lipschutz 212-56
- Dzhungaria, geologic history: Aristov 210-70
- Elga, composition and structure: Plyashkevich 210-63
  - find in permafrost: Bronskiy 210-62
- Fayetteville, rare gases:Manuel 212-71
- fireballs, photograph: Romick 215-39
  - sounds emitted: Lamar 212-43
- fractionation, Cl, Ge, and Zn: Greenland 207-23
- fragmentation, radar echoes from upper atmosphere:Fiocco 211-46
- general: Heide 214-39;Krinov 208-30; Middlehurst 208-21
  - comprehensive review:Orcel 212-41
- germanium, content in stones: Burkser 210-68
  - distribution: Shima 211-24
- graphite, electron microscopy: Sciacca 215-35
- Greenland, Cape York fall: Buchwald 208-35
- hafnium, abundance: Setser 213-16
- helium, stone meteorites: Hintenberger 212-65
- Illinois, Woodbine: Read 206-21
- impact, compared with comets: Fesenkov 212-42
- impactites, origin of Darwin glass: Taylor 211-45
- India, Basti: Malhotra 206-22
- inert gases, diffusion:Fechtig 207-25
- infrared absorption analysis: Kadushin 210-69
- iridium content: Ehmann 204-35
- iron, composition and conditions of crystallization: Yavnel' 210-67
  - silicate nodules: Olsen 209-25
  - tritium diffusion: Dubost 208-42

Meteorites—Continued
- isotopes, abundance: Murthy 204-37
  - argon: Davis 211-37
  - boron: Shima 204-222, 212-68
  - calcium ratios: Backus 212-70
  - He, Ne, and Ar: Vinogradov 215-36
  - He-3 and Ne-21: Hintenberger 211-34
  - helium: Bauer 205-18
  - helium and neon in irons: Hintenberger 211-35
  - krypton: Clarke 215-34
  - lead by neutron activation analysis: Cobb 211-31
  - Mn-54 in irons: Yokoyama 211-32
  - Mo in irons: Murthy 207-24
  - rare gases: Hintenberger 212-65; Manuel 211-29, 212-71
  - silver in irons:Chakraburtty 209-22
  - sulfur standard: Jensen 212-69
  - tritium and argon: Fireman 211-36
- Kaaliyarva, fall phenomena: Bronshteyn 210-61
- Kirkland: Read 204-30
- luminescence, Khor Timiki stone: Garlick 210-85
- lunar craters: Derham 209-29
- magnetic properties: Gus'kova 208-41; Pochtarev 206-29
- magnetic surveys for fragments: Pobul 212-81
- merrillite similar to whitlockite: Christophe-Michel-Lévy 213-17
- neon, stone meteorites:Hintenberger 212-65
- neutron activity:Eberhardt 210-82
- New South Wales, nickel-rich ataxite: Baker 215-32
- Nikolsk, chondrule composition: D'yakonova 210-65
- noble gases, abundance: Suess 204-36
- Norton County, rare minerals: Keil 205-17
- Norway, Pollen carbonaceous chondrite: Wolff 213-18
- opaque minerals, New South Wales: Ramdohr 208-39
- organic compounds: Anders 205-19; Fitch 205-20; Tasch 205-21
  - biogenic origin not determinable: Degens 213-19
  - extraterrestrial life: Cohen 209-40
  - Mighei meteorite:Vinogradov 213-20
  - nonorganic nature: Vdovykin 215-38
  - optical activity: Nagy 210-90
  - porphyrins: Hodgson 210-89
  - trace occurrence in carbonaceous types: Villée 210-91
  - ultraviolet spectrum:Nagy 207-26
- origin, collisions of asteroids: Yavnel' 212-45
- osmium, distribution:Morgan 211-26
- pallasites, composition: Massalaki 215-30
- parameters, calculated from crater: Pokrovskiy 212-82

Meteorites—Continued
- parent body, sulfide shell: Vogel 208-40
- Pollen, a 1942 Norwegian fall: Wolff 205-16
- problems reviewed: Krinov 204-26
- radiation trails, infrared detection: Tinsley 210-86
- radioactivity, analysis of 37 stony samples: Rowe 208-31
  - Bogou siderite: Rowe 209-31
  - cosmic-ray produced: Honda 208-20
  - Fayetteville: Rowe 211-30
  - iron targets bombarded by 1- and 3-Gev protons: Honda 212-63; Shedlovsky 212-62
  - six irons measured: Rowe 208-32
- rare-earth fractionation, compared with basalt: Schmitt 204-34
- rare-earths, oceanic basalts compared: Frey 209-256
- rare gases, abundances: Signer 210-84
  - chondrite Renazzo: Reynolds 214-40
  - isotopic composition: Manuel 211-29
  - origin: Suess 212-64
- rate of fall, influence of Moon: Ellyett 210-87
- rhenium, distribution: Morgan 211-26
- Ridgecrest aerolite: Humiston 204-28; Leonard 204-29
- Saratov, chondrule composition: D'yakonova 210-65
- Sikhote-Alin: Kvasha 210-76
  - area of fall: Krinov 209-36
  - catalog of specimens: Krinov 209-39, 210-74
  - chemical composition: D'yakonova 210-77
  - dust: Krinov 210-75
  - expeditions to site of fall: Fesenkov 209-32
  - fragments found by magnetic methods: Fonton 209-38
  - impact phenomena: Krinov 209-35
  - mechanical properties: Yavnel' 210-79
  - microelements: Yavnel' 210-78
  - phenomena accompanying fall: Divari 209-34
  - place of fall described: Shipulin 209-33
  - rate of fall of specimens: Divari 210-60
  - shape of craters: Sarybatyrov 209-37
  - spherules: Bgatov 206-31
- solar system, early history: Anders 208-27
- sputtering, He and Ar ions: Heymann 211-42
- Susuman iron meteorite, mineralogy and structure: Kirova 210-64
- tantalum content: Ehmann 204-35
- temperature, outer space: Butler 206-30

Meteorites—Continued
- thorium, abundance: Lovering 211-27; Morgan 211-28
- time-of-fall, departures from randomness: Millard 206-23
- tin, distribution: Shima 211-24
- tritium, diffusion in iron: Tilles 211-33
  - retention: Tilles 209-24
- uranium, abundance: Lovering 211-27; Morgan 211-28
- U.S.S.R., catalog 1961: Kvasha 210-72
  - catalog 1962: Krinov 210-71
  - Kaali iron, composition: Yudin 212-50
  - Tamarugal, composition: Smyshlyayev 212-52
  - traces of impact areas in Siberia: Shevchenko 215-40
  - Tunguska, optical atmospheric phenomena: Zotkin 206-32
  - Tunguska fall, spherules: Kirova 212-51
  - Yardymlinsk meteorite, plessitic structure: Yudin 212-53
- zinc, abundance: Sandell 215-28
- zirconium, abundance: Setser 213-16

Meteors, comprehensive review: McKinley 212-44
- density, icy-comet model: Verniani 214-42
- lunar influence on rates: Brierley 205-22

Mexico, age, radiocarbon dates: Noakes 214-23
- earthquakes, 1962: Merino y Coronado 214-67; Zeevaert 209-100
  - epicenters: Merino y Coronado 204-59
- electrical surveys, salt deposits: Covarrubias 214-109
- geophysical surveys, La Venta field: Villagómez Aguilera 208-154
- geothermometry, lead-zinc ores: Sawkins 214-169
- gravity ellipsoid: Castro Boneli 208-169
- gravity exploration, Sun and Moon corrections: Olhovich 208-197
- gravity surveys, South zone: Cornejo Toledo 215-200
- radioactivity, Lourdes warm spring water: Strella 215-313
- seismic surveys, Asunción-Tuxpan area: Limón 215-340
  - Faja de Oro atoll: Islas Leal 208-313
  - noise analysis, San Lorenzo area: Deza Suárez 215-339
  - northeast: Coffin Otero 215-330; Salmon Herrera 215-333
  - San Lorenzo area: Deza Suárez 215-338
  - South Zone: Cornejo Toledo 215-200
  - Tampico: Basurto García 207-330

Michigan, magnetic surveys: Patenaude 212-287

Micrometeorites, comprehensive review: Schmidt 209-41
  density, icy-comet model: Verniani 214-42
  measurement in space: Jennison 214-43
Microseisms, approach of surface waves: Teisseyre 205-291
  Atlantic Ocean, generation and propagation: Monakhov 215-308
  Caspian Sea, generation: Tabulevich 214-265
    observations: Kuznetsov 215-310
  earth tides, causal factor: Holmes 206-260
  exploration method, phase velocities: Toksöz 210-324
  high frequency, nature of spectra: Frantti 204-295
  Japan, observations: Okano 214-266
  long-period, Atlantic storms recorded in U.S.S.R.: Monakhov 206-262
    Czechoslovakia: Zatopek 214-264
  New Jersey, spectral analysis: Walker 211-266
  oceanic storm, tracing: Monakhov 209-319
  origin, numerous seismic oscillators: Strobach 215-307
    theories of: Hardtwig 206-261; Hjortenberg 204-294
  propagation, relief of Scandinavia: Prosvirnin 215-309
  Rayleigh waves, borehole observations: Douze 215-306
  simultaneous observation at two stations, Japan: Okano 213-292
  sources, determined from amplitude differences: Tabulevich 207-297
  South Africa, observations: Darbyshire 208-284
  Sweden, analysis: Santo 209-318
  three-dimensional detection system: Broding 210-325
  transmission of pressure to ocean bottom: Das Gupta 207-296
Mid-Atlantic Ridge, heat flow, relation to magnetic anomalies: Vacquier 209-248
Minnesota, age, metamorphic rocks: Catanzaro 212-11
  electrical surveys, iron deposits: Frischknecht 205-88
  gravity surveys: Craddock 205-190
  magnetic surveys, McLeod County: Sims 211-261
    possible iron deposit: Zietz 211-260
Missouri, magnetic properties, rhyolite: Hays 206-237
  magnetic surveys: Allingham 214-246; Hays 206-237; Jespersen 213-282
Mohole project, engineering problems: Gaskell 207-216; Munske 212-237
  isotopes, lead in cores: Chow 206-206
Mohorovičić discontinuity, nature, physiochemical evidence: Sobolev 212-236
    orogeny: Wyllie 207-158
  phase change hypothesis, contradicted: Boyd 212-238; Kutolin 212-241; Ringwood 209-260
Montana, age, igneous and metamorphic rocks: Catanzaro 209-6
  earthquakes, 1959: Da Costa 210-134; Fraser 210-125, -129; Hadley 210-130; Hanly 210-132; Jackson 210-127; Marler 210-136; Murphy 210-122; Myers 210-128; Ross 210-124; Scott 210-135; Stermitz 210-131; Stewart 210-123; Swenson 210-133; Witkins 210-120, -121, -126
  gravity surveys: Davis 209-312
  magnetic surveys: Davis 209-312
    Round Butte: Vacquier 214-222
Moon, albedo, experimental solar-wind bombardment of basalt: Rosenberg 214-46
  Alphonsus, features on floor: Both 206-51
    observations for changes: International Lunar Society 206-45
  atmosphere, effect of solar cosmic-ray flux: Bernstein 206-40; Hinton 210-104
    progressive rarefaction: Milliès-Lacroix 208-46
  composition, neutron method of study: Trombka 207-33
  craters, catalog, quadrant II: Arthur 215-60
    compared with water bubbles: Toba 213-54, 214-47
    depth estimates: Fielder 206-53
    diameter-frequency distribution: Dodd 215-51
    energy of volcanic origin: Hédervári 208-50
    luminescence of meteorites: Derham 209-29
    meteorite impact: Stanyukovich 209-78
    meteorite induced volcanism: Johnson 209-51
    origin: Atallah 213-51; Engel 206-50; Hédervári 209-53; Sabaneyev 209-79
    shape related to precrater fracture pattern: Fulmer 215-50
    volcanic origin: Bülow 208-49
  dark spots, listing: Warner 213-49
  distance, worldwide geodetic system: Fischer 210-232
  domes, characteristics and origin: Bülow 215-61
  Earth-Moon system, review: Taillé 210-116
  eclipse temperatures, Tycho: Sinton 209-85
  electrical properties: Walker 208-51

Moon—Continued
electromagnetic constants, radar scatter and thermal emission: Senior 209-93
  terrestrial and meteoritic compared with lunar:Fensler 209-94
electrostatic erosion:Walker 208-51
erosion and deposition: Fielder 207-30
exploration, circling space craft: Kulikov 215-63
  general review: Green 209-63
  manned lunar bases:Smith 210-107
  water: Salisbury 210-110; Van Lopik 210-111
figure, eclipse photographs:Larmore 210-109
  effect on motion:Kondurai 204-46
  spherical harmonics: Baldwin 215-57; Goudas 215-49
  unequal thermal expansion by latitude: Levin 213-47
gas ejection, mechanism:Miyamoto 206-52
  Alphonsus crater:Cohen 210-103
general, review: Middlehurst 208-21; Moore 209-96;Whipple 213-56
geology of possible bases: Green 210-113,-114
historical summary: Both 209-95
hypsometry, errors and accuracy: Fielder 206-49
  hypsographic curve: Hédervári 206-54
interior, constitution: Hédervári 206-57, 211-48
  convection and mechanical heating: Neidell 212-93
  physical state: Baldwin 212-101
isotherms, crater regions: Saari 206-43
luminescence, anomalous brightness related to solar activity:Kopal 215-52
  laboratory simulation:Geake 209-81
  observations: Grainger 209-82
  solar radiation: Grainger 210-105
magnetic field: Dolginov 209-59; Zharkov 206-39
maria, hemispheric chain: Engel 206-44
meteoritic impact, loss of lunar mass: Gilvarry 215-53
microrelief, origin:Sharonov 209-74
model, description and source material: Benton 209-54
orbit, perturbations due to nonsphericity: Brouwer 212-97
origin, capture by Earth: Field 204-45; Urey 212-99
  multiple moon hypothesis: MacDonald 215-46, -47
  similar to Earth: Ruskol 209-61
physical parameters, review: Message 212-98

Moon—Continued
polarimeter observations: Dzhapiashvili 209-84
polarization properties: Kohan 209-83
Ptolemaeus, origin: Strom 204-48
radar observation, data interpretation: Senior 212-103
  scattering: Lynn 209-49
radio emission:Kaydanovskiy 209-92
  brightness temperature:Koshchenko 209-88; Strezhneva 209-89
  homogeneous model indicated: Kislyakov 209-90
  nature of surface:Troitskiy 209-86
rays, filled cracks: Radlova 209-76
reverse side, description:Lipskiy 209-56;Mikhaylov 209-55
  map: Breido 209-57
rilles, origin by subsidence above dikes: Fielder 206-55
seismic exploration, methods: Kovach 213-55
soil, properties: Ryan 210-170
star map, Northern Hemisphere: Shevchenko 208-55
stratigraphy, time scale:Shoemaker 209-67
stress history: Kopal 215-48
strike-slip faulting:Fielder 209-50, 213-52
structural features, method of analysis: Khodak 206-42
surface, adhesion of silicate powder in vacuum: Salisbury 207-29
  backscatter of light:Hagfors 215-59
  color characteristics and rock type: Teyfel 209-75
  dust, angle of repose:Orlova 209-77
  dust cover: Gold 215-45; Hapke 209-48
  evolution: Alter 210-115
  map: Klepesta 206-41
  microstructure from brightness parameters: Hämeen-Anttila 213-53
  needle crystals: Hibbs 206-58, 210-108
  parameters determined by radioemission: Troitskiy 212-96
  physical nature: Markov 209-72
  radar reflections: Davis 214-45; Evans 212-102, 215-55; Pettengill 209-91
  radio emission: Salomonovich 209-87
  reflection, dielectric constant: Heiles 208-54
  review: Firsoff 206-56
  solar-wind bombardment:Wehner 207-31
  X-ray spectrum: Hayakawa 205-24
surface features, Bailly region: Cattermole 213-50
  erosion: Gold 209-80

- Moon—Continued
  - surface—continued
    - infrared photographs: Kuprevich 207-32
    - mare ridges: Fielder 204-47
    - origin: Engel 209-52; Kozlov 215-62; Miyamoto 206-47
    - photography: Dollfus 209-70; Kopal 208-53, 209-71; Mason 209-68
    - reverse and visible sides: Markov 209-58
    - rock types: Barabashev 209-73; Bülow 212-107
    - solidification of global surface magma: Engel 207-34
    - structural selenology: Beneš 210-106
    - terminology: Bülow 213-48
    - valleys eroded by nuées ardentes: Cameron 212-95
    - white spots and dark zones: Chemla-Lamèch 206-48
  - temperature, antisolar point: Saari 215-56
    - errors in calculation: Lyon 215-58
    - variations at nighttime: Murray 212-94
    - variations during eclipse and lunation: Shorthill 212-100
  - thermal history: Levin 209-62
  - thermal radiation, polarization and intensity: Heiles 208-52
  - transformation of coordinates, computer program: Wildey 215-54
  - visual observations, techniques: Arthur 209-69
  - volcanic activity: Green 212-104
    - Alphonsus: Hédervári 206-46; Kalinyak 209-66; Kozyrev 209-65
    - origin of the craters: Bonev 209-64
- Morocco, age, igneous and metamorphic rocks: Cahen 209-13
  - earthquakes, 1960: Committee of Structural Steel Producers 214-68

N

- Nebraska, magnetic surveys: Watkins 208-276
- Netherlands, paleomagnetism, research review: Rutten 212-276
- Nevada, age, Precambrian rocks: Lanphere 204-11
  - age, radiocarbon dates: Wells 212-13
    - volcanic rocks: Armstrong 213-4
  - crust, structure and thickness: Pakiser 204-205; Roller 209-253; Ryall 204-207
  - earthquakes, piezomagnetic effects: Breiner 212-121
  - gravity surveys: Gimlett 215-189; Mabey 209-237; Roller 209-253
- Nevada—Continued
  - magnetic surveys: Boynton 206-254, -255, -256, 208-277
  - seismic surveys: Roller 209-253
  - seismicity: Niazi 210-137
- Newfoundland, paleomagnetism, Paleozoic: Black 212-274
- New Hampshire, radioactivity, granite: Rogers 204-303
- New Hebrides, volcanic activity, Lopevi: Remy 212-346; Williams 206-352
- New Jersey, earthquakes, observations: Major 209-134
  - earth tides, observations: Major 209-134
  - isotopes, sulfur, igneous rocks of Newark Group: Smitheringale 207-222
  - microseisms, spectral analysis: Walker 211-266
- New Mexico, age, igneous rocks: Weber 207-8
  - age, mammals: Simons 212-12
    - volcanic rocks: Bassett 207-7; Burke 207-9
  - crust, thickness: Phinney 213-225
  - magnetic surveys: Jones 209-314
  - radioactivity, water: Holmes 207-302
  - seismicity: Sanford 207-48
  - thermal springs: Hall 207-205
- New York, age, shale: Whitney 212-3
  - gravity surveys, Adirondack Mountains: Simmons 209-235
  - magnetic surveys: Popenoe 214-250
- New Zealand, earthquakes, 1962: Adams 207-47
  - earthquakes, 1963: Eiby 214-69
  - geothermal energy, Wairakei: Dawson 211-179, -180; Fisher 211-181; Robertson 211-178
  - geothermal gradient, coal rank: Suggate 213-222
  - glaciers, Franz Josef and Fox Glaciers: Gunn 213-199
  - gravity surveys, Wairarapa area: Heine 211-165
  - heat flow, Wairakei: Dawson 211-179
  - seismicity, New Zealand subcrustal Rift: Eiby 212-119
  - thermal springs, Ketetahi Hot Springs: Wilson 211-357
  - volcanism, alinements: Kear 211-348
    - ash eruption: Ewart 211-353
    - eruptive history: Thompson 211-349
    - eruptive patterns: Grant-Taylor 211-350
    - mechanism: Healy 211-347
    - risk prediction: Gregg 211-354; Kear 211-351; Searle 211-352

New Zealand—Continued
  volcanism—continued
    tectonic factors: Gregg 211-356
    Tongariro Subdivision: Gregg 211-355
Niger, age, radiocarbon dates: Faure 205-7
  meteorites, chondrite: Jérémine 215-29
Nigeria, age, granites: Jacobson 210-7
North America, age, crust: Slawson 207-12
North Borneo, age, igneous rocks: Kirk 211-21
North Carolina, age, metamorphic rocks: White 205-3
  radioactivity, granite: McCormick 212-299
North Dakota, age, Precambrian rocks: Peterman 209-5
North Sea, gravity surveys: Fleischer 208-194
  recent movements: Dechend 205-156
  seismic exploration, helicopter method: La Revue Pétrolière 212-317
  seismic surveys, petroleum: Gaskell 205-331
Northern Ireland, paleomagnetism, Tertiary: Wilson 208-264
Northern Rhodesia, age, general listing: Snelling 208-10
    granites: Drysdall 215-17
  isotopes, sulfur, copper deposits: Jensen 208-240
Northwest Territories, age, deglaciation: Mackay 209-8
    age, diabase: Burwash 207-14
    radiocarbon dates: Ives 214-3; Mackay 209-8
  geothermal gradient under shallow lake: Brown 215-208
  magnetic surveys: Canada Geological Survey 215-299, -300, -301; Horton 214-257
  paleomagnetism, dolomite, Precambrian: Norris 215-268
Norway, age, eclogites: McDougall 215-21
  age, galena: Moorbath 206-16
    general listing: Hernes 204-19
    pegmatite: Kulp 204-20
    radiocarbon dates: Holmes 209-16
  electrical surveys: Singsaas 210-219
  geothermal gradient: Logn 215-209
  isotopes, lead in galena: Moorbath 206-205
  magnetic field, observations: Gjellestad 206-215
  meteorites, Pollen carbonaceous chondrite: Wolff 213-18
  submarine geology, structure of the Skagerrak: Holtedahl 213-343
Nova Scotia, age, granites: Fairbairn 210-6
Novaya Zemlya, glaciers, movement: Svatkov 207-169
Nuclear explosions, amplitude characteristics: Willis 204-98
  contained, rocks strength: Boardman 214-308
  cratering detonations, radioactivity: Martell 213-298; Nordyke 209-147
  crustal thickness, Nevada and Idaho: Pakiser 204-205
  detection: Bates 210-204; Booker 213-84; Westphal 210-205
    filters: Robinson 204-123
  elastic waves: Ryall 204-207
    energy: Berg 215-133
    Novaya Zemlya-Delhi path: Tandon 206-94
    oscillatory character: Rocard 210-206
  energy spectrum: Frantti 204-99
  frequency characteristics: Willis 204-97
  magnetic disturbance: Kato 204-254; Shirgaokar 205-250
  particle motion, halite: Weart 204-125
  P_n phases, velocities and amplitude Stepp 212-149
  Rayleigh waves, excitation by atmospheric blasts: Toksöz 210-203
  rock salt, GNOME project: Dickey 213-137
  submarine recording, off California coast: Schneider 209-152
  surface waves, nature and origin: A 209-151
  traveltime curves: Dyk 204-124
Nucleosynthesis, chronology: Clayton 212-75, -76; Kuroda 212-74
  molybdenum, isotopic variations: Crouch 213-243
Nutation, climatic changes: Malinovsk 208-117; Orlova 208-116, -118
  latitude data, comprehensive review Fedorov 212-130
  nearly diurnal term: Thomas 209-13

O

Ocean basins, crust, thickness: Olive 208-218
  mantle, velocity gradients: Ewing 208-234
  origin: Dietz 205-150, 211-139
Oceanization, North Atlantic: Sheynmann 208-221
Oceans, origin of water: Arx 207-138
Ohio, magnetic surveys: Popenoe 210-320

Oklahoma, crust, structure: Dix 208-217; Lynn 208-216; Tucker 208-215
  electrical logging, Arkoma basin: Planalp 205-109
    surveys: Gauntt 206-117
  magnetic surveys: Andreasen 215-280, -281;Norden 204-285, 206-252, -253, 212-288, 215-279
  radioactivity logging, survey:Millard 206-272
  seismic surveys: Laing 213-318

Ontario, age,granophyric phase of diabase: Van Schmus 212-15
  age, lead minerals: Ulrych 212-2
    orogeny: Hart 208-5
    sedimentary rocks: Davis 208-4
    uranium minerals: Robinson 205-6
  heat flow, Brent Crater:Beck 209-246
  isotopes, carbon and oxygen in proglacial varves: Weber 212-244
  magnetic properties, susceptibility: MacLaren 207-290
  magnetic surveys: Canada Geological Survey 215-286, -287, -288, -289, -290; MacLaren 207-290
  paleomagnetism, Sudbury lopolith: Sopher 205-271
Oregon, gravity surveys, western Snake River Basin: Newton 215-199
  magnetic surveys: Balsley 210-321
  paleomagnetism, Miocene lavas: Watkins 215-265
Orogeny, crustal shortening: Gill 214-130
  cyclic character: Giletti 204-160
  folded zones, fundamental elements: Khain 208-182
  island arcs, evolution: Donnelly 212-194
  M-discontinuity: Wyllie 207-158
  monocyclic, metallogenetic data: Labazin 215-175
  phases: Azhgirey 205-148
  stress chronology, British Isles: Tremlett 206-146

P

Pacific Ocean, age, basalt of Mohole off Guadalupe: Krueger 211-12
  age, radiocarbon dates:Bien 211-22
  border faults: Benioff 205-144
  crust, structure: Milne 208-336;Santo 210-263
  Galapagos Rise: Menard 211-339
  geotectonics, mobile girdle: Petrushevskiy 212-197
  guyots, southwestern: Menard 209-345

Pacific Ocean—Continued
  heat flow, Mohole site off Mexico: Von Herzen 209-247
  isotopes, lead from Mohole cores: Chow 206-206
  magnetic surveys: Ivanov 207-295
  radioactivity, upper layers: Nelepo 204-305
    water: Alfimov 211-273
  seismic surveys, north of Maui:Shor 211-307
    northern: Milne 208-336
  seismicity, south part: Sykes 205-33
  submarine geology, continental slope off California and Mexico:Uchupi 207-345
    off Japan: Iwabuchi 214-339; Nasu 210-354
    review: Menard 215-355
  volcanoes, Kermadec, Tonga, and Samoa groups: Richard 211-344
    Tinakula Volcano: Tazieff 214-360
Pakistan, gravity surveys, Karakorum and Hindu Kush: Marussi 214-161
Paleomagnetism, Alpine age, Czechoslovakia, ore deposits: Hanuš 207-277
  apparatus, non-magnetic oven: Robertson 215-269
  archeology, England: Aitken 210-314
    magnetometer applications: Aitken 215-271
    principles and techniques: Cook 215-270
    U. S. S. R. : Burlatskaya 211-254; Tarkhov 211-255
  Atlantic Ocean, stripe anomalies: Backus 209-316
  basalt, New South Wales: Dickson 207-281
  Cambrian, Czechoslovakia: Bucha 207-278
    U. S. S. R. : Moskaleva 204-271
  Canada, diabase dikes:Gaucher 215-267
  Carboniferous, Scotland: Anderson 205-204; Wilson 208-265
    U. S. S. R. : Vlasov 207-279
  Cenozoic, Africa, post-Karroo rocks: Nairn 211-252
    California: Cox 204-270
    Czechoslovakia: Hanuš 205-272
    Hawaii: McDougall 205-270
    U. S. S. R. : Akopyan 205-273
  continental drift: Runcorn 205-141
    paleoclimatic evidence: Opdyke 205-142
    relative positions determined: Graham 215-260
    Tethys Sea: Rutten 212-195

Paleomagnetism—Continued
- Czechoslovakia, Devonian to Quaternary: Bucha 214-234
- Devonian, England: Chamalaun 211-250
- dispersion of data, nondipole effects: Bucha 214-233
- Earth's radius, Devonian, Permian, and Triassic: Ward 208-262
  - increase since Carboniferous: Hilten 209-304
- general, conference in U. S. S. R. in 1962: Mikhailova 210-312
- geochronology, application: Morley 215-266
- hydrothermal deposits: Hanuš 205-272, 209-311
- Japan, Devonian to Pliocene: Minato 214-236
- Jurassic, Antarctica: Briden 205-274
- lava flows, Italy: Ventriglia 209-306
- Mesozoic, Africa, post-Karroo rocks: Nairn 211-252
  - Australia: Manwaring 207-282
  - U. S. S. R.: Vlasov 212-282
- Miocene, Japan: Nomura 208-266
  - Oregon, Washington, and Idaho, lavas: Watkins 215-265
- paleontological techniques: Stehli 206-241
- Paleozoic, continent reconstruction: Creer 215-261
  - Czechoslovakia: Bucha 209-307
  - Italy: Guicherit 214-159
  - Newfoundland: Black 212-274
  - Southern Rhodesia, carbonatite complex: Gough 212-279
- Pennsylvanian, Prince Edward Island: Roy 208-263
- Permian, Africa, Karroo rocks: Nairn 211-252
  - paleontological data: Stehli 206-241
  - Prince Edward Island: Roy 208-263
  - Tanganyika: Opdyke 212-278
  - U. S. S. R.: Vlasov 212-282
- Permo-Triassic, Spain: Schwarz 211-251
- Pleistocene, Italy: Cundari 207-276
- Pliocene, Japan: Momose 206-244
  - Tanganyika: Gromme 207-275
- polar-wandering, Africa since Karroo time: Nairn 211-252
  - dinosaur distribution: Heintz 211-120
  - mechanism: Dauvillier 215-264
  - paleoclimatic data contrasted: Nagata 211-249
  - relation to drifting continents: Hilten 215-263
- polarity epochs: Cox 208-260; McDougall 213-274

Paleomagnetism—Continued
- pole positions, catalog: Irving 208-261
  - statistical significance: McElhinny 209-302
- Precambrian, Africa: Gough 212-281
  - Czechoslovakia: Bucha 209-307
  - Northwest Territories: Norris 215-268
  - Ontario: Sopher 205-271
  - Seychelles: Matthews 215-262
  - Southern Rhodesia: McElhinny 212-277
  - U. S. S. R., Oktyabr massif: Mikhaylova 211-253
- Precambrian to Cretaceous, Czechoslovakia: Bucha 209-308
- Quaternary, Japan: Ojima 206-242
- research, Netherlands: Rutten 212-276
- reversals, cause: Cox 212-272
  - petrographic correlation in Mull lavas: Ade-Hall 213-278; Wilson 213-279
- shape of body, effect on direction: Zidarov 210-310
- stratigraphy, correlation: Khramov 209-303
- structural features, unconformity, Czechoslovakia: Krs 209-309
- Tertiary, Australia: Manwaring 207-282
  - Czechoslovakia, hydrothermal veins: Hanuš 209-310
  - Germany: Roche 210-313
  - Japan: Nomura 206-243; Ojima 206-242
  - Northern Ireland: Wilson 208-264
  - Seychelles: Matthews 215-262
- time scale, France: Roche 212-275
- Triassic, Southern Rhodesia: Gough 212-280
  - Wyoming: Picard 209-305
- U. S. S. R., Fergana depression: Valiyev 207-280
  - reversal due to chemical process: Metallova 214-235
- vectors, angular dispersion: Cox 213-275

Pennsylvania, age, shale: Whitney 212-3
- age, metamorphic rocks: Lapham 214-1
- magnetic surveys: Popenoe 210-320

Permeability, sandstone, hydrostatic pressure: Dobrynin 207-140

Peru, earth currents, observations: Forbush 207-36
- earthquakes, 1963: Arnao 213-69
- magnetic field, observations: Forbush 207-36
- volcanic activity, supposed swelling at Misti: Sociedad Geográfica de Lima 213-348

Phase equilibria, cesium transitions: Kennedy 204-220
  diopside-pyrope, high pressure: O'Hara 208-230
  diopside-pyroxene, atmospheric pressure: O'Hara 208-229
  enstatite, melting and polymorphism: Boyd 211-196
  enstatite-diopside system, high pressure: Davis 208-228
  enstatite-forsterite-stishovite: Sclar 207-219
  forsterite, melting curve: Davis 209-259
  granite system, 4-10 kilobars: Luth 209-257
  $MgGeO_3$, pyroxene to corundum structure: Ringwood 211-197
  $MgO-Al_2O_3-SiO_2$, pressure effect: Boyd 208-232
  pyroxene, thermal relations: Yoder 208-226
  quartz-coesite transition: Dachille 210-269; Yasakawa 209-258
  silica: Ryabinin 206-197
Philippines, geotectonics, continental drift: Fitch 205-157
  magnetic surveys, iron deposits: Busuego 214-261
  seismic surveys, chromite deposits: Winkler 213-329
Physical properties, high pressures: Society of Chemical Industry 204-145
  rocks, surface energy: Perkins 207-341
    unstraining before measurement: Fortunat 211-330
  sandstone, hydrostatic pressure: Dobrynin 207-140
Piezoelectric effect, nepheline-bearing rocks: Parkhomenko 212-333
Planets, evolution: Yarov-Yarovoy 210-117
  interiors, mean densities: MacDonald 208-28
Plasticity, rocks, coal mines at great depth: Jahns 209-339
Poland, age, granitic rocks: Ryka 210-15
  age, metamorphic rocks: Ryka 212-28
  earth tides, observations: Nowak 207-72; Witkowski 205-60
  gravity surveys, Cis-Carpathians: Fajklewicz 213-212
  magnetic field, observations: Kowalczuk 205-259
  magnetotelluric surveys, Carpathian piedmont: Kostecki 213-61
  radioactivity, water: Złotowski 206-264
Poland—Continued
  radioactivity logging, potassium salts: Czubek 205-306
  seismograph stations, Niedzicy: Pagaczewski 207-68
Porosity, sandstone, hydrostatic pressure: Dobrynin 207-140
Possession Island, volcanic activity: Dreux 207-354
Pressure, brittle fracture: Murrell 204-343
  rock formation, inclusions in quartz crystals: Polykovskiy 208-167
Prince Edward Island, paleomagnetism, Pennsylvanian-Permian: Roy 208-263
Prince Gustav Adolf Sea, submarine geology: Marlowe 207-346
Puerto Rico, magnetic field, observations: U. S. Coast and Geodetic Survey 214-199
  seismic surveys, Outer Ridge: Savit 208-333

Q

Quebec, age, igneous rocks: Fairbairn 207-13
  age, pseudotachylite: Philpotts 204-13
    uranium minerals: Robinson 205-6
  magnetic surveys: Canada Geological Survey 215-284, -285, -286
  seismic surveys, Mushalagan and Manicouagan Lake areas: Willmore 208-332

R

Radioactivity, alluvial sands, Italy: Garavelli 204-297
  alluvial sands, India: Rao 210-326
  atmosphere, background radiation: Thompson 207-301
    instrumentation: Collinson 205-300
  bauxite, Jamaica: Vincenz 211-268
  clay minerals, sedimentary rocks: Serikov 204-301
  contact metamorphic rocks, Japan: Doi 214-269
  copper deposits, India: Mookherjee 212-303
  disequilibrium, dispersion haloes of uranium deposits: Garavelli 204-296
  Earth's surface, aircraft altitudes: Hanson 213-296
  evolution, cause of acceleration: Schindewolf 213-297
  gamma dose rates, United States: Lowder 212-304

Radioactivity—Continued
  gamma ray attenuation, mean atomic weight of medium: Murty 211-89
  geological applications: Zhirminskiy 210-327
  granite, Alabama: McCormick 212-299
    Georgia: McCormick 212-299
    Japan: Hatuda 213-295, 214-271
    New Hampshire: Rogers 204-303
    North Carolina: McCormick 212-299
  haloes in biotite: Hoppe 205-298
  heat flow, Earth model: MacDonald 213-216
  heat generation in earth, meteorites compared: Wasserburg 207-204
  igneous rocks, Angola: Xavier de Morais 205-292
    California: Wollenberg 214-267
    Hawaii, lavas: Heier 209-320
    Rumania: Treiber 207-298, -299
  instrumentation: Renne 208-286
    low-background β-ray device: Kotlyarov 213-300
    scintillator for U, Th, and K content: Yakubovich 207-300
  lavas, France: Cheminée 212-301
  limestone, U. S. S. R.: Larionov 205-294
  meteorites, Bogou siderite: Rowe 209-31
  mine atmospheres, Rm-222: Schroeder 214-272
  nuclear explosions, cratering detonations: Martell 213-298
  ore analysis, uranium-thorium ores: Artsybashev 215-312
  radon emanation, carbonate rocks: Gabrysh 204-302
    minerals: Garavelli 204-298
    soil gas: Vohra 211-270
  rare earth deposits, California: Evans 214-268
  Re-187, half life: Hirt 211-267
  rocks, heavy metal content: Zavel'skiy 211-272
    influence of electrical currents: Coppens 209-321
    Rumania: Szabó 206-263
    U. S. S. R.: Ushakova 211-271; Zabolotnov 204-304
  samarskite, Angola: Xavier de Morais 205-293
  sedimentary rocks, England: Spears 212-300
    Germany: Siemes 213-293
    U. S. S. R.: Serikov 205-295, -296, -297
  sediments, disequilibrium in Antarctic samples: Goodell 211-269
    Indian Ocean: Starik 204-299
    Mediterranean Sea: Blanc 212-302

Radioactivity—Continued
  snow, Antarctica, rate of accumulation: Picciotto 215-314
  soil, adsorption: Isräel 205-299
  springs, Czechoslovakia, Jáchymov: Wallenfelsová 213-294
  subnormal levels, leached deposits: Zeschke 204-300
  thermal waters, Japan: Shimokata 209-322
  thorium, unidentified alpha-activity: Cherry 212-248
  uranium ores, Japan: Murano 214-270
  water, Antarctic sector of Pacific Ocean: Nelepo 204-305
    Atlantic Ocean: Nelepo 204-306
    Mexico, Lourdes: Strella 215-313
    New Mexico: Holmes 207-302
    ocean, radioisotope content: Popov 213-299
    Pacific Ocean: Alfimov 211-273
    Poland: Złotowski 206-264
    precipitation, France: Bibron 208-285
    radium in ground water in Illinois: Emrich 205-216
    rain, tritium: Buttlar 210-328
    U. S. S. R., Carpathian foreland, ground water: Shchepak 211-274
  zircon, radiation damage and repair: Yunikov 215-311
Radioactivity exploration, basic principles: Ch'in 206-266
  cosmic radiation, underground recording: Blokh 207-303, 213-301
  emanation measurements, ore deposits: Chang 205-303
  geologic interpretation: Nefedov 212-307
  ground checking: Ginzburg 212-308
  instrumentation: Ch'in 205-305; Neisig 214-282
  mineralized area, interpretation: Tolstoy 204-307
  Moon, neutron method: Trombka 207-33
  natural gamma field, spectrometric measurement: Grumkov 208-288
  nepheline: Smilkstyn 204-308
  oil and gas fields, gamma-ray anomalies: Omes' 208-289; Sikka 206-265
  phosphorite: Bollo 208-287; Smilkstyn 204-308
  rare elements: Ginzburg 212-306, -309
  review: Carrat 205-301; Ch'in 205-304
  sedimentary terranes, dispersion of radioactive elements: Moxham 211-275

Radioactivity logging, applications, general: Alekseyev 208-292
  boreholes under pressure, Russian apparatus: Galuzo 206-282
  caliper logs, borehole volume: Ivankin 211-123
  carbonate reservoirs: Afrikyan 207-123; Pestrikov 207-117
  carbonate rocks, U. S. S. R.: Shcherbinin 209-190
  coal deposits, distinguishing of enclosing sediments: Belotserkovets 208-307
    U. S. S. R.: Belotserkovets 207-304
  computer analysis: Guberman 211-102
  copper-nickel deposits: Nedostup 205-310
  density logging, applications: Alger 212-310
  errors, nonlinearity in recording: Basin 212-311
  fundamentals: Wyllie 209-182
  gamma, clay content: Romanova 206-285; Serikov 204-301
    coal deposits: Belotserkovets 207-304
    conversion factors: Artsybashev 204-322
    correction for emanation: Putikov 204-323
    density determination: Artsybashev 204-321, 215-316, -317
    equation for scattering: Dyadkin 207-305
    interpretation: Czubek 208-299
    length of sonde: Krasnushkin 209-323
    multicomponent system: Abdullayev 205-309
    nomogram for density: Dakhnov 206-289
    optimum energy: Berzin 208-304
    ore deposits: Nedostup 207-316
    rock density: Czubek 208-301
    rock samples: Sulin 208-303
    silty or shaly sands: Millard 206-272
    spectrometric determinations: Bulashevich 208-298; Caldwell 204-319
    uranium: Linton 207-314
    uranium-thorium ores: Novikov 204-320
  gas storage reservoirs: Lovan 206-275; Popov 207-120
  gas wells: Dakhnov 207-116
  ground water: Patten 212-175
  information theory, interference: Yanovskiy 208-306

Radioactivity logging—Continued
  instrumentation, dismountable apparatus: Sokhranov 211-108
    gamma spectrometer: Nedostup 207-316
    gas-bearing strata: Mar'yenko 206-280
    heat resistant sonde: Kukharenko 206-291
    neutron sources: Kaipov 208-300
    Russian RK-60L: Kukharenko 206-292
  interpretation, magnetic tape and computer applications: Oilweek 213-160
  iron deposits: Iordache 213-304
  mineral composition: Raymer 206-270; Savre 206-271
  moisture content of sand, fast neutrons: Volovik 213-306
  neutron, Ac-Be neutron source: Kaipov 211-276
    age approximation: Kozhevnikov 205-308
    asymptotic distribution of neutrons: Polyachenko 207-308
    boundary value problem: Polyachenko 207-307
    carbonates: Millard 208-291
    chlorine detection: Youmans 206-267
    depth of penetration: Kantor 207-310
    distribution after source is shut off: Glauberman 207-309
    equation for scattering: Dyadkin 207-305
    group method of analysis: Kulinkovich 207-312
    inelastic scatter by carbon nuclei: Owen 206-268
    location of source with respect to boundary: Bilen'kiy 207-313
    method, problems in theory: Tittle 208-293
    method analyzed: Yakubson 204-325
    Monte Carlo method: Denisik 207-306
    multilayered mediums: Barsukov 208-302
    rock parameters: Kozhevnikov 205-307
    source off borehole axis: Kobilyanskiy 207-311
    water in soils: Lorch 207-315
  neutron-gamma: Vendel'shteyn 205-105
    calibration and interpolation: Lehnert 208-296
    carbonates: Lehnert 206-276
    gas storage reservoirs: Kholin 207-126

Radioactivity logging—Continued
  neutron-gamma—continued
    gas-oil interface: Pestrikov 206-283
    infiltration zone: Galuzo 206-279
    porosity: Hsi 204-324
    underground gas storage: Galuzo 206-281, -287; Kholin 206-286; Yevdokimova 206-288
  neutron-gamma method, spectrometmetric determinations: Bulashevich 208-298; Caldwell 208-297
  neutron-neutron, age theory:Czubek 208-295
    carbonates: Steinbrecher 206-277
    method, productive horizons: Alekseyev 208-294
  offshore exploration: Leenhardt 206-118
  oil emulsion mud: George 206-274
  oil shales, evaluation: Bardsley 212-168
  ore deposits, iron content:Blyumentsev 206-290
  photonuclear reactions, water-oil contact:Mazyukevich 208-305
  porosity: Savre 206-271
    combination of methods: Lebreton 206-269
    interpretation using acoustic log: Alger 208-290
    jointed rocks: Nechay 213-156
  potassium salts, Poland: Czubek 205-306
  radiation danger: Basin 212-312
  review, China: Ch'in 205-310
  similarity theory: Guberman 215-315
  surveys, Arkoma basin: Millard 206-272
    England: Bullerwell 205-118
    Germany: Lehnert 206-276;Steinbrecher 206-277
    Japan, sedimentary rocks: Sano 204-326
      Yamagata Prefecture: Nakai 204-327
    Scotland: Anderson 205-204
    U. S. S. R. : Romanova 206-285; Shcherbinin 206-284
      Apsheron Peninsula: Patsevich 204-136
      Azerbaijan S. S. R. : Liadze 211-105
      Caspian-Kuban area: Agamaliyev 208-146
      permeability in Terek-Kuma depression: Steplenko 210-208
      Permian of the Donets Basin: Belmar 213-302
    United Arab Republic: Zeydan 207-132

Radioactivity logging—Continued
  temperature effects at great depths: Kozhevnikov 214-283
  thermal neutrons, ore deposits: Zakharchenko 213-305
  variations in borehole parameters, effects: Larionov 206-278
  water-bearing intervals, artificially activated: Sutton 206-273
Radioactivity surveys, Alabama: Collins 214-275
  density of ground, gamma method: Cherkasov 209-324
  Hungary, Mátra Mountains: Aladár 212-305
  Japan, Akita Prefecture: Horikawa 204-311
    Donan district: Sugiyama 214-277
    Hokkaido: Iwasaki 204-309
    Hokonoka area, Kumamoto Prefecture: Furukawa 214-281
    Hokuriku area: Horikawa 204-313
    Joban coalfield: Aoyagi 214-280
    Kinki district: Iwasaki 204-310, 214-279; Sugiyama 204-314
    Kitami area of Hokkaido: Iwasaki 214-276
    Tochigi Prefecture: Nakai 204-312
    Tottori Prefecture: Hosono 204-315
    Ube coal field: Sogabe 204-316
    Uetsu-Aizu district: Horikawa 214-278
    uranium in manganese deposits: Hamachi 204-317
  petroleum, review: Chang 205-302
  Turkey, iron deposits: Hutchinson 208-279, -280, -281
  U. S. S. R., emanation anomalies in the Krivoy Rog district: Gerasimov 213-303
    Kazakh S. S. R. : Tolstoy 204-318
  United States, nuclear installations: Pitkin 214-274
Red Sea, geophysical surveys: Drake 214-119
  gravity surveys: Plaumann 206-184
  magnetic surveys: Ivanov 205-286
Rhode Island, seismic surveys: Berg 206-332
Rift valleys, magmas of:Girdler 204-165
Rock bursts, studying by seismic methods: Holub 214-290
Rock mechanics, conference, Berkeley 1963: Penta 212-126
  discontinuous mediums:Litwiniszyn 209-338
  review: Reynolds 205-341
  symposium, review of papers: Schmidt-Thomé 208-339

- Rumania, age, general listing: Semenenko 213-7
  - age, gneiss: Filipescu 213-1
    - glauconite: Filipescu 213-1
  - earthquakes, fault-plane solution: Constantinescu 209-105
    - stress systems: Radu 209-106
  - gravity surveys: Băcioiu 208-202
    - Carpathian bend area: Airinei 213-213
    - Jolotca region: Visarion 209-242
    - Misey platform: Dobrev 205-199
  - magnetic properties, ceramic materials: Airinei 209-301
  - magnetic surveys, Bihor Mountains: Romanescu 208-282
    - Carpathians: Airinei 208-283, 213-213
    - Misey platform: Dobrev 205-199
  - radioactivity, igneous rocks: Treiber 207-298, -299
    - rocks: Szabó 206-263
  - seismic surveys, eastern Carpathian flysch: Marinescu 213-321
    - Transylvanian basin: Popescu 208-335

S

- Samoa, tsunami, May 1960: Keys 208-61
- Sarawak, age, igneous rocks: Kirk 211-21
- Saskatchewan, magnetic surveys: Canada Geological Survey 215-293, -294; Sander 209-330
  - seismic surveys, Deep Bay crater: Sander 209-330
- Scotland, age, igneous and metamorphic rocks: Long 210-13
  - crustal structure: Jain 215-71
  - earth current surveys: Jain 215-71
  - geothermal gradient, Rashiehill borehole: Anderson 205-204
  - gravity surveys, Inner Hebrides: McQuillin 205-196
    - Stranraer sedimentary basin: Mansfield 210-246
  - isostasy, post-glacial recovery: Godwin 205-154
  - paleomagnetism, Carboniferous: Anderson 205-204; Wilson 208-265
  - radioactivity logging surveys: Anderson 205-204
  - Stranraer sedimentary basin: Mansfield 210-246
- Sea level changes, Hawaii, 40-foot level: Easton 208-165
- Seismic exploration, accuracy, procedures: Hsieh 206-314
  - airborne, helicopters in North Sea: La Revue Pétrolière 212-317

- Seismic exploration—Continued
  - airborne—continued
    - U. S. S. R.: Lur'ye 212-325
  - anisotropy of velocity: Schmidt 214-288
  - buried relief, correction for: Gurvich 205-323
  - controlled directional reception, electrical delay line: Kartavtsev 210-336
    - theory: Nakhamkin 210-339
  - delay time method: Neri España 308-318
  - depth of penetration, calculation: Averbukh 205-321
  - diffracted waves, form and spectrum: Oblogina 214-295
  - drop-along technique: Shock 204-329
  - dynamic interpretation: Gel'chinskiy 210-189
  - effective velocity, analytical method: Veytsman 206-302
    - direct from traveltime curves: Perel'man 206-305
    - joint compensation of traveltime curves: Aliyev 206-304
    - matching method: Pavlenkova 210-334
    - variation curves: Kunin 206-303
  - energy profiling: Utzmann 210-330
  - eruptive explosions, measurements near craters: Kuz'mina 209-359
  - faults, diffraction pattern: Cassinis 211-282
    - model study: T'eng 215-327
  - filtering, choice of type: Olhovich 215-336
    - complications produced: Neri España 208-316
    - digital: Robinson 212-313
    - multi-trace data processing: Foster 215-319
    - pie-slice process: Embree 206-294
  - first arrivals, recording apparatus: Grodzenskiy 205-322
  - foundation conditions, Australia: Hawkins 207-325
  - frequency absorption relationship: Levin 213-310
  - geophone arrays: Hernándes Moedano 214-286
    - computer processing: Ryall 208-310
    - different sensitivities: García Rojas 206-324
    - elimination of microseism background: Ma 215-326
    - energy spectrum shifts: Lukashin 205-318
    - filtering: Petrov 211-288
    - overlapping bases: Petrov 205-317
    - reflection: García Rojas 206-299
    - theory: Limón 208-312

Seismic exploration—Continued

- ground water: Carpenter 209-181
- high-frequency: Kitsunezaki 214-297
- history, United States: Schriever 215-321
- igneous rocks, alkalic and granitic: Shablinskiy 206-340
- instrumentation, amplifiers: Bereza 206-328; Kal'yanov 211-303
  - "boomer", a low frequency sound source: Edgerton 213-317
  - C-100 correlator: Kay 211-301
  - calibration procedures, Russian: 206-325
  - detectors with movable coils: García Rojas 208-315
  - distortion in amplitudes: Polshkov 213-309
  - distortion in recording channel: Polshkov 213-312
  - filters: Goor 206-323
  - geophones for marine surveying: Yermakov 206-330
  - ground vibrators: Militzer 208-132
  - identification of leads in cable: Ivanov 211-302
  - improvement in U. S. S. R.: Kasparova 211-306
  - instructions for use of a seismograph: Cordero Limón 207-326
  - interference: Mozzhenko 206-327
  - low-noise amplifier: Thanos 208-311
  - magnetic recording: García Rojas 206-320; Jones 206-321; Limón 206-322; Loper 206-331
  - motion product seismograms: White 210-175
  - photocopy of seismograms: Akhundov 206-326
  - portable seismograph: Allègre 214-287
  - recording by channel: Titov 207-328
  - Russian apparatus with magnetic recording: Demidenko 206-329
  - Russian 60-channel SS-60 station: Davydov 215-347
  - Russian SS-24P high frequency station: Nomokonov 211-305
  - tape rocorder: Tregub 205-325
  - three-channel magnetic recorder, seismoacoustic measurements: Buben 207-329
  - tuning-fork generators: Vugman 211-304
  - universal filter: Birman 210-201
- interpretation, least squares method: Neri España 215-331
  - techniques: Grau 213-316
- interpretation center, France: La Revue Pétrolière 212-318

Seismic exploration—Continued

- interval velocities, use: Neri España 215-337
- inverse filtering, error consideration: Claerbout 208-309
- inverse problem, graphoanalytical solution: Ozerov 210-190
- isolated observations, theory or interpretation: Puzyrev 210-332
- low-frequency, interference: Mozzhenko 206-327
- low-velocity layer problem, weight-drop technique: Thompson 205-313
- low-velocity lenses: Schenck 205-314
- marine, basic theory: Ewing 208-323
  - continuous reflection: Hersey 208-326
  - crustal thickness in oceans: Raitt 208-328
  - deep-water explosions: Neprochnov 215-323
  - instrumentation: Clay 214-284
  - refraction shooting: Hill 208-325
  - regulated directional reception: Skhundov 211-299
  - ring for explosive charges: Friedemann 205-326
  - submersive method: Gal'perin 214-294
  - techniques: Shor 208-324
  - thickness of unconsolidated sediment: Leenhardt 206-298
- methods, U. S. S. R.: Berzon 204-332
- microseisms, application: Allègre 214-287
  - phase velocities: Toksöz 210-324
- Moon, methods: Kovach 213-55
- multiple reflections: Goncharova 210-333; Hyodo 213-307, 214-298
  - computer prediction: Silverman 206-295
  - detection: Urupov 215-324
  - general equation: Ryazanova 205-316
  - synthetic and field seismograms: Bois 206-297
  - traveltime curves: Dimakov 211-295
- noise analysis, Mexico: Deza Suárez 215-339
- offset shooting, faults and structures: Schwaetzer 210-329
- PPS waves, basement relief: Potap'yev 212-327
- probability theory: Orozco y Jiménez 214-285
- provisional horizons, Russian platform: Ginodman 212-323
- reefs: Chapman 204-337, 215-322
- reflection, computer model: Bortfeld 212-314; Szelényi 214-289

Seismic exploration—Continued
  reflection—continued
    deep crustal studies: Chamo 206-301
    delay line filtering: Cordero Limón 207-321
    depth on function of traveltime: Cordero Baca 215-334
    detectors, numbers and spacing: García Rojas 215-329
    diffraction phenomena: Cassinis 211-281
    discordances: Kametani 212-320
    filtering of background: Baranov 208-330, -331
    geologic interpretation: Adam 211-283
    interpretation: Eguía Huerta 208-319
    multiple arrays, Mexico: Coffin Otero 215-330
    noise analysis, Mexico: Limón 215-340
    physical properties of horizons: Ivanov 212-322
    plane front method: Boyko 211-292, -293; Vasil'yev 213-308
    principles: van Goor 215-335
    PS and PPS: Berzon 214-291
    PS-waves: Ratnikova 211-287
    refinement of interpretation: Hernández 208-317
    reflected-refracted waves: Meshbey 211-286
    refraction procedures: Lukashin 205-320
    shot arrays: Ching 206-310
    slide rule: Onasch 209-326
    step-out time: Huang 206-313
    surface traveltime curves: Gontoviy 209-325
    three-dimensional migration: Sattlegger 212-315
    t_0 method: Solukvadze 211-290
    trace integration and condensation: Cassinis 211-280
    traveltime curves: Ginodman 206-306; Rudnitskiy 215-325; Sokolov 211-297; Uryson 205-319
    velocity inhomogeneities: Shevchenko 208-329
    water-oil and gas-oil interfaces: Zemtsov 207-323
    wide band step filters: Limón 208-320
  refraction, basic theory: Puzyrev 207-318
    body waves: Shcherbakova 206-300
    computer model: Bortfeld 212-314
    correlation method: McCamy 209-148
    detection of turning points: Liu 215-328

Seismic exploration—Continued
  refraction—continued
    discontinuous profiles: Averbukh 213-311
    effective velocity: Mou 206-311
    elastic properties of rock: Wantland 211-279
    geophone grouping: Denham 208-321
    isochrone chart: Neale 215-320
    many-layered system: Wyrobek 211-284
    multiple layers: Kaneko 204-331
    nomogram for t_0 method: Datypov 211-294
    paired parallel profiles: Mikhaylenko 211-289
    velocity determination: Chang 206-312
  residual techniques, sedimentary features: 208-308
  rock bursts, studying by seismic methods: Holub 214-290
  roll-along technique: Shock 204-329
  salt deposits, leached zones: Wüstner 207-322
  salt domes, extended traveltime curves: Ginodman 206-343
  seismic datum, areas of high relief: Thomas 205-312
  seismoacoustic signals, recording in mines: Buben 207-324
  seismograms, analysis: Kunetz 208-322
    field and synthetic, compared in Paris Basin: Delaplanche 204-328
    narrow band step filters: Neri España 208-316
    synthetic, use in exploration: Aynard 209-327
    theoretical for waves at normal incidence: Mikhaylova 214-296
  shear waves, generation: White 206-296
  shot grouping, amplitude and frequency spectrums: Mayorov 206-308
    directional effect of linearly distributed charges: Gutierrez 215-341
    formula: Mayorov 206-307
    secondary waves: Raykher 212-326
  shot holes drilling: Kupalov-Yaropolk 206-319
  shot time, radio signals: Tregub 205-324
  signal grouping, frequency theory: Gol'tsman 210-200
  spectral analysis, methods: McIvor 215-318
  spectrum analysis, amplitude analyzer: Kats 214-293

Seismic exploration—Continued

- stratigraphic traps, seismic manifestation: Muriedas Pavón 215-332
- surface waves, phase and group velocities: Glasko 213-314
- three-dimensional detection system: Broding 210-325
- trajectory and wave front diagrams: Olhovich 207-320
- traveltime curves, analysis: Marek 207-319; Yanovskiy 212-324
  - error reduction: Urupov 213-315
  - loops: Trigubov 207-317
  - nomogram for calculating: Demidenko 206-309
  - regulated: Kaneko 212-319
  - velocity computation: Sattlegger 212-316
  - velocity laws for transient waves: Nazarnyy 211-298
- U. S. S. R., work of G. A. Gamburtsev: Fedynskiy 204-148
- underground cavities, detector by shear waves: Cook 211-277
- velocity anisotropy, layered formations: Merritt 211-278
- velocity determination, synphase axes: Glotov 212-321
- velocity filtration, frequency theory: Rudakov 210-337
- velocity records, graphic analysis: Davis 215-342
- velocity section, refringent waves: Lenina 206-344
  - shots in deep wells: Olhovich 206-317
- vertical and horizontal profiling: Gal'perin 211-285
- vertical seismic profiles, semiautomatic correlation: Utzmann 207-327
- vibrations, statistical properties: Volodina 210-340
- volcanoes: Geophysical Prospecting [Peking] 205-327
- wave interference, buried valleys: Koryagin 211-296
  - regulation: Rudakov 210-338
- wave parameters, multicomponent stations: Knothe 205-315
- wave patterns, near shot point: Rudnitskiy 210-335
- wave velocity, porous media: Nag 210-331
  - density of rocks: Berezkin 211-300
- weathering and drift corrections, curved-path method: Duska 206-293
- weight-drop method, coupler: Mereu 204-330
  - technique: Figueroa Huerta 208-314

Seismic surveys, Alberta, intrabasement reflections: Robertson 205-330

- Algeria: Bouchon 206-336
- Antarctica, Antarctic Peninsula: Behrendt 205-333
  - East Antarctica: Crary 211-319; Kapitsa 212-332; Sorokhtin 212-331
  - ice thickness: Kondrat'yev 215-346; Weihaupt 204-341
  - Marie Byrd Land: Chang 208-337
- Atlantic Ocean, Atlantic terrace: Moore 206-348
  - Hudson apron region: Ewing 206-333
  - Labrador Sea Ridge: Drake 208-356
  - northwestern part: Houtz 204-334
  - sediment distribution: Ewing 208-334
  - sedimentary velocities: Houtz 213-319
- California: Healy 204-336, 212-223; Roller 204-335
  - offshore recording of nuclear blasts: Schneider 209-152
- Canada, Devonian reefs: Chapman 204-337
  - multiple reflections: Mouritsen 205-328
  - time-depth curves: Acheson 205-329
- Colorado: McMunn 206-335
- Czechoslovakia, Carpathian flysch: Jurga 211-310
  - Carpathian foredeep: Beránek 214-302
  - Danubian Lowland: Dlabac 211-309
- England, continental shelf on west: Bunce 215-344
  - Teifi valley: Francis 214-299
- France, Forez Hills: Perrier 207-331
  - Hérault-Causses volcanic field: Allègre 207-332
  - Paris Basin: Delaplanche 204-328
  - submarine off Marseille: Leenhardt 207-333
- Germany, Alpine foreland: Liebscher 211-191; Prodehl 215-345
  - Bohmischbruk-Eschenlohe profile: Giese 206-337
  - Brandenburg and Mecklenburg: Reinhardt 207-337
  - leached zones in Werra salt deposit: Wüstner 212-330
  - salt deposits: Uhlmann 207-336; Wüstner 207-322
- Gulf of Mexico: Matthews 209-331; Nakamura 209-137
- Iceland: Palmason 214-300
- India, Cambay Basin: Kailasam 210-343
  - Madras: Kailasam 210-344

- Seismic surveys—Continued
  - Ionian Sea, sediment thickness: Mikhno 207-335
  - Italy: Popescu 209-333
    - Belvedere Glacier on Monte Rosa: De Visintini 207-334
  - Japan, crust and mantle structure: Kanamori 210-266, -267
    - Joban coalfield: Ichikawa 204-338; Kawashima 204-339
    - Kumano Sea: Murauchi 214-175
    - Tottori Prefecture: Hirasawa 204-340, 214-306
  - Libya, dune area: Spinicci 211-308
  - Manitoba, Hudson Bay Lowland: Hobson 215-243
  - Massachusetts, Cape Cod: Oldale 209-329
  - Mediterranean Sea, northwestern: Glangeaud 214-301
    - sediment thickness: Moskalenko 209-332
  - Mexico, Asunción-Tuxpan area: Limón 215-340
    - Faja de Oro atoll: Islas Leal 208-313
    - northeast, Tertiary basin: Salmon Herrera 215-333
    - San Lorenzo: Deza Suárez 215-338
    - Tampico: Basurto García 207-330
  - Nevada: Roller 209-253
  - North Sea, petroleum:Gaskell 205-331
  - Oklahoma: Laing 213-318
  - Pacific Ocean, north of Maui: Shor 211-307
    - northern: Milne 208-336
  - Philippines, chromite deposits: Winkler 213-329
  - Puerto Rico, Outer Ridge: Savit 208-333
  - Quebec, Mushalagan and Manicouagan Lake areas: Willmore 208-332
  - Rhode Island: Berg 206-332
  - Rumania, eastern Carpathian flysch: Marinescu 213-321
    - Transylvanian basin: Popescu 208-335
  - Saskatchewan, Deep Bay crater: Sander 209-330
  - Sweden, glacial deposits:Ekman 207-338
  - Texas, Fargo field: Faust 206-334
  - Tyrrhenian Sea, sediment thickness: Mikhno 207-335
  - U. S. S. R., Arys' River area: Kunin 214-305
    - Baltic shield: Litvinenko 206-338
    - Black Sea: Neprochnov 213-322
    - Carpathian depression: Kharaz 213-326; Petkevich 209-334
    - Caspian region: Arabadzhi 213-327; Lipovetskiy 213-324
- Seismic surveys—Continued
  - U. S. S. R. —continued
    - Caspian salt dome area:Ginodman 206-343
    - Caspian Sea: Ryabov 207-339
    - Central Asia: Alekseyev 213-328
    - Cis-Carpathian depression:Sollogub 205-332
    - Cis-Caucasus: Meshbey 213-323
    - Crimea: Sollogub 211-313
    - Far Eastern Region: Shcherbakova 206-300, 211-316
    - glaciers: Kravtsov 207-166
    - Kama-Kinel depression: Chalikova 211-314
    - Karelia: Litvinenko 206-339
    - Karpinskiy ridge: Mirchink 211-311
    - Kola Peninsula: Shablinskiy 206-340
    - Korosten batholith in Ukraine S.S.R.: Sollogub 214-303
    - Kuybyshev region: Redkolis 211-315
    - Pechenga region: Lenina 206-344
    - Rudnyy Altai: Mikhelev 211-317
    - Russian platform:Kireychev 211-312
    - Ukrainian S. S. R. : Demidenko 213-325;Sollogub 209-335; Subbotin 206-341
    - Volga-Ural area: Znamenskiy 206-342
    - Volograd area:L'vovskiy 214-304
    - West Siberian Lowland:Kanareykin 211-318; Puzyrev 207-318
  - Venezuela, Gulf of Paria:Van Andel 213-342
  - Wales, Cardigan Bay:Blundell 213-320
- Seismic logging, dip of formation: Nazarnyy 211-291
  - vertical traveltime curves: Laski 206-318
- Seismic waves, amplitude and period: Kanai 204-74
  - amplitude curves, reflected from M-discontinuity: Červený 213-120
  - amplitude-distance curves, magnitude: Kárník 208-93
  - arrival times, high- and low-frequency: Steinhart 207-211
  - attenuation, mantle and core: Anderson 210-172
  - core, layered structure:Nguyen-Hai 207-220
    - PKIKP-waves: Caloi 209-264
    - traveltime phases:Subiza 214-86
    - velocity: Bolt 209-123
  - crustal structure: Santo 211-188
  - direct, seismic elements:Yevseyev 211-75
  - dispersion, universal dispersion tables: Anderson 210-164
  - France, associated with dam catastrophe: Peterschmitt 211-73

Seismic waves—Continued
free oscillations of Earth: Zharkov 215-110
1960 observations: Alsop 211-74
attenuation of dispersed waves: Knopoff 210-166
degree of: Sato 204-95
gravimeter observations of Chilean 1960 earthquake in Japan: Sato 210-173
frequency, volcanic earthquakes: Motoya 207-357
analysis, optical scanning method: Jackson 210-158
G-type, generation: Bose 206-78
kinematics and dynamics, to distances of 3,500 km: Nersesov 215-113
Laguerre expansions: Dean 209-124
local phase velocity, seismograms from strain and pendulum instruments: Mikumo 209-126
long-period body waves, crustal structure: Phinney 213-225
long-period seismographs, near earthquakes: Berckhemer 213-103
longitudinal, layered mediums: Yepinat'yeva 206-86
Love, analysis by phase difference method: Aki 210-160
energy flux related to period and depth: Savarenskiy 213-104
phase and amplitude: Aki 210-159
tables of source phase differences: Aki 210-161
transmission past a continental margin: Knopoff 210-165
mantle, anelasticity as function of depth: Anderson 211-195
low-velocity channel: Nuttli 204-216
P-waves: Yanovskaya 210-167
Pa and Sa waves: Båth 208-97
South America: Steinhart 207-211
traveltime curves: Yanovskaya 214-85
ultrasonic model: Riznichenko 215-109
moving-time-window signal-spectra process: McGarr 210-171
multiple trains: Pilant 209-117
near earthquakes, spectral study: Aki 204-75
P-waves, angle of incidence and amplitude ratio: Papazachos 209-118
attenuation in mantle: Asada 209-125
detection from weak sources: Claerbout 210-170
effect of crust: Nuttli 209-120
mantle: Lehmann 215-106

Seismic waves—Continued
P-waves—continued
traveltimes in United States: Lehmann 209-119
particle trajectory, linear time scale: Shugart 210-86
period, relationship to amplitude: Kanai 204-73
phase velocity, physical parameter changes: Takeuchi 213-106
PL-waves, paths in the United States: Oliver 209-121
PP-waves, reflection coefficients: Červený 214-88
Rayleigh, analysis by phase difference method: Aki 210-160
attenuation: Knopoff 206-91
dispersion of waves originating in Mid-Atlantic Ridge: Ossing 215-108
phase and amplitude: Aki 210-159
second group: Ragimov 211-76
tables of source phase differences: Aki 210-161
S-waves, European earthquakes: Arnold 207-55
upper mantle structure: Shurbet 211-194
source mechanism: Otsuka 214-80
SH-waves, shadow zone due to low velocity layer: Bhattacharya 215-107
signal detection in noise: Moltshan 210-168
spherical, inhomogeneous fluid: Keylis-Borok 206-87
spherical surface, phase angles: Sato 206-79
surface, dispersion on continental paths: Santo 208-94
dispersion on oceanic paths: Santo 208-95
frequency-velocity-energy diagrams: Iyer 209-122
phase velocity over great circular paths: Backus 210-162
predominant periods: Kukhtikova 205-36
recorded in central Europe: Pěč 209-127
T-phases, reflection in the sea: Aubrat 208-99
theory, comprehensive review: Bullen 211-70
times of p^{P}, sS, sP, and pS: Jeffreys 210-169
traveltime curves, Africa: Dopp 213-102
Baltic shield: Panasenko 215-217
breaks at epicentral distances of 36°, 50°, and 70°: Bugayevskiy 215-111

Seismic waves—Continued
- traveltime curves—continued
  - epicentral determination: Butovskaya 215-112
  - gradient of P-waves: Miki 208-98, 214-89
- velocity, Japan: Aki 204-96
  - Tyrrhenian Sea shock of 1960: Federico 208-80

Seismicity, Africa, regionalization: Gorshkov 210-139
- Algeria, aseismic zones: Dubourdieu 211-67
- Antarctica: Sytinskiy 212-120
  - 1908-58 tabulation: Linden 214-73
- Asia, associated volcanism: Honda 213-89
- California: Iacopi 215-82; Niazi 210-137
- Celebes, Una-Una Island: Katili 204-357
- China, fault systems: Chang 213-78
  - Huange River basin: Hsu 213-81
  - Kansu Corridor: Yu 213-189
  - Kansu province: Tan 206-72
  - recent deformation: Gorshkov 213-76; Li 213-75; Pavlinov 213-77
  - regionalization: Gorshkov 213-197
  - seismic zones: T'ien 213-79
- circumpacific belt, shallow and deep seismicity: Girdler 214-131
- Czechoslovakia, Carpathians: Kárník 208-87, 214-70
- definition of: Toperczer 204-88
- El Salvador: Boletín Sismológico del Servício Geológico Nacional de El Salvador 205-31
- England, Cornubian Peninsula: Dollar 210-143
- Fiji region: Suyehiro 214-72
- Greece: Galanapoulos 208-85
- Hungary, 1880-1956: Csomor 204-56
- Italy, energy calculated: Marcelli 208-84
- Japan, earthquake prediction: Oliver 212-127
  - geotectonics: Tamaki 214-71
- map construction, frequency and energy relationship: Nersesov 215-89
  - uniform accuracy: Gorbunova 215-86
- maximum for an area, calculation: Rizńichenko 215-84, -85
- Nevada: Niazi 210-137
- New Mexico: Sanford 207-48
- New Zealand, New Zealand Subcrustal Rift: Eiby 212-119
- Pacific Ocean, south part: Sykes 205-33
- regionalization, focal distances: Kats 207-51
  - instructions adopted in U. S. S. R.: Medvedev 206-70
  - methods used in China: Wang 213-80

Seismicity—Continued
- restricted regions, stress, dissipated by flow: Bostrom 213-85
- seismic great circle: Hédervári 211-66
- solar activity as a trigger effect: Sytinskiy 215-83
- Tunisia: Ambraseys 208-86
- U. S. S. R., Apsheron Peninsula: Kuznetsov 211-68
  - Baikal area: Khromovskikh 208-89
  - Carpathians: Sagalova 210-144; Yurkevich 210-151
  - Caucasus: Dumitrashko 204-168; Tskhakaya 209-102, 213-72
  - Central Asia: Vvedenskaya 206-71
  - Dzungaria and Altai-Sayan: Masarskiy 215-88
  - Dzungaria and Tien Shan: Gorbunova 215-87
  - gradients in European part: Bylinskaya 209-103
  - Kamchatka: Goryachev 207-49
  - Kurile Island: Fedotov 211-69
  - Pamirs: Krestnikov 205-32
  - Tadzhik S. S. R.: Bune 207-50; Gubin 208-88

Seismograms, analysis: Kunetz 208-322
- computer converters: Gurvich 204-333
- electric current, conversion to: Kolesnikov 204-104
- instrumental analysis: Kirnos 204-101
- nearby earthquakes: Asada 204-85
- reproduction for computer: Kolesnikov 204-102
- synthetic, location of structures: Delaplanche 204-328
- theoretical, spectrum, phase, and group velocities: Sato 207-76
- See also Seismic exploration, Seismograms

Seismographs, accelerometers, high sensitivity: Sinani 204-107
- azimuthal, theory and methods: Gal'perin 206-80
- calibration: Gostev 215-119
- condensers, introduction into system: Droste 207-67
- damping constant, determination: Tokmulin 215-118
- electromechanical transducer: Sycz 207-66
- feedback-controlled seismometer: Sutton 215-114
- frequency characteristics, variation of: Arkhangel'skiy 204-105
- frequency-amplitude and phase characteristics: Nersesov 215-117
- highly sensitive, nearby earthquakes: Asada 204-84
- long-period: Lin'kov 212-125; Otsuka 208-103

Seismograms—Continued
  magnetic recording: Fremd 204-106; Preobrazhenskiy 204-108; Tsujiura 204-100
  Poland, Niedzicy: Pagaczewski 207-68
  regenerative vibration filters: Kolesnikov 204-103
  submarine, Japanese: Kishinouye 210-181
  See also Earthquakes, instrumentation; and Seismic exploration, instrumentation
Seismology, bibliography: Michigan University Institute of Science and Technology: 209-132
  bibliography, 1962: Hodgson 204-109, 208-106
  Bolivia, research: Belousov 209-131
  comprehensive review: Bullen 211-70
  methods, conference in Edinburgh 1963: Quarterly Journal of the Royal Astronomical Society 212-128
  station locations, future needs: Willmore 209-130
  U. S. S. R., 1963 conference: Solov'yev 215-123
    B. B. Golitsyn, bibliography: Savarenskiy 215-124
  United States, visit by Russian seismologists: Borisevich 206-85, 215-122
Seismoscope, light-weight model, field and laboratory: Obukhov 211-83
Senegal, age, general listing: Bassot 204-16, 214-4
Seychelles, age, granite: Wasserburg 207-22
  age, igneous and metamorphic rocks: Baker 204-22
  paleomagnetism, Precambrian and Tertiary: Matthews 215-262
Shear, fracture velocity: Mansinha 209-139
Sierra Leone, magnetic surveys: Pollett 205-285
Solar system, age, radiogenic Xe-129: Kuroda 212-73, -74
  meteorites, early history: Anders 208-27
  origin, condensation of small objects from gas: Hoyle 208-23
    historical review: Ter Haar 208-22
    nebula: Cameron 208-26
Sound waves, dispersion, liquid medium: Takeuchi 208-166
South Africa, age, igneous rocks: van Niekerk 209-11
  geophysical surveys, 1962: Truter 214-117

South Africa—Continued
  microseisms, observations: Darbyshire 208-284
  submarine geology, continental shelf: Brock 212-338
South America, seismic waves, mantle: Steinhart 207-211
South Dakota, age, metamorphic rocks: Zartman 214-2
Southern Rhodesia, age, general listing: Snelling 208-10
  age, Great Dyke: Faure 209-12
    Shawa carbonatite complex: Nicolaysen 208-11
  paleomagnetism, Paleozoic carbonatite complex: Gough 212-279
    Precambrian dolerites: McElhinny 212-277
    Triassic: Gough 212-280
Spain, earthquakes, 1959-62: Fontseré 212-115
  earthquakes, 1961: Payo Subiza 208-78
  geophysical surveys, 1962: Instituto Geológico y Minero de España 205-119
  isotopes, sulfur: Friedrich 212-246
  magnetic field, observations: Cardús 208-245
    observations, 1961: Cardus 208-245
      1962: Cardus 212-253
  paleomagnetism, Permo-Triassic: Schwarz 211-251
Specific gravity, rocks, Antarctica: Ushakov 212-184
  rocks, elastic wave velocity: Berezkin 211-300
    Sweden: Saxov 212-233
    U. S. S. R., Central Asia: Mel'kanovitskiy 211-248
  serpentinite, U. S. S. R.: Shapoval 209-171
Spitsbergen, age, igneous and metamorphic rocks: Hamilton 210-16
Stishovite, first description: Chao 206-194
  inversion to silica glass: Skinner 204-38
Strain, rocks, strain energy: Emery 210-346
  unstraining, marble: Fortunat 211-330
Strength, anisotropic rocks, brittle: Walsh 214-307
  anisotropic rocks, fracture orientation: Donath 211-324
  argillaceous rocks, erodability: Mirimanov 214-329
  brittle fracture, experimental studies: Brace 211-322

- Strength—Continued
  - brittle fracture—continued
    - high pressure: Murrell 204-343
    - triaxial stress: Murrell 205-338
  - buried strata, lateral pressures and plastic yield: Seager 215-352
  - clay soils, creep: Maschyan 214-321; Mogilevskaya 214-322
  - coal, Marianna seam of U. S. S. R.: Gumenykh 214-332
    - triaxial compression: Hobbs 210-345
  - dimensions of samples, effects: Koyfman 214-314
  - elastic phenomena, ground movement: Berry 209-336
  - extension failure, fluid pressure: Jaeger 205-334
  - failure, crack propagation: Clark 211-325
    - uniform loads: Trump 205-340
  - flow and fracture theory: Nadai 204-342
  - foundation conditions, seismic reflection study: Hawkins 207-325
  - fractured rock: Adler 204-344
  - general, conference in Rolla, Mo., in 1961: Protod'yakonov 214-335
  - ground movement due to mining: Berry 204-346
  - hydrostatic compression, rocks: Stephens 213-330
  - hydrostatic pressure, isolation of sample from liquid: Baydyuk 214-319
  - ice, loaded beams: Krausz 204-348
  - igneous rocks, high temperature and pressure: Matsushima 214-311
  - impact resistance, rocks: Baron 208-341
  - index of dynamic strength: Yagodkin 214-325
  - instrumentation, coaxial plunger method: Yagodkin 214-326
    - mechanical indicator: Timchenko 214-327
  - lateral deformation, sedimentary rock samples: Galushko 214-317
  - layered systems, asymmetric surface shears: Westman 214-310
  - mechanical properties, rock pressure properties: Rusakov 214-330
  - mine roof beam, stress distribution: Wright 204-345
  - model studies, strata movement: Vorobjev 208-342
  - Mohr stress circles, equations: Protod'yakonov 214-316
  - olivine, high pressure: Riecker 213-333
  - photoelastic experiments: Bell 214-309

- Strength—Continued
  - rock bursts, Czechoslovakia: Holub 209-341
    - seismic study: Cook 205-336, 215-349
    - tilt observations: Skalský 207-344
  - rock massifs: Ivanov 214-312
    - mine workings: Zavriyan 214-320
  - rock mechanics, fundamental problems: Protod'yakonov 214-313
    - research in South Africa: Hoek 210-347
  - rock pressure, defined: Spang 209-340
    - Prague conference in 1961: Protod'yakonov 214-336
  - rocks, contained nuclear explosions: Boardman 214-308
    - disking of cores: Jaeger 205-334
    - dynamic and static properties: Sutherland 205-335
    - engineering properties: Akademiya Nauk SSSR Laboratoriya Gidrogeologicheskikh Problem 209-342
    - measurement in place: Onodera 205-337
    - mine shafts: Hiramatsu 205-344
    - Mont Blanc tunnel: Oberti 212-335
    - pore fluid effects: Boozer 205-339
    - shock deformation: Ramez 207-340
    - sonic measurement: Singh 206-346
    - surface energy: Perkins 207-341
    - Vysokogorsk ore deposit of the U. S. S. R.: Nikolin 214-334
  - sea ice: Langleben 211-329
    - in place measurement: Tabata 213-338
  - sedimentary rocks, coal measure rocks: Price 205-343, 215-350
    - Kuznets Basin of U. S. S. R.: Aksenko 214-331; Sigayev 214-328
  - shale, Donets Basin of U. S. S. R.: Belayenko 214-323
  - shear strength, definition and concept: Everling 209-337, 215-348
  - snow, Antarctica: Ramseier 205-346
  - tensile, brittle material: Horibe 208-343
    - relation to compressive: Hobbs 215-351
  - three-dimensional plane of weakness: Adler 207-342
  - toughness of rock, crushing method: Protod'yakonov 214-324
  - tunnels, stress state: Kawamoto 204-347
  - viscoelasticity, equations: Robertson 211-323
  - volumetric stress, mines: Matveyev 214-318

- Strength—Continued
  - weight and dimensions of samples, effect on measurements: Il'nitskaya 214-315
- Stress, circular excavation, nonlinear elastic rock:Salustowicz 208-340
  - determination in place, deformation movement: Potts 211-327
    - flatjack and borehole methods: Merrill 211-321
    - relief techniques: Merrill 210-348
  - drill hole measurement, curved jacks: Jaeger 211-328
  - Earth model, varying elastic parameters: Pan 207-83
  - mine openings: Hiramatsu 205-344
    - photoelastic measurement:Barnes 208-344; Scott 211-320
  - model study, boundary value problems: Ross 205-342
  - petrofabric analysis: Friedman 211-326
  - rocks, method for determining: Morgan 206-345
  - shearing force, transversely isotropic solid: Sur 207-81
  - tectonics, determination by hydraulic well fracturing: Heck 211-129; Kehle 207-92; Scheidegger 211-128
- Submarine geology, abyssal plains, general review:Heezen 208-347
  - age determinations, methods: Koczy 208-2
  - Antarctic Ocean, geomorphology: Zhivago 210-358
  - Antarctica, Davis Sea: Mal'tsev 212-340
    - Lazarev Ice Shelf area: Mal'tsev 212-339
  - Arctic Basin, structure:King 212-192
  - Atlantic Ocean, Bahama Islands: Athearn 206-347
    - continental rise, lateral echo sounding: Clay 215-357
    - continental shelf and slope:Emery 204-349
    - Guinea fracture zone: Krause 215-356
    - isostatic evolution of continental shelf: Gilluly 213-341
    - Labrador Sea Ridge: Drake 208-356
    - magnetic anomalies: Ivanov 206-350
    - magnetic anomalies and bottom relief: Ivanov 211-335
    - mid-Labrador sea ridge:Hood 213-283
    - Nares abyssal plain: Il'in 214-337
    - sediment distribution in Argentine Basin: Ewing 211-334
- Submarine geology—Continued
  - Atlantic Ocean—continued
    - stripe anomalies: Backus 209-316
    - topography: Ulrich 208-357
    - Vema fracture zone:Heezen 209-344
    - western: Klenova 206-349
  - Atlantic terrace, off Virginia and Rhode Island: Moore 206-348
  - atolls: Menard 208-348
  - bottom relief, problems of:Udintsev 211-333
  - California, diving saucer studies: Shepard 215-359
  - continental shelf, origin: Guilcher 208-346
  - continental slope, origin: Guilcher 208-346
  - cosmic dust, deposition on Atlantic floor: Wiseman 213-24
  - echo sounding, interpretation:Krause 206-351
  - English Channel, Pluteus Trench: Boillot 207-347
  - Gulf of Mexico, fault scarps southwest of Florida:Jordan 213-340
    - prominence east of Mississippi Delta: Matthews 209-331
  - guyots: Menard 208-348
    - constructional origin:Christensen 211-331
  - Indian Ocean, Agulhas Basin:Mal'tsev 212-341
    - bottom relief: Bezrukov 211-336
    - canyons discovered:LaFond 209-347
    - geophysical studies near Seychelles Islands: Bowin 209-348
    - geophysical surveys: Loncarevic 208-358
    - gravity and magnetic surveys: Intergovernmental Oceanographic Commission 213-287
    - magnetic anomalies: Ivanov 206-350
    - seismic and magnetic studies: Deacon 209-346
    - submarine volcanic mountains: Mal'tsev 211-337
    - topography and cores: Rama Raju 210-353
    - Vema Trench: Heezen 210-352
  - inner continental shelf, widths and slopes: Hayes 210-351
  - instrumentation, buoys: Daubin 209-351
    - deep-sea dredge:Nalwalk 204-350
    - echo sounder: Cohen 209-350; Dow 204-351
    - graphic recorder: Knott 204-352
    - narrow beam sounder: Huestis 213-346
    - oceanographic platform: Elliott 209-352

- Submarine geology—Continued
  - instrumentation—continued
    - self-locking compass: Bouma 214-343
  - Japan, Tokyo Bay entrance: Kagami 210-356; Nasu 210-357; Sakamoto 210-355
  - Japanese Inland Sea: Mogi 214-340
  - marine sediments, physical properties: Nafe 208-353
  - Mediterranean Sea, topography: Bourcart 212-337
  - microtopography, review: Laughton 208-351
  - Mid-Atlantic Ridge, fracture zones: Heezen 210-350
    - topography: Metcalf 210-349
  - mid-oceanic ridges, topography and structure: Heezen 208-349
  - nodules on sea floor, origin: Arrhenius 211-332; Olausson 212-124
  - nontechnical review: King 209-349; Stewart 214-342
  - oceanic islands: Menard 208-348
  - oceanography, general review: Pickard 214-341
    - textbook: Dietrich 213-345
  - oil exploration, theory and practice: Gaskel 215-358
  - Pacific Ocean, continental slope off California and Mexico: Uchupi 207-345
    - Galapagos Rise: Menard 211-339
    - guyots in southwestern: Menard 209-345
    - review: Meanrd 215-355
    - sea-floor configuration south of Japan: Iwabuchi 214-339
    - Sunda Shelf area: Haile 211-338
    - topography off Japan: Nasu 210-354
  - Pleistocene sediments: Emiliani 208-355
  - Prince Gustaf Adolf Sea: Marlowe 207-346
  - rate of deposition: Ericson 208-354
    - continental shelf off eastern United States: Uchupi 205-347
  - seamounts: Menard 208-348; Ulrich 213-344
  - sediment, sound velocity: Hamilton 205-348
  - sediment cores, correlation: Ericson 208-354
  - Skagerrak, structure: Holtedahl 213-343
  - South Africa, continental shelf: Brock 212-338
  - Straits of Gibraltar, origin and submarine relief: Hernández Pacheco 214-338
  - submarine canyons, types and origin: Shepard 208-352
- Submarine geology—Continued
  - textbook: Leont'yev 207-348
  - topography, review: Heezen 208-345
  - trenches, description and origin: Fisher 208-350
  - turbidity currents, effect of earthquakes: Heezen 209-343
  - Venezuela, Gulf of Paria: Van Andel 213-342
- Sun, rotation, perihelion advance of planets: Roxburgh 215-68
- Sweden, age, pegmatites: Welin 212-29
  - age, radiocarbon dates: Lundqvist 209-17; Nilsson 213-6
    - uranium minerals: Welin 205-11, 212-30
  - geodesy, operations during 1960-62: Asplund 209-201
  - geophysical exploration, methods and apparatus: Katskov 205-120
  - magnetic exploration, airborne: Werner 210-317
  - magnetic properties, silts in varves: Rees 213-280
  - microseisms, analysis: Santo 209-318
  - seismic surveys, glacial deposits: Ekman 207-338
  - specific gravity, rocks: Saxov 212-233
- Switzerland, age, hornblende: Davis 208-4
  - age, metamorphic rocks: Jäger 204-21
    - mica, standard sample: Jäger 211-16
  - gravity surveys, Zürich area: Gassmann 204-188

T

- Tahiti, age, syenite: Krummenacher 212-37
- Taiwan, magnetic field, Year of the Quiet Sun: International Geophysical Bulletin 204-253
  - volcanoes, catalog: Kuno 212-348
- Tanganyika, age, basalt: Gromme 207-275
  - age, carbonatite: Miller 206-14
    - volcanic rocks of Olduvai Gorge: Evernden 204-17
  - paleomagnetism, Permian: Opdyke 212-278
    - Pliocene: Gromme 207-275
- Tasmania, electrical properties, pyrite: Hill 205-113
- Tektites, aerodynamic analysis: Adams 210-101
  - age, simultaneous with glasses, fission track evidence: Fleischer 213-25
    - Ivory Coast: Gentner 211-14
  - argon content, radiogenic and atmospheric: Zähringer 204-43

Tektites—Continued
  asteroid-impact origin:Cohen 210-102
  Australasian, origin: Chapman 213-31
  Australia, Nurrabiel area: Baker 214-44
  australites, disc-shaped: Baker 204-44
    flanged boat-shaped specimen: Baker 212-91
    largest known core described: Baker 205-23
    nickel-rich: Taylor 209-45
    origin: Taylor 209-44
    You Yangs fall discredited: Baker 213-41
  bubbles, along faults, terrestrial implications: Barnes 215-41
    rayed: Barnes 215-42
  chemical analyses, variation in major element distributions: Schnetzler 213-28
  classification, punch card system: Vorob'yev 210-73
  composition: Chao 210-94;Schnetzler 210-95; Schüller 206-38
    cesium, rubidium, and lithium: Annell 213-46
    U, Th, and K content, gamma-spectrometric determination: Cherry 208-45
    X-ray fluorescence analysis: Rose 209-47
  Czechoslovakia, stratigraphic position: Bouška 213-35
  detrital mineral grains, indochinites: Barnes 206-35
  exfoliation, flanged Australite: Baker 208-48
  fission track dating, some possible furnace slags:Vand 209-46
  form, various types:Baker 210-92
  Georgia, secondary distribution: King 213-34
  hafnium, abundance:Setser 213-16
  hydrogen, vesicle in a philippinite: O'Keefe 206-36
  infrared absorption analysis: Kadushin 210-69
  iridium and tantalum content: Ehmann 204-35
  isotopes, bearing on origin: Zähringer 210-97
    silicon: Tilles 213-44
    strontium: Schnetzler 213-38
  Java, morphology:Koenigswald 206-37
  lechatelierite, grain-size distribution:Milliès-Lacroix 208-46
  metallic spherules, effect on coloration: Thorpe 213-40
    philippinites: Chao 207-28

Tektites—Continued
  moldavites, physical and chemical properties related to color: Bouška 213-27
    sculptation and inclusions: Rost 213-36
  nickel-iron spherules, magnetic properties: Senftle 207-27
    Southeast Asia: Chao 213-39
  origin, aerodynamic evidence for extra-terrestrial:Chao 210-94
    aerodynamic shaping:Adams 210-98
    comet, obsidian from Olbers protoplanets:Dauvillier 213-45
    comet-impact hypothesis of terrestrial origin:Cohen 210-100
    cometary mechanism:Lyttleton 213-29
    experimental testing: Cassidy 213-42
    isotopes: Zähringer 210-97
    lunar hypothesis: O'Keefe 210-99
    Moon, aerodynamic data: Sun 211-47
    not lunar, aerodynamic analysis: Adams 213-32
    plume over terrestrial meteorite crater: Hawkins 213-43
    strontium isotopes, not lunar: Schnetzler 213-38
    terrestrial, compared with impactite glasses:Barnes 210-93
  osmium, abundances: Lovering 213-26
  Philippines, collision markings: Koenigswald 206-37
  physical properties and gas content: Friedman 210-96
  rhenium, abundances:Lovering 213-26
  specific gravity population polygons: Chapman 213-30
  strewn-fields, chemical variations within: Barnes 213-33
    evidence of terrestrial origin: Barnes 210-93
  terrestrial contamination, bubble cavities: Baker 208-47
  vapor pressure,melts at high temperatures: Walter 213-37
  water, small content precludes terrestrial origin:O'Keefe 215-43
  zirconium, abundance:Setser 213-16
Tennessee, heat flow, measurements: Diment 204-192
Texas, age, granites:Zartman 204-10
  gravity surveys:Muehlberger 209-236
    Sierra Madera Dome: Van Lopik 204-184
  magnetic surveys: Muehlberger 209-236
    Sierra Madera Dome: Van Lopik 204-184

- Texas—Continued
  - meteor craters, Sierra Madera Dome: Van Lopik 204-184
  - seismic surveys, Fargo field:Faust 206-334
- Thermal logging, gas fields: Pozin 207-210
- Thermal springs, Bulgaria:Martinov 210-260; Petrov 213-219
  - Italy: Penta 204-358; Yuhara 207-207
  - Japan, discharge: Yuhara 209-357
    - distribution: Saito 205-357
    - Onogawa Hot Springs area:Tokairin 214-167
    - Tamagawa area: Kondo 209-358
    - Toya district: Ishikawa 205-358
  - New Mexico: Hall 207-205
  - New Zealand, Ketetahi Hot Springs: Wilson 211-357
  - underground temperature distribution: Fukutomi 205-203
  - Wyoming, Yellowstone National Park: Marler 211-360
- Thermoluminescence, glow curves, interpretation:MacDiarmid 208-213
  - granites, U.S.S.R.:Vartanova 204-201
  - limestones, reversible and irreversible: Zeller 211-10
- Tilting, atmospheric pressure, induced by:Bonchkovskiy 212-185
- Time series, linear regression relations: Hamon 205-123
- Transvaal, age, radiocarbon dates: Mason 213-5
- Trend surfaces, confidence intervals: Krumbein 204-144
- Tsunami, Atlantic Ocean, Iberian Peninsula and Azores: Berninghausen 209-116
  - California, 1960: Miller 206-81
  - canals: Momoi 204-111, -112
    - bottle-neck effect: Momoi 206-83
    - L-shaped: Momoi 207-65
  - Chile, 1960: Popov 210-157;Sievers 208-59
  - China, historical account:Keimatsu 208-102
  - circular origin, asymptotic representation: Miyoshi 213-109
  - decay rate, frequency analysis: Miller 206-81
  - diffraction, peninsula:Momoi 206-84
  - earthquake magnitude:Iida 213-108
  - French Polynesia, May 1960: Vitousek 208-62
  - Hawaii, May 1960: Cox 208-60
  - Japan, Chilean earthquake of 1960: Higuchi 213-107
    - Seto Inland Sea:Higuchi 215-105
    - spectrums: Takahasi 204-110
  - L-shaped bay, seiches:Momoi 210-155
  - leading waves: Kajiura 206-82
  - propagation: Popov 207-64;Stoneley 207-63
- Tsunami—Continued
  - recorder: Teramoto 210-156
  - Samoa, May 1960: Keys 208-61
- Tunisia, seismicity: Ambraseys 208-86
- Turkey, crust, thickness:Öcal 206-193
  - gravity surveys, chromite: Yüngül 205-197
  - magnetic surveys, chromite:Yüngül 205-197
    - iron deposits: Hutchison 208-279, -280, -281
  - radioactivity surveys, iron deposits: Hutchison 208-279, -280, -281
- Tyrrhenian Sea, seismic surveys, sediment thickness: Mikhno 207-335

U

- Uganda, age, general listing:Snelling 208-10
- U.S.S.R., age, basaltic rocks,Yakutsk, A.S.S.R.: Anodin 210-45
  - age, folding, Aral area: Garetskiy 209-19
    - gabbro, Urals:Morkovkina 212-33
    - general listing, Carpathians: Semenenko 210-27
      - Central Asia: Krylov 210-39
      - Ural Mountains:Ovchinnikov 210-41
    - glaciation: Gerasimov 205-14
    - glauconite, Ural Mountains:Garris 210-53
    - granites: Ivantishin 210-31; Yashchenko 205-12
      - Baikal area:Yashchenko 210-55
      - Bug valley: Yaroshchuk 210-30
      - Dneprov migmatites: Sobotovich 210-51
      - Dzhungaria: Ivanov 210-54
      - northern Caucasus:Afanas'yev 215-23
      - Pamir: Abrashov 211-19
      - Sakhalin: Firsov 213-10
      - Transbaikal: Vasilenko 208-7
      - Ukraine S.S.R.:Shcherbak 210-32
    - hydrothermal mineralization, Transbaikal: Tomson 215-26
    - igneous and metamorphic rocks, Anabar shield: Krylov 209-20; Tarasov 209-21
      - Belorussian S.S.R.: Gerling 210-35
      - Crimea: Novikov 214-5
      - Dneprov area:Ivantishin 210-28
      - Kazakh S.S.R.:Borukayev 210-19; Yefimov 210-23
      - Ukraine S.S.R.: Ladiyeva 210-29; Shcherbak 210-33
    - igneous rocks: Mirkina 204-23
      - Kazakh S.S.R.: Abdulkabirova 210-24; Ivanov 210-20
      - Kola Peninsula: Zykov 212-31
      - Kurile Islands: Firsov 213-11

- U. S. S. R. —Continued
  - age—continued
    - igneous rocks—continued
      - Lake Balkhash area:Rozenkrants 201-22
      - Okhotsk-Chukotsk volcanic belt: Grinberg 210-46
      - Transbaikal: Tomson 208-17
      - Uzbek S.S.R.:Khamrabayev 210-40
      - Verkhoyan-Chukhotsk region: Firsov 210-56
      - Yenisei Range: Gerling 215-25; Volobuyev 212-34
    - metallogenetic cycles:Semenenko 210-17
    - metamorphic rocks, Armenia: Starik 210-37
      - Karelia: Davis 208-4
      - Kazakh S.S.R.: Semenova 210-21
      - Monchegorsk pluton: Gerling 215-24
      - Ural Tan: Lennykh 210-43
    - micas, Ural Mountains:Dunayev 210-52
    - natural gas, Karpinskiy arch: Gurevich 213-8
    - ore deposits, Altai-Sayan mining district:Klyaroviskiy 210-48
      - Boshkir, A.S.S.R.:Garris 210-42
      - rhenium-osmium method: Satpayev 210-25
    - paleogeographic reconstructions: Vistelius 215-22
    - postglacial boundary: Vinogradov 206-17, -24
    - Precambrian rocks, Aldan shield: Stupnikova 210-47
      - East European platform: Semenenko 210-26
      - Krivoy Rog series:Bibikova 210-34
      - Riphean in Far East: Itsikson 215-27
    - radiocarbon dates: Gerasimov 205-14; Velichko 211-18;Vinogradov 205-13
      - Dniester river area: Alekseyev 212-32
      - rhinoceros and mammoth:Geynts 211-20
      - Yenesei River area:Cherdyntsev 212-35
    - shale, Crimea: Novikov 211-17
    - syenite: Zhidkov 210-44
    - sylvinite, Romensk salt deposit: Khrushchev 209-18
    - time scales: Shcherbakov 210-18
    - water, Lake Issuk-Kul':Chalov 213-9
  - crustal structure: Kosygin 204-51; Litvinenko 206-338
    - Asia-Pacific Ocean transition zone: Veytsman 215-220
    - Baltic shield: Panasenko 215-217
    - Black Sea:Neprochnov 213-322
    - Caspian area: Fadeyev 215-218

- U. S. S. R. —Continued
  - crustal structure—continued
    - central Asia: Butovskaya 215-112; Vol'vovskiy 211-193
    - Kola Peninsula: Panasenko 211-192
    - Transcarpathians:Yevseyev 210-147
    - Turkmenia: Alekseyev 214-174
    - Ukraine: Demidenko 213-325
  - earth current surveys: Tikhonov 214-58
    - Baikal area: Kosygin 204-51
    - Borok geophysical station area: Vey 212-111
    - Turkmen S.S.R.: Anishchenko 207-39
    - West Siberian Lowland:Krotevich 205-29
  - earth currents, magnetic field variations compared: Vinogradov 212-110
  - earthquakes, 1948: Rustanovich 207-44
    - 1951: Yevseyev 210-47
    - 1952: Ben-Menahem 204-91
    - 1955: Yurkevich 210-145
    - 1956: Yurkevich 210-146
    - 1957: Kurushin 208-83
    - 1958: Dzhanuzakov 213-73
    - 1959: Khovanova 206-68;Misharina 215-94; Rustanovich 206-67
    - 1960: Vvedenskaya 207-43
    - 1961: Ragimov 212-117
    - 1963: Kuznetsov 212-118
    - aftershocks: Båth 204-87
    - ancient: Khromovskikh 204-55
    - attenuation:Demikhovskaya 204-62
    - Caspian area, 1960, 1961: Tabulevich 215-78
    - catalog for 1911-57: Akademiya Nauk SSSR, Sovet po Seysmologii 208-82
    - northeastern Baltic shield: Panasenko 215-79
  - earth tides, observations: Dobrokhotov 205-63, 213-114; Ostrovskiy 205-46, -47, -48, -49;Pariyskiy 205-62, -64
  - elastic properties, sedimentary rocks, Kenkiyak Range: Paliyev 213-132
  - electrical exploration:Zaborovskiy 204-134
  - electrical logging surveys:Ostrovskiy 207-115; Popov 207-120; Ulizlo 207-131
    - Apsheron Peninsula: Patsevich 204-136
    - Azerbaijan S.S.R.:Liadze 211-105
    - carbonate rocks:Shcherbinin 209-190
    - coal deposits:Grechukhin 207-114
    - coal in Kuznets basin: Shubalkin 212-171
    - Dzhusinsk stratigraphic borehole: Romanov 211-112

U. S. S. R. —Continued
- electrical logging surveys—continued
  - Kuban' oil field: Skopichenko 212-172
  - Kuma Region: Shurman 211-104
  - North-Lugansk stratigraphic borehole: Vitenko 211-114
  - ore deposits: Miridzhanyan 206-120
  - permeability in Terek-Kuma depression:Steplenko 210-208
  - resistivity in Zyrya field:Patsevich 210-209
  - South-Kaliningrad research drill hole: Romanov 212-173
  - Valday stratigraphic borehole: Moiseyenko 211-113
  - water injection:Dem'yanovskaya 208-148
  - Zayarsk research drill hole: Kondrat'yeva 212-174
- electrical properties, carbonate rocks: Koposov 205-115
  - metamorphic rocks: Mikhaylova 208-151
  - rocks, Central Asia:Mel'kanovitskiy 211-248
  - sedimentary rocks, Carpathian foreland depression: Ulizlo 210-221
- electrical surveys, Astrakhan district: Fel'd 205-90
  - Azov Sea: Popov 211-101
  - basement in Crimea: Sollogub 211-313
  - Karelia: Lyubavin 206-98
  - ore deposits in Kazakh S.S.R.: Auzin 207-108
  - permafrost areas:Dobrovol'skiy 209-177
  - platform areas: Van'yan 212-164
  - Turkmen S.S.R.:Gumarov 211-94
  - Ukrainian shield: Antonyuk 212-166
- geophysical exploration, bauxite: Uspenskiy 204-141
- geophysical research, Soviet Geophysical Committee: American Geophysical Union Transactions 204-147
- geophysical surveys: Bondarenko 210-223
  - Armenian S.S.R.:Akopyan 212-177
  - Carpathian foreland depression: Gontoviy 209-197
  - Chu-Sary-Su:Sargaskayev 213-158
  - East European platform:Gafarov 206-128
  - Kamchatka Peninsula:Rivosh 208-156
  - Kazakh S.S.R.: Morozov 209-198
  - Lenkoran Region: Tsimel'zon 211-119
  - ore deposits: Kiselev 206-130
  - Pechenga structural zone: Tsiryl'nikova 206-129
  - review: Krasulin 206-131
  - Tatar A.S.S.R.:Sitdikov 207-134
  - Ural folded zone:Khat'yanov 204-140

U. S. S. R. —Continued
- geotectonics, depressions in Altai-Sayan region: Yanov 215-180
  - junction of Russian platform with Urals: Simonenko 215-181
  - recent deformation: Dumitrashko 204-168; Kurdyukov 209-11; Nikolayev 213-181
  - recent faulting in central Urals: Stepanov 209-210
  - Uzbek S.S.R.:Tal'-Virskiy 209-212
- geothermal energy:Makarenko 211-172
  - Kurile-Kamchatka: Averyev 211-173
  - oil wells in Caucasus: Sukharev 215-211
  - utilization: Lebedev 214-168
- geothermal gradient, Aktyubinsk area: Dal'yan 211-176
  - Azerbaijan S.S.R.: Sukharev 210-257
  - Bibieybat oil field: Vezir-zade 204-199
  - Carpathian foreland depression: Kutas 211-174
  - Caspian depression: Vasil'yev 213-220
  - Caucasus: Vlasova 209-252
  - Cis-Caucasus: Kortsenshteyn 211-175
  - Krivoy Rog:Muromtseva 208-209
  - Matsesty region: Cheremenskiy 204-198
  - Pripyat Basin:Makarevich 211-177
  - Rudnyy Altay: Kalashnikov 213-221
- geothermometry, mercury deposits: Koltun 205-208
- glaciers, geophysical study in Zailiyskiy Alatau:Borovinskiy 215-186
  - Konstitutsiya Glacier: Borovinskiy 210-239
  - movement: Suslov 207-168
  - seismic surveys: Kravtsov 207-166
  - Suntar-Khayata Range:Koreysha 212-201
  - temperature measurements:Tsykin 207-171
  - Tien Shan: Bondarev 211-145
- gravity surveys, aircraft supplied: Riss 204-182
  - Baltic shield: Shustova 211-150
  - barometric leveling: Taipov 205-198
  - Crimea: Lebedev 211-162
  - Kamchatka: Rivosh 204-290,206-186
  - Pechora coal basin: Poletayev 211-164, 212-227
  - Russian platform:Gafarov 211-163
  - Sakhalin Island: Livshits 208-204
  - Siberia:Nikolayevskiy 212-228
  - Ukraine S.S.R.: Hura 204-190; Kon'kov 210-250
- heat flow, European and Asiatic portions controlled: Tamrazyan 215-210

U. S. S. R. —Continued
isotopes, sulfur, copper-nickel deposits: Vinogradov 215-242
  tritium in Fedchenko Glacier: Izrael' 212-247
magnetic anomalies, secular variations: Pochtarev 206-213
magnetic exploration, iron deposits: Logachev 205-282
magnetic field, field intensity: Dolginov 205-221;Vints 204-266
  observations: Dolginov 210-294
  secular changes:Orlov 205-222
magnetic properties, hydrothermally altered rocks:Solov'yev 210-307
  iron ores: Ponomarev 214-228
  rocks, Central Asia: Mel'kanovitskiy 211-248
  sedimentary rocks, Gissar Range: Abdullayev 207-274
  susceptibility, rocks, Ukraine: Lebedev 208-259
magnetic spherules, Sikhote-Alin: Bgatov 206-31
magnetic surveys, Asia-Pacific transition zone:Gaynanov 207-293
  faults on Siberian platform:Bulina 215-303
  Kamchatka:Rivosh 204-290,206-186
  Kazakh S.S.R.: Dzhanayev 213-286
  kimberlite pipes: Savrasov 207-292
  Kola Peninsula: Porotova 206-257
  Krivoy Rog: Baklanov 213-285
  Mutnovskaya and Gorely:Kirsanov 215-372
  Orekhov-Pavlograd belt in Ukraine S.S.R.: Kazakov 209-317
  Russian platform:Gafarov 211-163
  Sakhalin Island: Livshits 208-204
  Siberia:Nikolayevskiy 212-228
  Tatar dome:Aleksandrov 206-258
  Transbaikal area: Tikhomirov 215-304
  Transcarpathians: Kohmenko 204-289;Kruglyakova 205-288
  Udmurt and Tatar A.S.S.R.'s: Urazayev 212-292
  Ukraine S.S.R.: Bolyubakh 211-262; Lebedev 204-288
  Volga-Ural district: Azenberg 205-289
  West Siberian Lowland:Simenenko 205-290
magnetotelluric surveys, Georgia: Berdichevskiy 213-63
mantle, Upper Mantle Project: Lebedev 208-236
meteorite craters,Ilumetsa craters in Estonia: Aaloe 212-80
  Kaali craters in Estonia: Aaloe 212-69; Bronshten 212-83; Treuman 212-84

U. S. S. R. —Continued
meteorites, catalog 1961:Kvasha 210-72
  catalog 1962: Krinov 210-71
  Kaali iron, composition: Yudin 212-50
  Tunguska, optical atmospheric phenomena: Zotkin 206-32
    spherules: Kirova 212-51
  Yardymlinsk, plessitic structure: Yudin 212-53
microseisms, Caspian sea: Kuznetsov 215-310
  recorded from Atlantic:Monakhov 206-262
paleomagnetism, archeology: Burlatskaya 211-254; Tarkhov 211-255
  Cambrian:Moskaleva 204-271
  Carboniferous: Vlasov 207-279
  Cenozoic: Akopyan 205-273
  Fergana depression: Valiyev 207-280
  Mesozoic: Vlasov 212-282
  Permian: Vlasov 212-282
  Precambrian, Oktyabr massif: Mikhaylova 211-253
  reversal due to chemical process: Metallova 214-235
physical properties, greenstones: Khalevin 215-154
radioactivity, carbonate rocks: Shcherbinin 209-190
  ground water, Carpathian foreland: Shchepak 211-274
  Kremenchug iron deposit: Ushakova 211-271
  limestone: Larionov 205-294
  rocks: Zabolotnov 204-304
  sedimentary rocks: Serikov 205-295, -296, -297
radioactivity logging surveys: Romanova 206-285; Shcherbinin 206-284
  Apsheron Peninsula:Patsevich 204-136
  Azerbaijan S.S.R.: Liadze 211-105
  coal deposits: Belotserkovets 207-304
  permeability in Terek-Kuma depression: Steplenko 210-208
  Permian of the Donets Basin: Belmar 213-302
radioactivity surveys, emanation anomalies in the Krivoy Rog district: Gerasimov 213-303
  Kazakh S.S.R.:Tolstoy 204-318
recent deformation, Shakhdag massif: Budagov 211-134
  White and Barents Seas: Stovas 211-135
seismic exploration, airborne: Lur'ye 212-325
  history: Schriever 215-321

- U. S. S. R. —Continued
  - seismic exploration—continued
    - methods: Berzon 204-332
    - work of G. S. Gamburtsev: Fedynskiy 204-148
  - seismic surveys, Arys' River area: Kunin 214-305
    - Baltic shield: Litvinenko 206-338
    - Black Sea: Neprochnov 213-322
    - Carpathian depression: Petkevich 209-334
    - Caspian region: Arabadzhi 213-327; Lipovetskiy 213-324; Ryabov 207-339
    - Caspian salt dome area:Ginodman 206-343
    - Central Asia: Alekseyev 213-328
    - Cis-Carpathian depression:Sollogub 205-332
    - Cis-Caucasus: Meshbey 213-323
    - Crimea: Sollogub 211-313
    - Far Eastern Region:Shcherbakova 206-300, 211-316
    - glaciers: Kravtsov 207-166
    - Kama-Kinel depression:Chalikova 211-314
    - Karelia: Litvinenko 206-339
    - Karpinskiy ridge: Mirchink 211-311
    - Kola Peninsula:Shablinskiy 206-340
    - Korosten batholith in Ukraine S.S.R.: Sollogub 214-303
    - Kuybyshev region:Redkolis 211-315
    - Pechengo region: Lenina 206-344
    - Rudnyy Altai: Mikhelev 211-317
    - Russian platform: Kireychev 211-312
    - Ukraine S.S.R.:Demidenko 213-325; Sollogub 209-335; Subbotin 206-341
    - Volga-Ural area: Znamenskiy 206-342; L'vovskiy 214-304
    - West Siberian Lowland:Kanareykin 211-318; Puzyrev 207-318
  - seismicity, Apsheron Peninsula: Kuznetsov 211-68
    - Baikal area:Khromovskikh 208-89
    - Carpathians: Sagalova 210-144; Yurkevich 210-151
    - Caucasus: Dumitrashko 204-168; Tskhakaya 209-102, 213-72
    - Central Asia: Vvedenskaya 206-71
    - Dzungaria and Altai-Sayan: Masarskiy 215-88
    - Dzungaria and Tien Shan: Gorbunova 215-87
    - gradients in European part: Bylinskaya 209-103
    - Kamchatka: Goryachev 207-49
    - Kurile Island: Fedotov 211-69
    - Pamirs: Krestnikov 205-32
    - Tadzhik S.S.R.: Bune 207-50; Gubin 208-88
  - thermoluminescence, granites: Vartanova 204-201
- U. S. S. R. —Continued
  - volcanic activity, Avachinskaya: Kirsanov 215-364; Polyak 209-354; Shteynberg 209-353;Zubin 215-370
    - Bezymyannyy:Markhinin 205-352
    - Chikurachki:Fedorchenko 205-353
    - Ebeko Volcano: Kirsanov 215-375
    - Kamchatka:Vazheyevskaya 215-376
      - 1961-62: Kirsanov 215-373
      - old volcano in fumarole stage: Aprelkov 215-374
    - Karymskaya, 1960-61; Kirsanov 215-363
      - 1962: Ivanov 215-368
      - seismic study: Gorel'chik 215-369
    - Klyuchevskaya: Markhinin 205-350, 215-362
    - Koryakskaya Volcano: Gorshkov 215-371; Kirsanov 215-364
    - Mutnovskaya and Gorely:Kirsanov 215-365, -372
    - Ploskiy Tolbachik: Sirin 205-351
    - Sarychev Volcano: Markhinin 215-366
    - so-called Zashiverskiy Volcano: Rudich 215-367
    - Uy caldera: Plakhotnik 205-355
    - Vilyuchinskiy: Aprelkov 205-354
  - volcanic earthquakes,Bezymyannyy: Tokarev 204-356
- United Arab Republic, electrical surveys, ground water:Cotecchia 207-113
  - electrical logging, surveys:Zeydan 207-132
- United States, age, Clovis fluted points: Haynes 215-11
  - age, feldspar sands:Ledent 209-4
    - zircon sands: Ledent 209-4
  - crust, thickness: Pakiser 204-204; Steinhart 207-211; Stuart 210-262
  - earth current surveys, southwestern: Schmucker 214-52
  - earthquakes, 1958-60: Carder 206-65
    - 1961: Lander 214-63
  - magnetic surveys, east-west continental fractures:Fuller 214-244
  - radioactivity, gamma dose rates: Lowder 212-304
  - radioactivity surveys, nuclear installations: Pitkin 214-274
- Utah, age, Precambrian rocks: Lanphere 204-11
  - age, volcanic rocks:Armstrong 213-4
  - electrical surveys:Erickson 212-289
  - isotopes, oxygen in coexisting calcite and dolomite: Weber 215-238
  - isostasy, Lake Bonneville:Crittenden 207-160
  - magnetic surveys: Erickson 212-289; Mabey 209-313

V

- Venezuela, earth tides, observations: Fiedler 205-66
  - seismic surveys, Gulf of Paria:Van Andel 213-342
- Venus, atmosphere, composition: Suess 211-50
  - crust, phase equilibria: Mueller 212-108; Robie 212-109
  - magnetic field, moment 20 percent that of Earth:Anderson 213-57
  - Mariner II voyage:James 205-25
  - radio emission, surface temperature: Mayer 210-119
  - surface, radar measurement of character: Pettengill 210-118
- Vermont, magnetic surveys:Popenoe 214-251
- Viet Nam, age, radiocarbon dates: Thommeret 214-124
  - earthquakes, 1961: Nguyen 207-45
  - Years of the Quiet Sun: International Geophysical Bulletin 209-280
- Volcanic activity, Afghanistan, Quaternary: de Lapparent 212-350
  - Alaska, Katmai eruption of 1912: Bordet 212-345
  - Archipelago de Colon: Richards 211-345
  - Arizona, dome-shaped gas vents: Laidley 213-357
  - beneficial aspects: Alcaraz 213-358
  - Bouvetøya, 1955-58:Baker 215-360
  - Celebes, Una-Una Island: Katili 204-357
  - Chile, Calbuco Volcano: Klohn 207-351
    - catalog: Casertano 213-349
    - general characteristics: Casertano 207-350
  - Costa Rica, Irazú:Buddhue 213-347
  - directed blasts: Gorshkov 212-355
  - dust collected at 20 km, shape: Mossop 215-361
  - earth tides, Japan: Yoshikawa 205-51
  - Greece, Greek Archipelago: Georgalas 211-343
    - Santorin: Galanapoulos 206-354, 215-377
  - Hawaii, 1955: Macdonald 212-343
    - Kilauea: Krivoy 214-346;Moore 211-341, 214-345; Richter 214-344
    - Kilauea in 1959-60:Gèze 212-344
  - Iceland, catalog:Berninghausen 208-359
    - Surtsey Island: Blanchard 214-347
  - Indonesia: Zelenov 206-353
    - 1950-57: Hadikusumo 214-358
    - 1959: Surjo 214-359
    - atmospheric dust from eruption of Agung:Hogg 209-356; Meinel 209-355

- Volcanic activity—Continued
  - Iran, Damavand:Abdalian 207-353
  - Italy, Etna: Wickman 206-357
    - lunar oscillations at Vesuvius: Imbò 207-352
  - Japan, Asama: Aramaki 205-356
    - Aso: Kikuchi 214-354;Matsumoto 214-352; Yokoyama 213-355
    - catalog: Kuno 212-348
    - Miyake-jima in 1962: Suwa 214-353
    - Oshima: Isshiki 211-346
    - Sakurajima: Yoshikawa 213-356, 214-357
    - Usu: Oba 212-347
  - Kermadec group: Richard 211-344
  - magnetic field variations, Japan: Kato 204-353
  - Marianas, catalog: Kuno 212-348
  - Miyake Island: Okada 204-354
  - New Hebrides, Lopevi: Remy 212-346; Williams 206-352
  - Oregon, Mount Mazama ash deposit: Powers 212-349
  - Pacific Ocean, Tinakula Volcano: Tazieff 214-360
  - Peru, supposed swelling at Misti: Sociedad Geográfica de Lima 213-348
  - Possession Island: Dreux 207-354
  - Samoa group: Richard 211-344
  - seismic surveys, measurements near craters:Kuz'mina 209-359
  - Taiwan, catalog: Kuno 212-348
  - Tonga group: Richard 211-344
  - twilight glow, northern hemisphere from eruption of Agung Volcano: Volz 211-340
  - U.S.S.R., Avachinskaya:Kirsanov 215-364; Polyak 209-354; Shteynberg 209-353;Zubin 215-370
    - Bezymyannyy: Markhinin 205-352
    - Chikurachki:Fedorchenko 205-353
    - Ebeko: Kirsanov 215-375
    - Kamchatka, 1961-62:Kirsanov 215-373
      - old volcano in fumarole stage: Aprelkov 215-374
    - Karymskaya, 1960-61: Kirsanov 215-363
      - 1962: Ivanov 215-368
      - seismic study:Gorel'chik 215-369
    - Klyuchevskaya:Markhinin 205-350
      - group in 1961: Markhinin 215-362
    - Koryakskaya Volcano:Gorshkov 215-371; Kirsanov 215-364
    - Mutnovskaya and Gorely:Kirsanov 215-365, -372
    - Ploskiy Tolbachik:Sirin 205-351
    - Sarychev: Markhinin 215-366
    - so-called Zashiverskiy Volcano: Rudich 215-367
    - Uy caldera: Plakhotnik 205-355
    - Vilyuchinskiy: Aprelkov 205-354
- Washington, Mount Rainier:Fiske 211-342

Volcanic activity—Continued
  world, 1960:Lotze 207-40
    1961: Lotze 207-41
    1962: Lotze 211-65
Volcanic earthquakes, Japan, Aso Volcano: Kikuchi 213-350;Wada 207-355
  Japan, Me-Akan: Motoya 207-357
    migration of hypocenters:Kizawa 213-351
    Miyake-sima: Minakami 207-358
    Sakurajima: Wada 213-354, 214-356; Yoshikawa 207-356
  types: Minakami 213-353
  U.S.S.R., Bezymyanny: Tokarev 204-356
  wave generation: Kubotera 213-352, 214-355
Volcanic rocks, Atlantic and Pacific suites, Red Sea region: El-Hinnawi 212-352
  basalts, Mid-Atlantic Ridge: Engel 212-351
Volcanism, alinements, New Zealand: Kear 211-348
  ash eruption, New Zealand: Ewart 211-353
  eruptions, energy and magnitude: Hédervári 207-349
  eruptive patterns, New Zealand: Grant-Taylor 211-350; Gregg 211-355; Thompson 211-349
  Europe, carbon dioxide in Variscan platform: Vrba 214-350
  fragment ejection, time distribution: Wickman 206-357
  gas phases, significance of fluctuations: Tazieff 211-358
  gravity anomalies, calderas: Yokoyama 204-355
  hydrosphere, degassing of mantle: Zelenov 205-349
  Iceland, volcanic activity related to chemistry:Sigvaldason 214-348
  ignimbrite eruption, time and space distribution:Bemmelen 208-361
  International Association Volcanology, 1963 meeting: Penta 212-354
  intraoceanic and circumoceanic, chemical discriminants: Chayes 208-360
  Japan, chemical composition and eruptive frequency of lavas: Taneda 214-351
  mechanism, New Zealand: Healy 211-347
  nontechnical review:Vaughan-Jackson 204-359
  obsidian, effect of water on viscosity: Shaw 206-355
  ocean basins, lava composition: Chayes 210-359
  oceanic lavas, abundance ratios of silicic and intermediate: Chayes 213-359

Volcanism—Continued
  oceanic lavas—continued
    abundance ratios in eastern Pacific Ocean: Bryan 213-360
  prediction, New Zealand: Gregg 211-354; Kear 211-351;Searle 211-352
    temperature and magnetic field variations:Miyamoto 211-359
  pyroclastic fragments, size and sorting with distance: Fisher 207-359
  research, European:Gèze 212-353
  rhyolite glass, viscosity and water content: Friedman 206-356
  spilite, origin not related to sea water:Korzhinskiy 206-358
  tectonic factors, New Zealand:Gregg 211-356
  tremor, caused by escape of gas: Shteynberg 212-342
  U.S.S.R., areal volcanism in Kamchatka: Vazheyevskaya 215-376

W

Wales, seismic surveys, Cardigan Bay: Blundell 213-320
Washington, age, sea-level changes: Easterbrook 208-8
  geotectonics, recent deformation: Easterbrook 208-8
  glaciers, Blue Glacier: Kamb 213-198; LaChapelle 211-143
  magnetic surveys:Steenland 208-269
  paleomagnetism, Miocene lavas: Watkins 215-265
  volcanoes, Mount Rainier:Fiske 211-342
Washington, D. C., heat flow:Diment 211-169
West Virginia, magnetic surveys: Popenoe 210-320
Wisconsin, electrical surveys, iron deposits:Frischknecht 205-88
  gravity surveys: Craddock 205-190
  magnetic surveys: Sanker Narayan 210-319
Wyoming, age, pegmatite:Reed 205-4
  paleomagnetism, Triassic: Picard 209-305
  thermal springs, Yellowstone National Park:Marler 211-360

Y

Yugoslavia, earthquakes, 1963: Mercier 207-42

ERRATA IN ABSTRACTS

204-11, p. 4 (January)
First line should read
"Lanphere, M. A., and
Wasserburg, G. J."
204-46, p. 12 (January)
First line should read
"Kondura, V. T."
205-201, p. 131 (February)
Last line should read
"Abs. 203-224.)—V.S.N."
205-290, p. 149 (February)
First line should read
"Simonenko, T. N."
205-292, -293, p. 150 (February)
First lines should read
"de Morais, Marilia Xavier."
206-2, p. 172 (March)
First line should read
"Scherbakov [Shcherbakov],
D. I."
206-72, p. 186 (March)
First line should read
"T'an, Ko-Ts'uan."
206-Index, p. 250 (March)
Second column, line 12 should read
"Ivanov, M. M., 212, 350"
207-318, p. 328, (April)
First line should read
"Puzyrev, N. N., Krylov, S. V.,
Potap'yev, S. V., and Treskova,
Yu. A."
207-334, p. 331, (April)
First line should read
"Visintini, Guido de."
212-198, p. 727 (September)
First line should read
"Kherashov, N. P."
215-159, p. 975; 215-223, p. 988; and
215-252, p. 995 (December)
First line should read
"International Geophysics
Bulletin."

CONTENTS

[The letters in parentheses are those used to designate the chapters for separate publication]

	Page
Geophysical Abstracts 204, January	1
Geophysical Abstracts 205, February	89
Geophysical Abstracts 206, March	171
Geophysical Abstracts 207, April	255
Geophysical Abstracts 208, May	345
Geophysical Abstracts 209, June	429
Geophysical Abstracts 210, July	519
Geophysical Abstracts 211, August	601
Geophysical Abstracts 212, September	687
Geophysical Abstracts 213, October	769
Geophysical Abstracts 214, November	855
Geophysical Abstracts 215, December	941
Index to Geophysical Abstracts 204-215, 1964	1029

Under department orders, Geophysical Abstracts has been published at different times by the Bureau of Mines or the Geological Survey as noted below.

1-86, May 1929-June 1936, Bureau of Mines Information Circulars. [Mimeographed]
87, July-December 1936, Geological Survey Bulletin 887.
88-91, January-December 1937, Geological Survey Bulletin 895.
92-95, January-December 1938, Geological Survey Bulletin 909.
96-99, January-December 1939, Geological Survey Bulletin 915.
100-103, January-December 1940, Geological Survey Bulletin 925.
104-107, January-December 1941, Geological Survey Bulletin 932.
108-111, January-December 1942, Geological Survey Bulletin 939.
112-127, January 1943-December 1946, Bureau of Mines Information Circulars. [Mimeographed]
128-131, January-December 1947, Geological Survey Bulletin 957.
132-135, January-December 1948, Geological Survey Bulletin 959.
136-139, January-December 1949, Geological Survey Bulletin 966.
140-143, January-December 1950, Geological Survey Bulletin 976.
144-147, January-December 1951, Geological Survey Bulletin 981.
148-151, January-December 1952, Geological Survey Bulletin 991.
152-155, January-December 1953, Geological Survey Bulletin 1002.
156-159, January-December 1954, Geological Survey Bulletin 1022.
160-163, January-December 1955, Geological Survey Bulletin 1033.
164-167, January-December 1956, Geological Survey Bulletin 1048.
168-171, January-December 1957, Geological Survey Bulletin 1066.
172-175, January-December 1958, Geological Survey Bulletin 1086.
176-179, January-December 1959, Geological Survey Bulletin 1106.
180-183, January-December 1960, Geological Survey Bulletin 1116.
184-187, January-December 1961, Geological Survey Bulletin 1146.
188-191, January-December 1962, Geological Survey Bulletin 1166.
192-203, January-December 1963.